

Parts Index

Bearings

Ag Radial Bearings	55
Disc Bearings	34-37
Flanges	39
Flanged Disc Units	38
Insert Bearings	49-54
Mounted Bearings	40-48
Radial Ball Bearings	56-59
Seals	60
Tapered Bearings	61
Water Pump Bearings	60

Belting

V-Belts	360-369
---------	---------

Cutting Parts

Baler & Rake Teeth	310-320
Case IH	265-273
Disc Mower Blades	333-335
Flail Blades	336-342
Flail Hammers	339
Forged Guards	305-306
Hesston	274-281
Hold Down Clips	307
John Deere	282-289
Massey Ferguson	290-294
Multcher Teeth	317
New Holland	295-304
Rice & Tomato Parts	343-346
Rotary Cutter Blades	321-332
Rubber Rake Teeth	308-309

Chain

Chain Attachments	377-381
Coil Chain	375
Idler Pulleys	359
Idler Sprockets	356
Load Binders	356
Pintle Chain	350
Roller Chain	347-349
Sprockets	351-356
Sprocket Weldahubs	351-358
Steel Detachable Chain	340
Transport Tie Down Chain	376

Disc Blades

Flat Centered Disc Blades	3
Rome Disc Blades	3
Standard Disc Blades	1-2

Disc Parts

AC/Oxnard	4-6
Bush Hog	7
Case IH	8-11

Disc Parts

Domries	12-17
G & M	18-19
Indusco	20-21
John Deere	22-23
Krause	24
Schmeiser	25
Strathmore	26-27
Towner	28-31
Utility/Misc.	32

Driveline

Cross Kits & Shield Kits	153, 156
Domestic Series	157-174
Metric (Bondioli & Pavesi)	175-200
Metric (Waltersheid)	201-214
Shaft & Tubing	154-155

Grader Blades

Custom Grader Blades	33
----------------------	----

Grape Knives / Pans

Grape Knives / Pans	404
---------------------	-----

Hardware / Fasteners

Carriage Bolts	402
Hex Head Bolts	401
Plow Bolts	401
Nuts/Washers	402
U-Bolts	403

Hitch/PTO Parts

A-Frames	120
Draw Bars	133-141
Clevis Pins	126
Cotterless Pins	124
Hitch Pins	121-122
Hitch Pin Clips	124
Keyed Shafting & Key Stock	151
Lift Arms	130
Lift Arm Balls/Ends	131
Lift Arm Bushings	125
Lift Arm Pins	123
Lynch Pins	127
PTO Adaptors	142-146
PTO Couplings	147-149
PTO Pins	127
PTO Splined Shafts	150
Quick Hitches	120
Stabilizer Arms	132
Top Links	131
Top Link Balls/Ends	131-132
Top Link Bushings	125
Top Link Pins	124
Turnbuckle/Ratchet Jacks	125

Parts Index

Hub & Spindles

Hub & Spindles 370-374

Hydraulics

Cylinders 245-259
Cylinder Clevis & Pins 261
Cylinder Rod Stops 261
Cylinder Seal Kits 250
Hose 215
Hose Fittings 216-234
Guages 215
Motors 262-263
Quick Couplings 235-244
Valves 264

Jacks

Trailer Jacks 382-384
Hi-Lifts Jacks 388

Lights

LED Lights 390
LED Light Bars 391
Safety Lights 389
Work Lights 392

Lubricants

Grease 394
Grease Guns/Accessories 394
Starting Fluid 394
Super Penetrant 394

Maching Bushings

Narrow Rim Bushings 400
Split Tension Bushings 399
Wide Rim Bushings 400

Paint

Tractor Paint 405

Pre-Cleaners

Centri Pre-Cleaners 396
Donaldson Full-View 397
Donaldson Top Spin 397

Rolling Cultivator

Rolling Cultivator 110-119

Safety

Dust Masks 395
Gloves 395
Safety Glasses 395
SMV Signs 393
Spray Suits 395
Wide/Over Load Signs 393

Seats

Seats 407-410
Seat Cushions 411

Shaft Collars

Shaft Collars 398
Shaft Couplings (Lovejoy) 152

Tillage

Bean & Beet Hoes 82
Bezzarides Blades 83
Box Scraper Shanks 79
Cast Point Shanks 76
Chisel Plow Shanks 74
Chrome 80
Coil Shanks 73
Coulters 97
Clod Buster 108
Crescent Knives 82
Cultivator Shanks 68
Ditcher Blades 95
Fertilizer Knives 81
Foot Pieces 68
Furrowers 64
Gauge Wheels 107, 109
Grain Drill Assemblies 104-105
Harrow Teeth 75
Hillers 108
Landslides & Wear Pads 104
Listers 65
Moldboards 100-102
Points 66-68
Plow Shears 98-100
Ripper Points 77-78
Roller Rings (Cast) 108
Row Crop Stabilizers 96
S-Tine Shanks 71
Shins 103
Spring Harrow Shanks 72
Sweeps 63
Tiller Blades 84-94
Tool Bar 109
Tool Bar Clamps 69
Tool Bar Spacers 70

Trailer Accessories

Ball Mounts 385-387
Hitch Balls 388
Pintles 386-387
Tie-Down Straps 388

Umbrellas

Tractor Umbrellas 406

Weather Caps

Weather Caps 396

Disc Blades

Smooth Standard Concavity



Part Number	Dia. Size	Thickness	Fits Gang Rod Size	Weight (Lbs.)
AW12S03000	12"	3.0mm	Lilliston/Alloway 5-Hole	4.00
AW14S03000	14"	3.0mm	7/8" Rnd. Pilot Hole	5.00
AW16S03108	16"	3.5mm	1" Sq. x 1-1/8" Sq.	7.00
AW18S03108	18"	3.5mm	1" Sq. x 1-1/8" Sq.	9.00
AW20S04108	20"	4.0mm	1" Sq. x 1-1/8" Sq.	13.00
AW22S05118	22"	5.0mm (3/16")	1-1/8" Sq.	21.00
AW22S05112	22"	5.0mm (3/16")	1-1/2" Sq.	21.00
AW22S06118	22"	6.0mm (1/4")	1-1/8" Sq.	27.00
AW22S06112	22"	6.0mm (1/4")	1-1/2" Sq.	27.00
AW24S05118	24"	5.0mm (3/16")	1-1/8" Sq.	25.00
AW24S05112	24"	5.0mm (3/16")	1-1/2" Sq.	25.00
AW24S06118	24"	6.0mm (1/4")	1-1/8" Sq.	34.00
AW24S06112	24"	6.0mm (1/4")	1-1/2" Sq.	34.00
AW26S06118	26"	6.0mm (1/4")	1-1/8" Sq.	40.00
AW26S06112	26"	6.0mm (1/4")	1-1/2" Sq.	40.00
AW26S08118	26"	8.0mm (5/16")	1-1/8" Sq.	50.00
AW26S08112	26"	8.0mm (5/16")	1-1/2" Sq.	50.00
AW28S06112	28"	6.0mm (1/4")	1-1/2" Sq.	46.00
AW28S08112	28"	8.0mm (5/16")	1-1/2" Sq.	57.00
AW30S08000	30"	8.0mm (5/16")	7/8" Rnd. Pilot Hole	65.00
AW32S08000	32"	8.0mm (5/16")	7/8" Rnd. Pilot Hole	72.00
AW32S08214	32"	8.0mm (5/16")	2-1/4" Sq.	72.00
AW32S10000	32"	10.0mm (3/8")	7/8" Rnd. Pilot Hole	92.00
AW32S10214	32"	10.0mm (3/8")	2-1/4" Sq.	92.00

*Please note Ag West can cut most holes not listed above

Disc Blades

Notched Standard Concavity



Disc Blades

Part Number	Dia. Size	Thickness	Fits Gang Rod Size	Weight (Lbs.)
AW12N03000	12"	3.0mm	Lilliston/Alloway 5-Hole	4.00
AW14N03000	14"	3.0mm	7/8" Rnd. Pilot Hole	5.00
AW16N03108	16"	3.5mm	1" Sq. x 1-1/8" Sq.	6.00
AW18N03108	18"	3.5mm	1" Sq. x 1-1/8" Sq.	9.00
AW20N03108	20"	4.0mm	1" Sq. x 1-1/8" Sq.	12.00
AW22N05118	22"	5.0mm (3/16")	1-1/8" Sq.	20.00
AW22N05112	22"	5.0mm (3/16")	1-1/2" Sq.	20.00
AW22N06118	22"	6.0mm (1/4")	1-1/8" Sq.	25.00
AW22N06112	22"	6.0mm (1/4")	1-1/2" Sq.	25.00
AW24N05118	24"	5.0mm (3/16")	1-1/8" Sq.	24.00
AW24N05112	24"	5.0mm (3/16")	1-1/2" Sq.	24.00
AW24N06118	24"	6.0mm (1/4")	1-1/8" Sq.	32.00
AW24N06112	24"	6.0mm (1/4")	1-1/2" Sq.	32.00
AW26N06118	26"	6.0mm (1/4")	1-1/8" Sq.	38.00
AW26N06112	26"	6.0mm (1/4")	1-1/2" Sq.	38.00
AW26N06118	26"	8.0mm (5/16")	1-1/8" Sq.	48.00
AW26N06112	26"	8.0mm (5/16")	1-1/2" Sq.	48.00
AW28N06112	28"	6.0mm (1/4")	1-1/2" Sq.	44.00
AW28N08112	28"	8.0mm (5/16")	1-1/2" Sq.	55.00
AW30N08000	30"	8.0mm (5/16")	7/8" Rnd. Pilot Hole	62.00
AW32N08000	32"	8.0mm (5/16")	7/8" Rnd. Pilot Hole	70.00
AW32N08214	32"	8.0mm (5/16")	2-1/4" Sq.	70.00
AW32N10000	32"	10.0mm (3/8")	7/8" Rnd. Pilot Hole	90.00
AW32N10214	32"	10.0mm (3/8")	2-1/4" Sq.	90.00
AW36N12000	36"	12.0mm (1/2")	7/8" Rnd. Pilot Hole	147.00
AW36N12214	36"	12.0mm (1/2")	2-1/4" Sq.	147.00

*Please note Ag West can cut most holes not listed above


Disc Blades

Case IH Raised Flat Center Smooth & Notched



Part Number	Dia. Size	Blade Edge	Thickness	Fits Gang Rod Size	Weight (Lbs.)
FC22S05118	22"	Smooth	5.0mm (3/16")	1-1/8" Sq.	21.00
FC22N05118	22"	Notched	5.0mm (3/16")	1-1/8" Sq.	20.00
FC22S06118	22"	Smooth	6.0mm (1/4")	1-1/2" Sq.	27.00
FC22S06112	22"	Notched	6.0mm (1/4")	1-1/2" Sq.	25.00
FC24S06118	24"	Smooth	6.0mm (1/4")	1-1/8" Sq.	34.00
FC24N06118	24"	Notched	6.0mm (1/4")	1-1/8" Sq.	32.00
FC24S06112	24"	Smooth	6.0mm (1/4")	1-1/2" Sq.	34.00
FC24N06112	24"	Notched	6.0mm (1/4")	1-1/2" Sq.	32.00
FC26S06118	26"	Smooth	6.0mm (1/4")	1-1/8" Sq.	40.00
FC26N06118	26"	Notched	6.0mm (1/4")	1-1/8" Sq.	39.00
FC26S06112	26"	Smooth	6.0mm (1/4")	1-1/2" Sq.	40.00
FC26N06112	26"	Notched	6.0mm (1/4")	1-1/2" Sq.	39.00
FC28S06112	28"	Smooth	6.0mm (1/4")	1-1/2" Sq.	51.00
FC28N06112	28"	Notched	6.0mm (1/4")	1-1/2" Sq.	49.00
FC28S08112	28"	Smooth	8.0mm (5/16")	1-1/2" Sq.	56.00
FC28N08112	28"	Notched	8.0mm (5/16")	1-1/2" Sq.	54.00
FC32S08112	32"	Smooth	8.0mm (5/16")	1-1/2" Sq.	75.00
FC32N08112	32"	Notched	8.0mm (5/16")	1-1/2" Sq.	73.00
FC32S08134	32"	Smooth	8.0mm (5/16")	1-3/4" Sq.	75.00
FC32N08134	32"	Notched	8.0mm (5/16")	1-3/4" Sq.	73.00

Rome Shallow Concavity Smooth & Notched



Part Number	Dia. Size	Blade Edge	Thickness	Fits Gang Rod Size	Weight (Lbs.)
RO28S08158R	28"	Smooth	8.0mm (5/16")	1-5/8" Round	57.00
RO28N08158R	28"	Notched	8.0mm (5/16")	1-5/8" Round	55.00
RO32S10218R*	32"	Smooth	10.0mm (3/8")	2-1/8" Round	92.00
RO32N10218R*	32"	Notched	10.0mm (3/8")	2-1/8" Round	90.00

* With Dimples

Disc Parts

AC/Oxnard

1-1/2" Square Axle 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
RPO-104	407509	Full Spool 1-1/2" x 9"	19.40
RPO-105	406660	Half Spool 1-1/2" x 3-5/8" CCV Used w/ Threaded Bearing Housing	9.30
RPO-106	406661	Half Spool 1-1/2" x 3-1/2" CVX Used w/ Threaded Bearing Housing	8.50
RPO-114	411815	Half Spool 1-1/2" x 1-13/16" CCV Used w/ Ear Mtd Bearing Housing	5.80
RPO-113	411814	Half Spool 1-1/2" x 5-7/16" CVX Used w/ Ear Mtd Bearing Housing	10.70
RPO-80	407243	Bearing Housing Only Threaded Type	6.70
RPO-80-KIT	410968	Bearing Housing Assymbly Includes: (1) RPO-80, (1) W211PP5, (2) RPO-93, (1) RPO-99, (1) RPO-94	18.40
RPO-81	411812	Bearing Housing Only Ear Type	7.80
RPO-81-KIT	N/A	Bearing Housing Assymbly Includes: (1) RPO-81, (1) W211PP5, (1) RPO-99	18.10
RPO-94	407244	Yoke Bearing Housing Strap Used w/ Threaded Bearing Housing	5.80
RPO-93	410129	Shoulder Bolt Used w/ Threaded Bearing Housing	0.41
RPO-117	411984	Mounted Bearing Strap Used w/ Ear Mtd Bearing Housing	3.70

Disc Parts

AC/Oxnard

1-1/2" Square Axle 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
RPO-83	410869	End Washer 1-1/2" Sq. CCV	10.41
RPO-84	410884	End Washer 1-1/2" Sq. CVX	13.01
RPO-99	406677	Retaining Ring	0.10
RPO-155	410184	Hub w/ Cups	14.70
RPO-149	408607	Wear Sleeve For Seal	0.11
RPO-152	408605	Seal, POS17526290UA	0.10
RPO-153	209943	Cone Bearing, 13685 (Uses 2)	0.40
RPO-154	209942	Cup Bearing, 13621 (Uses 2)	0.20
RPO-156	408678	Hub Cap, 249127	0.20
RPO-157	408677	Spindle, Slip On	6.40
RPO-158	406633	Spindle, Weld On	3.20
RPO-167	411238	Wheel Bolt 1/2", WB12 (Uses 6)	0.20
RPO-115	411000	Blade Scraper	2.50
RPO-85	410871	1-1/2" x 34-5/8" Sq. (4-Blade)	22.01
RPO-86	410872	1-1/2" x 43-3/4" Sq. (5-Blade)	27.81
RPO-87	410873	1-1/2" x 52-7/8" Sq. (6-Blade)	34.51
RPO-88	410874	1-1/2" x 62" Sq. (7-Blade)	39.51
RPO-89	410875	1-1/2" x 71-1/8" Sq. (8-Blade)	45.31
RPO-90	410876	1-1/2" x 80-1/4" Sq. (9-Blade)	48.11
RPO-91	410877	1-1/2" x 89-3/8" Sq. (10-Blade)	53.91
RPO-92	410878	1-1/2" x 98-1/2" Sq. (11-Blade)	59.71

Disc Parts

AC/Oxnard

2-1/4" Sq. Axle
12" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
RPO-96	411253	Full Spool 2-1/4" x 12-5/8"	52.91
RPO-97	411254	Half Spool 2-1/4" x 4-15/16" CCV	26.81
RPO-98	411255	Half Spool 2-1/4" x 3-3/16" CVX	26.51
RPO-112-KIT	413205	Bearing Housing Assembly Includes: (1) RPO-82, (1) GW216PP2, (1) RPO-110	34.80
RPO-82	413199	Bearing Housing Only	26.80
GW216PP2	836305	Disc Bearing 2-1/4" Greaseable	7.50
RPO-110	812115	Retaining Ring	0.10
RPO-109	413014	Spacing Washer 2-1/4" Sq.	0.80
RPO-100	411252	End Washer 2-1/4" Sq. CVX	32.81
RPO-101	411730	2-1/4" x 74-1/4" Sq. (6-Blade)	134.50
RPO-102	411732	2-1/4" x 100-3/4" Sq. (8-Blade)	171.80
RPO-163	411915	Hub w/ Cups, 8-Lug	22.40
RPO-137	411964	Spindle, Bolt-On	16.80
RPO-144	430600	Seal, 487945	0.10
RPO-145	210009	Cup Bearing, 25520	0.51
RPO-146	508771	Cone Bearing, 25590	0.80
RPO-147	230068	Cup Bearing, 25821	0.40
RPO-148	228509	Cone Bearing, 25877	0.70
RPO-151	430604	Hub Cap, HC100	0.30
RPO-168	408672	Wheel Bolt 9/16", WB916	0.20

Disc Parts

Bush Hog

1-1/8" Square Axle



Part Number	OEM Number	Description	Weight (Lbs.)
14-24-1	14-24-1	Bearing Housing	3.80
GW208PP17	GW208PP17	Disc Bearing, Greaseable used with 14-24-1 bearing housing	1.72
14-24-17	14-24-17	Snap Ring	0.10

1-1/4" Square Axle



Part Number	OEM Number	Description	Weight (Lbs.)
14-6-180	14-6-180	Half Spool, Short slides over 14-24-181 spool	5.90
14-6-181	14-6-181	Half Spool, Long Neck	6.90
14-6-221	14-6-221	Bearing Housing uses GW211PP2 bearing & 14-6-245 snap ring	4.85
14-6-245	14-6-245	Snap Ring used with 14-6-221 or 14-6-405 bearing housing	0.10
GW211PP2	GW211PP2	Disc Bearing used with 14-6-221 or 14-6-405 bearing housing	1.69
14-6-405	14-6-405	Bearing Housing uses GW211PP2 bearing & 14-6-245 snap ring	4.93
14-6-406	14-6-406	Bearing Housing Strap used with 14-6-405 bearing housing	2.76

Disc Parts

Case IH

1-1/8" Square Axle

7-1/2" & 9" Spacing

Disc Parts



Part Number	OEM Number	Description	Weight (Lbs.)
472591R3	472591R3	Half Spool, 1-1/8" x 4" For Models 37, 46, 48, 60, 61, 76, 120, 122, 130, 132, 150, 330, 350, 370, 470, 480, 490, 610, & 760 w/ 7-1/2" or 9" Spacing	4.45
472592R3	472592R3	Half Spool, 1-1/8" x 1-5/8" For Models 37, 46, 48, 60, 61, 120, 122, 130, 132, 150, 330, 370, 470, 480, & 490 w/ 7-1/2" Spacing	2.81
472593R3	472593R3	Half Spool, 1-1/8" x 3" For Models 37, 46, 48, 60, 61, 76, 120, 122, 130, 132, 150, 330, 350, 370, 470, 480, 490, 610, & 760 w/ 9" Spacing	3.82
481416R1	481416R1	Full Spool 1-1/8" x 7-1/2"	9.56
481417R1	481417R1	Full Spool 1-1/8" x 9"	10.36
481611R1	481611R1	End Washer Nut End	2.48
468584R2	468584R2	End Washer Head End	6.25
ST491A	ST491A	Flanged Disc Bearing	3.62
652383R1	652383R1	Bearing Sleeve 1.75" x 5.063" Used w/ 472591R3 & 472592R3 w/ 7-1/2" Spacing	3.70
472594R1	472594R1	Bearing Sleeve 1.75" x 6.063" Used w/ 472591R3 & 472593R3 w/ 9" Spacing	3.82

Disc Parts

Case IH

1-1/8" Square Axle


7-1/2" & 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
465493R2	465493R2	6 Bolt Hub w/ Cups	11.02

63881C91	63881C91	Bearing Kit For 465493R2 Hub Cups: M12610, LM48510, Bearings: M12649, LM48549, Seal: 200886, Wear Ring 667564, Cap: 909917	1.65
----------	----------	---	------

478375R1	478375R1	Spindle For 465493R2 Hub	5.67
----------	----------	--------------------------	------



481474R93	481474R93	Spindle Tube (weld in) Length is 12" has 2- 7/16" drilled holes 1" from each end.	6.70
-----------	-----------	---	------

CB480AL	483139R92	Scraper LH For CaseIH 480	3.86
CB480AR	483140R92	Scraper RH For CaseIH 480	3.86
CB485AL	121195C91	Scraper LH For CaseIH 485	4.12
CB485AR	121196C91	Scraper RH For CaseIH 485	4.12
CB496AL	121119C92	Scraper LH For CaseIH 496	5.09
CB496AR	121120C92	Scraper RH For CaseIH 496	5.09




468607R1	468607R1	1-1/8" Sq. x 39.8" Gang Rod	13.99
471014R1	471014R1	1-1/8" Sq. x 49.5" Gang Rod	17.99
471015R1	471015R1	1-1/8" Sq. x 57.6" Gang Rod	21.99
652939R2	652939R2	1-1/8" Sq. x 67.4" Gang Rod	24.05
472586R2	472586R2	1-1/8" Sq. x 71.9" Gang Rod	24.99
468582R2	468582R2	1-1/8" Sq. x 76.4" Gang Rod	27.11
468583R2	468583R2	1-1/8" Sq. x 79.4" Gang Rod	29.23
481844R1	481844R1	1-1/8" Sq. x 85.5" Gang Rod	31.99
487168R1	487168R1	1-1/8" Sq. x 94.6" Gang Rod	33.06
588329R1	588329R1	1-1/8" Sq. x 103.4" Gang Rod	38.05
546831R1	546831R1	1-1/8" Sq. x 112.5" Gang Rod	47.99
57000C1	57000C1	1-1/8" Sq. x 121.5" Gang Rod	51.99

Disc Parts

Case IH

1-1/2" Square Axle 10-1/2" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
549976R1	549976R1	Full Spool 1-1/2" x 10-1/2" For 500, 501, 596, 770	23.75
549977R1	54977R1	Half Spool 1-1/2" x 4-1/2" For 500, 501, 596, 770	8.99
549973R1	549973R1	End Washer Nut End of Gang Rod For Models 501, 596, 770, 780	6.44
549975R1	549975R1	End Washer Head End of Gang Rod For Models 501, 596, 770, 780	5.51
ST211-2 3/16	ST740B	Flanged Disc Bearing 2-3/16" Round	5.16
129753HD	414598A1	Bearing Guard Cast Heavy Duty Has 2 slotted holes .65" x .45".	1.97
549971R1	549971R1	Bearing Sleeve 2.17" OD x 1.95" ID Used with 549977 Spool.	1.25



58831C1	58831C1	1-1/2" Sq. x 47.3" Gang Rod	27.99
549978R1	549978R1	1-1/2" Sq. x 57.9" Gang Rod	36.99
549979R1	549979R1	1-1/2" Sq. x 68.2" Gang Rod	42.99
549980R1	549980R1	1-1/2" Sq. x 78.9" Gang Rod	48.99
549981R1	549981R1	1-1/2" Sq. x 89.4" Gang Rod	54.99

Disc Parts

Case IH

1-1/2" Square Axle


10-1/2" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
606468R21	606468R21	6 Bolt Hub w/ Cups	12.12

123096A2	123096A2	Bearing Kit For 606468R21 Hub Cups: LM67010, LM501310, Bearings: LM67048, LM501349, Seal: 19844 (594702R91), Wear Ring: 79941 Grease Cap: 909970 (663906R1)	2.00
----------	----------	--	------

1978726C1	1978726C1	Spindle For 606468R21 Hub	8.37
-----------	-----------	---------------------------	------



121470C92	121470C92	Scraper Assy LH For 501, 596, 770, 780	6.36
-----------	-----------	---	------

121471C92	121471C92	Scraper Assy RH For 501, 596, 770, 780	6.36
-----------	-----------	---	------

Disc Parts

Domries

1-1/8" Square Axle 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
JTL-80	JTL-80	Full Spool 1-1/8" x 9"	10.00
K-83	K-83	Half Spool 1-1/8" x 4-1/4" CCV	9.30
K-84	K-84	Half Spool 1-1/8" x 4-1/4" CVX	8.50
K-81KIT	K-81KIT	Bearing Assembly Includes: (1) K-81, (1) W210PP2, (1) K-86, (1) K-88	13.50
K-81	K-81	Bearing Housing & Frame Only	10.00
K-81C	K-81C	Bearing Housing Only	4.40
K-86	K-86	Stop Ring	0.20
W210PP2	K-85	Disc Bearing	6.70
K-88	K-88	Wear Plate	2.00
JDE-18	JDE-18	End Washer CCV Threaded For Disc Extension	7.00
JDE-19	JDE-19	End Washer CVX Threaded For Disc Extension	6.80
J57-S	J57-S	End Washer Universal CCV or CVX	3.20

Disc Parts

Domries

1-1/8" Sq. Gang Rod 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
J-41	J-41	Lock Tab	0.30



CN118	SN-118	1-1/8" Casallated Nut	0.26
-------	--------	-----------------------	------



CP316-212	N/A	Cotter Pin 3/16" x 2-1/2"	0.10
-----------	-----	------------------------------	------



GR-2S	GR-2S	1-1/8" Sq. x 10-1/4" useable (2-Blade)	8.50
GR-3	GR-3	1-1/8" Sq. x 20" useable (3-Blade)	10.00
GR-4	GR-4	1-1/8" Sq. x 28-3/4" useable (4-Blade)	12.50
GR-5	GR-5	1-1/8" Sq. x 38" useable (5-Blade)	15.00
GR-6	GR-6	1-1/8" Sq. x 47" useable (6-Blade)	17.50
GR-7	GR-7	1-1/8" Sq. x 55-7/8" useable (7-Blade)	20.00
GR-8	GR-8	1-1/8" Sq. x 65" useable (8-Blade)	22.50
GR-9	GR-9	1-1/8" Sq. x 74" useable (9-Blade)	25.00
GR-10	GR-10	1-1/8" Sq. x 83-3/8" useable (10-Blade)	27.50
GR-11	GR-11	1-1/8" Sq. x 94" useable (11-Blade)	30.00



LTD-17	LTD-17	Center Shank 3/4" x 3" x 36"	20.00
--------	--------	---------------------------------	-------



BLD66R	BLD66R	Set Bars Right Hand Side	1.50
BLD66L	BLD66L	Set Bars Left Hand Side	1.50



JDE-16	JDE-16	Domries Extension Spool, Front tandem. Has 3 holes to match JDE-18 & JDE-19 extension washers.	11.00
--------	--------	--	-------

JDE-17	JDE-17	Domries Extension Spool, Rear tandem. Has 3 holes to match JDE-18 & JDE-19 extension washers.	11.00
--------	--------	---	-------



JDE-20	JDE-20	Domries Extension Steel Cap, fits JDE-18 & JDE19 extension washers.	1.00
--------	--------	---	------

Disc Parts

Domries

**1-1/2" Square Axle
9" Spacing**



Part Number	OEM Number	Description	Weight (Lbs.)
X-90	X-90	Full Spool 1-1/2" x 9"	10.00
XJ-83	XJ-83	Half Spool CCV	6.50
XJ-84	XJ-84	Half Spool CVX	5.70
X-81KIT	X-81KIT	Bearing Assembly Includes: (1) X-81, (1) W211PP3, (1) X-86, (1) K-88	14.50
X-81	X-81	Bearing Housing & Frame Only	10.00
X-81C	X-81C	Bearing Housing Only	4.40
X-86	X-86	Stop Ring	0.20
W211PP3	X-85	Disc Bearing	2.00
K-88	K-88	Wear Plate	2.00
JXE-18	JXE-18	End Washer CCV Threaded For Disc Extension	9.00
JXE-19	JXE-19	End Washer CVX Threaded For Disc Extension	8.00
X-98	X-98	End Washer Universal CCV or CVX	4.70

Disc Parts

Domries

1-1/2" Sq. Gang Rod 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
CN112	SN-112	Casallated Nut	0.26



CP316-300	N/A	Cotter Pin 3/16" x 3"	0.12
-----------	-----	--------------------------	------



XGR-2	XGR-2	1-1/2" Sq. x 11" useable (2-Blade)	10.00
XGR-3	XGR-3	1-1/2" Sq. x 20-7/8" useable (3-Blade)	14.00
XGR-4	XGR-4	1-1/2" Sq. x 20-1/2" useable (4-Blade)	20.00
XGR-5	XGR-5	1-1/2" Sq. x 39" useable (5-Blade)	26.00
XGR-6	XGR-6	1-1/2" Sq. x 48-1/8" useable (6-Blade)	32.00
XGR-7	XGR-7	1-1/2" Sq. x 56-1/4" useable (7-Blade)	38.00
XGR-8	XGR-8	1-1/2" Sq. x 65-3/4" useable (8-Blade)	44.00
XGR-9	XGR-9	1-1/2" Sq. x 74-3/4" useable (9-Blade)	50.00
XGR-10	XGR-10	1-1/2" Sq. x 84-1/4" useable (10-Blade)	56.00
XGR-11	XGR-11	1-1/2" Sq. x 94" useable (11-Blade)	62.00



LTD-17	LTD-17	Center Shank 3/4" x 3" x 36"	20.00
--------	--------	---------------------------------	-------



BLD66R	BLD66R	Set Bars Right Hand Side	1.50
BLD66L	BLD66L	Set Bars Left Hand Side	1.50



JXE-16	JXE-16	Domries Extension Spool, Front tandem. Has 3 holes to match JXE-18 & JXE-19 extension washers.	11.00
--------	--------	--	-------

JXE-17	JXE-17	Domries Extension Spool, Rear tandem. Has 3 holes to match JXE-18 & JXE-19 extension washers.	11.00
--------	--------	---	-------





JXE-20	JXE-20	Domries Extension Steel Cap, fits JXE-18 & JXE19 extension washers.	1.00
--------	--------	---	------

Disc Parts

Domries

1-3/4" Square Axle

10-1/2" & 12" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
NX-82-10 1/2	NX-82-10 1/2	1-3/4" x 10-1/2" Full Spool	38.20
NX-82-12	NX-82-12	1-3/4" x 12" Full Spool	41.50
NX83	NX83	Half Spool CCV For 10-1/2" & 12" Spacing	17.80
NX-84-10 1/2	NX-84-10 1/2	Half Spool CVX For 10-1/2" Spacing	17.80
NX-84-12	NX-84-12	Half Spool CVX For 12" Spacing	19.80
OFNX-81-1 3/4	OFNX-81- 1 3/4	Bearing Housing Only	15.00
PGW214PP7	RPT-502	Disc Bearing, Relubeable	5.00
RPT-501	RPT-501	1-3/4" Sq. x 2" Lg. Bearing Insert For PGW214PP7 Bearing	1.60
RPT-510	RPT-510	Retaining Ring	0.20
OX-150	OX-150	Bearing Shield/Washer	0.50

Domries Wheel Hub- Fits Most Models



Part No.	Description
DSH-302	Hub (6-Lug)
DSH-302-OS	Hub (6-Lug) Old Style
DSH-303	Bearing Cup, Outer (LM501310)
DSH-304	Bearing Cone, Outer (LM501349)
DSH-305	Bearing Cup, Inner (LM67010)
DSH-306	Bearing Cone, Inner (LM67048)
DSH-307	Inner Seal (POS2032356TC)
DSH-308	Outer Seal (POS2123537TA)
DSH-309	Spindle Sleeve
DSH-312S	Spindle
DSH-313	Slotted Nut For Spindle
DSH-314	Spindle Washer
DSH-316	Dust Cap For Hub
DSH-318	Lug Bolts 1/2" x 1" Fine Thread (WB12)

Disc Parts

Domries

Border Disc 1-1/8" Sq. Axle

	Part Number	OEM Number	Description	Weight (Lbs.)
	BB-2	BB-2	Half Spool, CCV	3.50
	BB-3	BB-3	Half Spool, CVX	4.00
	BD-83	BD-83	Half Spool, CCV	5.00
	BD-84	BD-84	Half Spool, CVX	4.00
	J57-S	J57-S	End Washer 1-1/8" Sq., Universal Both CCV & CVX	5.00
	BD-4213	BD-4213	Bearing Spacer*	2.00
	W210PP2	K85	Disc Bearing, Sealed* *used with BB-2 & BB-3 Spools.	1.80
	BD-11822	BD-11822	Bearing Housing 1-1/8" Sq.*	3.00
	GW208PP17	BD-11821	Disc Bearing, Greaseable* used with BD-83 & BD-84 Spools.	1.50

Border Disc 1-1/2" Sq. Axle

	Part Number	OEM Number	Description	Weight (Lbs.)
	BDX-83	BDX-83	Half Spool 1-1/2" Sq., CCV	4.50
	BDX-84	BDX-84	Half Spool 1-1/2" Sq., CVX	4.00
	BD11220	BD11220	Half Spool 1-1/2" Sq., CCV	5.30
	BD11225	BD11225	Half Spool 1-1/2" Sq., CVX	5.00
	X-98	X-98	End Washer 1-1/2" Sq., Universal Both CCV & CVX	4.70
	BD-6412	BD-6412	Bearing Spacer	2.00
	W211PP3	X-85	Disc Bearing 1-1/2" Sq., Sealed	2.00
	BD11222	BD11222	Bearing Housing, used with W211PP3 bearing & BD11220 & BD11225 spools.	3.30

Disc Parts

G & M

1-1/8" Sq. Gang Rod 7" Spacing or 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
GM3008-7	3008-7	Full Spool 7" Spacing 1-1/8" x 7"	10.00
GM3008-9	3008-9	Full Spool 9" Spacing 1-1/8" x 9"	11.00
GM3009-7	3009-7	Half Spool CCV 7" Spacing 1-1/8" x 2-7/8"	4.80
GM3009-9	3009-9	Half Spool CCV 9" Spacing	5.80
GM3010-7	3010-7	Half Spool CVX 7" Spacing 1-1/8" Sq. x 2-7/8"	4.80
GM3010-9	3010-9	Half Spool CVX 9" Spacing 1-1/8" Sq. x 3-15/16"	5.80
GM3023	3023	End Washer CCV	6.50
GM3024	3024	End Washer CVX	5.51
W210PPB4	N/A	Disc Bearing 1-1/8" Sq.	1.80
90MS4	N/A	Bearing Flange	0.90



Disc Parts

G & M

1-15/16" Round Gang Rod

9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
GM3001	3001-1	Full Spool 1-15/16" Rnd x 9"	10.00



GM3003	3003	Half Spool CCV 1-15/16" Rnd x 3-7/8"	6.50
--------	------	---	------



GM3004	3004	Half Spool CVX 1-15/16" Rnd x 3-7/8"	5.70
--------	------	---	------



GM3005	3005	End Washer CCV	14.50
--------	------	----------------	-------



GM3006	3006	End Washer CVX	7.60
--------	------	----------------	------



GM3007	3007	Bearing Housing Only	5.60
--------	------	----------------------	------



GM3044-KIT	3044	Hanger Bracket Assy Less Bearing and Housing	5.60
------------	------	---	------



W210PP2	3055	Disc Bearing 1-5/16" Round Bore	1.80
---------	------	------------------------------------	------



GM3058	3058	Snap Ring	0.10
--------	------	-----------	------

Disc Parts

Indusco

1-1/8" Sq. Gang Rod 7-1/4" Spacing & 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
RPI-181	32000115	Full Spool 7-1/4" Spacing 1-1/8" x 7-1/4"	9.20
RPI-193	31000114	Full Spool 9" Spacing 1-1/8" x 9"	13.00
RPI-159	32000130	Half Spool CCV 7-1/4" Spacing	4.20
RPI-137	32000127	Half Spool CCV 9" Spacing	5.10
RPI-160	32000131	Half Spool CVX 7-1/4" Spacing	3.70
RPI-140	32000126	Half Spool CVX 9" Spacing	4.10
RPI-189	32001442	End Washer CCV Non-Threaded	7.00
RPI-176	32000101	End Washer CCV Threaded For Disc Extension	7.00
RPI-150	32001453	End Washer CCX Non-Threaded	5.50
RPI-194	32000128	End Washer CVX Threaded For Disc Extension	7.00
RPI-157	32000628	Bearing Strap Top & Bottom Strap (2-Per Bearing)	1.60
W208PPB5	32001078	Disc Bearing 1-1/8" Sq.	1.10

Disc Parts

Indusco

1-1/2" Square Axle 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
RPI-163	32000116	Full Spool 1-1/2" x 9"	12.00
RPI-135	32000135	Half Spool CCV 1-1/2" x 2-3/4"	5.30
RPI-136	32000136	Half Spool CVX 1-1/2" x 4-3/4"	5.50
RPI-155	32000503	Bearing Strap	1.80
W211PPB3	N/A	Disc Bearing 1-1/2" Sq.	1.90

Disc Parts

John Deere

1-1/8" Sq. Gang Rod 7-1/4" Spacing or 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
AA28369	AA28369	Full Spool 7-1/4" Spacing 1-1/8" x 7-1/4"	8.40
AA28448	3008-9	Full Spool 9" Spacing 1-1/8" x 9"	9.10
AN20622	AN20622	Half Spool 7-1/4" Spacing 3-7/8" Tall	5.34
A30723	A30723	Half Spool 9" Spacing 5-1/4" Tall	6.93
A20621	A20621	Half Spool For 7-1/4" & 9" Spacing 1-7/8" Tall	2.91
AA28184	AA28184	Disc Bearing 1-3/4" Round	5.10
A20648	A20648	Bearing Sleeve For 9" Spacing 8-1/2" Long	0.9
A25694	A25694	Bumper Washer For 7-1/4" & 9" Spacing	1.32

John Deere Half Spools



P56891	P56891 AK36398	Half Spool CCV	4.90
P56892	P56892 AK36409	Half Spool CVX	5.61

Disc Parts

John Deere

Bearing Housings & Bearings



Part Number	OEM Number	Description	Weight (Lbs.)
AK36415	AK36415	Bearing Housing Uses W210 Bearing	8.32
Q28860	Q28860	Bearing Housing Uses W210 Bearing	5.25
AK36650	AK36650	Bearing Housing Uses AK36651 Bearing	5.73
K36641	K36641	Bearing Housing Bracket Used Aith AK36415 & Q28860	2.50
AK36640	AK36640	Bearing Housing Bracket Used With AK36650 Housing	5.50
K36640	K36640	Wear Guard For AK36650 Housing	5.00
W210	AK33798K	Bearing Less Seals	1.31
W210A	N/A	Bearing With Seals	2.51
POS2443529UA	N/A	Seal For W210 Bearing 2-Seals required for each bearing	0.60
AK36651	AK36651	Bearing Less Seals	2.39
AK36652	AK36652	Seal For AK36651 Bearing 2-Seals required for each bearing	0.97
W213-8445	N/A	Bearing 2.1880" Rnd. Less Seals	4.02
POS751208UA	N/A	Seal For W213-8445 2-Seals required for each bearing	0.60
AA28184	AA28184	1-3/4" Round Bearing Ref Numbers: GW209PPB13, DS209TTR13	1.59
AA28186	AA28186	2-3/16" Round Bearing Ref Numbers: GW211PPB20	2.74

Disc Parts

Disc Parts

Krause

Spools & Bearings



Part Number	OEM Number	Description	Weight (Lbs.)
AK408	AK408	Half Spool CCV 1-1/2" Round, 3" Tall	5.48
AK409	AK409	Half Spool CVX 1-1/2" Round, 4-3/4" Tall	5.74
AK1013	AK1013	Half Spool CVX 1-1/2" Square x 1-3/4" Round 5" Tall	5.90
AK1014	AK1014	Half Spool CCV 1-1/2" Square x 1-3/4" Round 2-3/4" Tall	5.23



ST491B	1934-12-0	Flanged Disc Unit Bearing 1-1/2" Round	3.96
ST211-1 1/2	40-157	Flanged Disc Unit Bearing 1-1/2" Square	5.77
ST211-1 3/4	3218-14-0	Flanged Disc Unit Bearing 1-3/4" Round	5.63
GW209PPB22	1927-11-0	Krause Disc Bearing 1-1/2" Round Has rubber cushion around bearing	2.94
GW209PPB23-BR209	40-167	Disc Bearing 1-3/4" Round Includes Rubber Housing	3.20
GW211TTR23	2410-11-0	Krause Disc Bearing 1-3/4" Round Has rubber cushion around bearing	3.79

Disc Parts

Schmeiser

1-3/4" Round Gang Rod 9" Spacing




Part Number	OEM Number	Description	Weight (Lbs.)
GDP-28FS00	GDP-28FS00	Full Spool 1-3/4" Rnd. X 9"	10.00
GDP-28LHS2	GDP-28LHS2	Half Spool CVX 1-3/4" Rnd. X 5"	6.50
GDP-28SHS2	GDP-28SHS2	Half Spool CCV 1-3/4" Rnd. X 3"	5.50
GDP-28TRB2	GDP-28TRB2	Bearing Housing	4.40
GW211PP25	GDP-28TRB1	Disc Bearing, Relubeable	2.00
GDP-28TRB3	GDP-28TRB3	Snap Ring	0.20
GDP-28TRB4	GDP-28TRB4	Bearing Washer Requires 2 per bearing	0.20
GDP-00B003	GDP-00B003	End Washer, CCV	8.00
GDP-28SC01	GDP-28SC01	End Washer, CVX	8.00

Disc Parts

Strathmore

1-1/8" Sq. Gang Rod 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
A-108	A-108	Full Spool 1-1/8" x 9"	10.00
LT-1	LT-1	Half Spool CCV 1-1/8" x 8-1/8" Bearing Slides Over Long Neck	6.50
LT-2	LT-2	Half Spool CVX 1-1/8" x 4"	5.50
AW23-34	23-34	Bearing Assembly w/ 3/4" Bolt Includes: (1) AW2728-34, (1) GM3058, (1) W210PP2	13.50
AW23-78	23-78	Bearing Assembly w/ 7/8" Bolt Includes: (1) AW2728-78, (1) GM3058, (1) W210PP2	13.50
AW2728-34	2728-34	Bearing Housing & Frame w/ 3/4" Bolt	10.00
AW2728-78	2728-78	Bearing Housing & Frame w/ 7/8" Bolt	10.00
LT-3	LT-3	Bearing Housing Only	4.40
W210PP2	W210PP2	Disc Bearing	1.69
GM3058	GM3058	Snap Ring	0.10
AWG22	G22	End Washer CVX	5.51
AWG30	G30	End Washer CCV	6.50
AWAXLOC	AXLOC	Lock Tab Washer	0.30

Disc Parts

Strathmore

1-1/2" Round Gang Rod

9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
ST-108	ST-108	Full Spool 1-1/2" Rnd x 9"	10.00
ST-1	ST-1	Half Spool CCV 1-1/2" x 4-1/2"	4.80
ST-2	ST-2	Half Spool CVX 1-1/2" x 4-1/2"	4.80
AW23-34	23-34	Bearing Assembly w/ 3/4" Bolt Includes: (1) AW2728-34, (1) GM3058, (1) W210PP2	13.50
AW23-78	23-78	Bearing Assembly w/ 7/8" Bolt Includes: (1) AW2728-78, (1) GM3058, (1) W210PP2	13.50
AW2728-34	2728-34	Bearing Housing & Frame w/ 3/4" Bolt	10.00
AW2728-78	2728-78	Bearing Housing & Frame w/ 7/8" Bolt	10.00
LT-3	LT-3	Bearing Housing Only	4.40
W210PP2	W210PP2	Disc Bearing	1.69
GM3058	GM3058	Snap Ring	0.10
ST-22	ST-22	End Washer Concaved	6.50
ST-30	ST-30	End Washer Convexed	5.50



Disc Parts

Towner

1-1/8" Sq. Gang Rod 7" Spacing & 9" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
RPT-529	3296	Full Spool 7" Spacing 1-1/8" x 7"	8.20
RPT-722	1006-1	Full Spool 9" Spacing 1-1/8" x 9"	10.50
RPT-531	8927	Half Spool CCV 7" Spacing 1-1/8" x 2-13/16"	5.00
RPT-694	3011	Half Spool CCV 9" Spacing 1-1/8" x 3-1/2"	5.10
RPT-530	8926	Half Spool CVX 7" Spacing 1-1/8" x 2-3/4"	5.00
RPT-693	3010	Half Spool CVX 9" Spacing 1-1/8" x 3-1/2"	5.10
W208PPB8	N/A	Disc Bearing 1-1/8" Sq. (Use w/ Bearing Straps RPT-524 & RPT-525)	1.66
RPT-524	7900	Bearing Strap - Top Use w/ W208PPB8 Bearing	1.10
RPT-525	7901	Bearing Strap - Bottom Use w/ W208PPB8 Bearing	1.40
W208PPB12	N/A	Disc Bearing 1-1/8" Sq. (Use w/ Bearing Straps RPT-507 & RPT-508)	1.50
RPT-508	15011	Bearing Strap - Top Use w/ W208PPB12 Bearing	0.70
RPT-507	15012	Bearing Strap - Bottom Use w/ W208PPB12 Bearing	1.00

Disc Parts

Towner

1-1/2" Square Axle 9" Spacing & 10" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
RPT-672	54564	Full Spool 9" Spacing 1-1/2" x 9"	15.00
RPT-638	54984	Full Spool 10" Spacing 1-1/2" x 10"	18.00



RPT-612	57378	Half Spool CCV 9" Spacing 1-1/2" x 3-5/8"	5.30
RPT-671	55825	Half Spool CCV 10" Spacing 1-1/2" x 4-1/4"	8.90



RPT-613	57379	Half Spool CVX 9" Spacing 1-1/2" x 3-5/8"	7.00
RPT-684	71189	Half Spool CVX 10" Spacing 1-1/2" x 4-1/8"	8.90



W211PPB6	N/A	Disc Bearing	3.40
----------	-----	--------------	------



RPT-505	18615	Bearing Strap - Bottom	1.10
---------	-------	------------------------	------



RPT-506	18614	Bearing Strap - Top	1.40
---------	-------	---------------------	------

Disc Parts

Towner

1-3/4" Square
11" Spacing & 12" Spacing



Part Number	OEM Number	Description	Weight (Lbs.)
RPT-536	58538	Full Spool 11" Spacing 1-3/4" Sq. x 11"	19.80
RPT-528	57322	Full Spool 12" Spacing 1-3/4" Sq. x 12"	20.10
RPT-660	56476	Half Spool CCV 11" & 12" Spacing 1-3/4" Sq. x 4"	10.00
RPT-664	56014	Half Spool CVX 11" Spacing 1-3/4" Sq. x 4-1/2"	11.00
RPT-674	57150	Half Spool CVX 12" Spacing 1-3/4" Sq. x 5-5/8"	11.90
RPT-513KIT	72721	Bearing Cartridge Assembly Assy Includes: (1) RPT-509, (1) GW214PP2, (1) RPT-510, (1) RPT-511, (1) RPT-512, (1) RPT-501	13.60
RPT-509	70730	Bearing Cartridge	5.80
RPT-512	28784	Bearing Shield - Small	0.70
RPT-511	26425	Bearing Shield - Large	0.80
RPT-510	26431	Retaining Ring	0.20
GW214PP2	N/A	Disc Bearing	3.84
RPT-501	31991	Insert Spacer 1-3/4" Sq. x 2" Lg For GW214PP2	1.60
RPT-695	19566	End Washer CCV	7.50
RPT-730	19565	End Washer CVX	7.10

Disc Parts

Towner

2-1/4" Square Axle 14" Spacing



Part Number	OEM Number	Description	Weight
RPT-689	58678	Full Spool 2-1/4" Sq. x 14"	34.20
RPT-687	59212	Half Spool CCV 2-1/4" Sq. x 6-1/4"	22.50
RPT-688	59213	Half Spool CVX 2-1/4" Sq. x 4-3/4"	21.00
RPT-539KIT	59150	Bearing Cartridge Assembly Assy Includes: (1) RPT-540, (1) RPT-541, (1) RPT-542, (1) RPT-543, (1) GW214PP2	17.10
RPT-540	59376	Bearing Cartridge	8.90
RPT-541	24482	Bearing Shield - Small	0.70
RPT-542	24483	Bearing Shield - Large	0.80
RPT-543	24485	Retaing Ring	0.30
GW214PP2	N/A	Disc Bearing	3.84


Disc Parts

Misc. Disc Parts

	Part Number	Description	Weight
	DS-6	1" Sq. Full Spool 1" x 7-1/4"	4.19
	DS-5	1" Sq. End Washer CCV	2.80
	DS-7	1" Sq. End Washer CVX	2.80
	VLH6708	1" Sq. Half Spool CCV 1" x 2-3/8"	3.31
	VLH6709	1" Sq. Half Spool CVX 1" x 3-5/8"	3.42
	DH340339	1" Sq. Half Spool CCV 1" x 1-1/4"	2.90
	DH340337A	1" Sq. Ribbed Spool Assy 1" x 7-1/4" Includes: 1-DH340337, 2-DH340338	14.80
	DH340337	1" Sq. Ribbed Spool Only 1" x 7-1/4"	5.07
	DH340338	Ribbed Cap For DH340337 Spool	4.80
	SGR2650	1" Sq. x 26-1/2" Gang Rod	6.92
	SGR3058	1" Sq. x 30-5/8" Gang Rod	7.86
	SGR3400	1" Sq. x 34" Gang Rod	8.97
	SGR3958	1" Sq. x 39-5/8" Gang Rod	11.10
	SGR4100	1" Sq. x 41" Gang Rod	12.04
	76N4512	1-1/8" Slack Washer 1-1/8" Sq. Center, 1/4" Thick, 5" OD	0.63
	WK1	Wesked Bearing Housing For 1-1/8" Sq. Gang Rod, Uses W208PPB12 Bearing	4.94
	WK1-UBT	U-Bolt For WK-1	0.63
	WK2	Wesked Bearing Housing For 1-1/2" Sq. Gang Rod, Uses W211PPB6 Bearing	6.82
	WK2-UBT	U-Bolt For WK-2	0.91

Grader Blades

Custom Blade Sheet



A. THICKNESS OF MATERIAL

B. WIDTH OF MATERIAL

C. LENGTH OF MATERIAL

D. DISTANCE TO CENTER OF HOLE #1

E. CENTERS FROM HOLE #1 TO #2

F. CENTERS FROM HOLE #2 TO #3

G. CENTERS FROM HOLE #3 TO #4

H. BOLT SIZE

I. BLADE FLAT OR CURVED

J. SINGLE BEVEL OR DOUBLE BEVEL

K. DISTANCE FROM BOLT HOLE TO BOTTOM


L. PLOW BOLTS OR CARRIAGE BOLTS

M. TOP OR BOTTOM COUNTERSINK

ANY OTHER ADDITIONAL INFO IF NEEDED:

Disc Bearings


Round Bore Non-Relubricable (Sealed)



Part Number	Replaces BCA No.	Type	Bore Size	Outside Diameter (D)	Outer Race Width (Be)	Inner Race Width (Bi)
W208PPB2	DS208TT2	1	1.5005	3.1496	0.7090	1.6880
W208PPB7	DS208TT7	2	1.1880	3.1496	0.7090	1.1880
W208PP10	DC208TT10	4	1.5005	3.1496	0.8270	1.6880
W208PPB10	DS208TT10	1	1.5005	3.1496	0.8270	1.6880
W208PPB23	DS208TT2A	2	1.5005	3.1496	1.1880	1.6880
W209PPB2	DS209TT2	3	1.7717	3.3460	1.1880	1.1880
W209PPB4	DS209TT4	3	1.5350	3.3460	1.1800	1.1880
W210PP2	DC211TT2	5	1.9380	3.5433	1.1880	1.1880
W210PPB2	DS211TT2	3	1.9380	3.5430	1.1880	1.1880
W210PPB5	DS210TT5	3	1.7850	3.5430	1.1880	1.1880
W210PP8	DC210TT8	5	1.5300	3.5433	1.1880	1.1880
W210PPB9	DS210TT9	2	1.9448	3.5433	0.9055	1.4382
W211PP2	DC211TT2	5	2.1880	3.9370	1.3120	1.3120
W211PPB2	DS211TT2	3	2.1800	3.9370	1.3120	1.3120
W211PPB4	DS211TT4	6	2.1880	3.9370	1.3120	2.1870
W214PP2	DC214TT2	5	2.7559	4.9213	1.5620	1.5620
W214PPB2	DS214TT2	3	2.7559	4.9213	1.5620	1.5620
W214PPB9	DS214TT9	3	2.7660	4.9213	1.1020	1.7500

Disc Bearings


Square Bore Non-Relubricable (Sealed)



Part Number	Replaces BCA No.	Type	Bore Size	Outside Diameter (D)	Outer Race Width (Be)	Inner Race Width (Bi)
W208PP5	DC208TT5	4	1-1/8"	3.1496	0.7090	1.4380
W208PPB5	DS208TT5	1	1-1/8"	3.1496	0.7090	1.4380
W208PP6	DC208TT6	4	1"	3.1496	0.7090	1.4380
W208PPB6	DS208TT6	1	1"	3.1496	0.7090	1.4380
W208PP8	DC208TT8	4	1-1/8"	3.1496	1.1880	1.4380
W208PPB8	DS208TT8	2	1-1/8"	3.1496	1.1880	1.4380
W208PPB9	DS208TT9	2	1"	3.1496	1.8800	1.4380
W208PPB11	DS208TT11	6	7/8"	3.3760	1.1880	1.4380
W208PPB12	DS208TT12	6	1-1/8"	3.3760	1.1880	1.4380
W208PPB13	DS208TT13	1	7/8"	3.1496	0.7090	1.4380
W209PPB5	DS209TT5	2	1-1/4"	3.3465	1.1880	1.4380
W209PPB7	DS209TT7	6	1-1/4"	3.3760	1.1880	1.4375
W210PP4	DC210TT4	5	1-1/8"	3.5433	1.1880	1.1880
W210PPB4	DS210TT4	3	1-1/8"	3.5433	1.1880	1.1880
W210PPB6	DS210TT6	2	1-1/8"	3.5433	1.1880	1.4380
W211PP3	DC211TT3	5	1-1/2"	3.9370	1.3120	1.3120
W211PPB3	DS211TT3	3	1-1/2"	3.9370	1.3120	1.3120
W211PP5	DC211TT5	4	1-1/2"	4.0000	1.4380	1.7500
W211PPB6	DS211TT6	6	1-1/2"	4.0770	1.4380	1.7500

Disc Bearings

Round Bore Relubricable (Greaseable)




Part Number	Replaces BCA No.	Type	Bore Size	Outside Diameter (D)	Outer Race Width (Be)	Inner Race Width (Bi)
GW209PPB2	DS209TTR2	3	1.7717	3.3465	1.1880	1.1880
GW209PPB4	DS209TTR4	3	1.5350	3.3465	1.1880	1.1880
GW209PPB11	DS209TTR11	1	1.7810	3.3465	0.8660	1.4380
GW210PPB2	DS210TTR2	3	1.9380	3.5433	1.1880	1.1880
GW210PPB5	DS210TTR5	3	1.7850	3.5433	1.1880	1.1880
GW210PP9	DC210TTR9	5	1.9450	3.5433	0.9060	1.4380
GW211PP2	DC211TTR2	4	2.1880	3.9370	1.3120	1.3120
GW211PPB2	DS211TTR2	3	2.1880	3.9370	1.3120	1.3120
GW211PPB8	DS211TTR8	1	2.1880	3.9370	0.9840	1.3120
GW211PPB9	DS211TTR9	1	2.1950	3.9370	0.9840	1.5620
GW211PPB10	DS211TTR10	3	1.9380	3.9370	1.3120	1.3120
GW211PPB13	DS211TTR13	1	1.7850	3.9370	0.9840	1.3120
GW211PPB14	DS211TTR14	1	2.0150	3.9370	0.9840	1.3120
GW211PP25	DS211TTR25	5	1.7800	3.9370	1.3120	1.7500
GW214PP2	DC214TTR2	4	2.7559	4.9213	1.5620	1.5620
GW214PPB2	DS214TTR2	3	2.7559	4.9213	1.5620	1.5620
GW214PPB3	DS214TTR3	3	1.9380	4.9213	1.5620	1.5620
GW214PPB5	DS214TTR5	2	2.7559	4.9213	1.5620	2.4380
GW214PPB6	DS214TTR6	1	2.6881	4.9213	1.1024	2.6875

John Deere & Towner Bearings

W210	DC210	-	Less Seals
W210A	DC210A	-	W/ Seals, Includes (2) POS2443529UA Seals
W213-8445	W213-8445	-	Less Seals
W213-8445A	W213-8445A	-	W/ Seals, Includes (2) POS751208UA Seals
AA28184	AA28184	-	1.7800" Bore JD Disc Bearing
AA28186	AA28186	-	2.1875" Bore JD Disc Bearing


Disc Bearings

Square Bore Relubricable (Greaseable)



Part Number	Replaces BCA No.	Type	Bore Size	Outside Diameter (D)	Outer Race Width (Be)	Inner Race Width (Bi)
GW208PPB5	DS208TTR21	1	1-1/8"	3.1496	0.8270	1.4380
GW208PPB6	DS208TTR6	1	1"	3.1496	0.8270	1.4380
GW208PPB8	DS208TTR8	2	1-1/8"	3.1496	1.1880	1.4380
GW208PP17	DC208TTR17	4	1-1/8"	3.3755	1.1880	1.4380
GW208PPB17	DS208TTR17	2	1-1/8"	3.3755	1.1880	1.4380
GW209PPB5	DS209TTR5	2	1-1/4"	3.3465	1.1880	1.4380
GW209PPB8	DS209TTR8	1	1-1/4"	3.3465	0.8660	1.4380
GW210PP4	DC210TTR4	5	1-1/8"	3.5433	1.1880	1.1880
GW210PPB4	DS210TTR4	3	1-1/8"	3.5433	1.1880	1.1880
GW211PP3	DC211TTR3	5	1-1/2"	3.9370	1.3120	1.3120
GW211PPB3	DS211TTR3	3	1-1/2"	3.9370	1.3120	1.3120
GW211PP5	DC211TTR5	4	1-1/2"	4.0000	1.4380	1.7500
GW211PP17	DC211TTR17	4	1-1/2"	3.9370	1.3120	1.7500
GW211PPB17	DS211TTR17	1	1-1/2"	3.9370	1.3120	1.7500
GW214PPB4	DS214TTR4	3	2"	4.9213	1.5620	1.5620
GW216PP2	DC216TTR2	4	2-1/4"	5.5118	1.1810	2.5000
GW216PPB2	DS216TTR2	2	2-1/4"	5.5118	1.1810	2.5000

Flanged Disc Unit



Part Number	Type	Shaft Dia.	Dimensions							
			A	B	C	E	F	L	N1	N2
ST491A	1	1-3/4" RD.	1.654	1.685	5.000	0.276	3.859	5.000	0.531	-
ST491B	2	1-1/2" RD.	1.654	1.685	5.000	0.276	3.859	5.000	0.531	0.687
ST208-1	3	1" SQ.	1.378	1.503	4.687	0.276	3.570	4.764	0.531	0.531
ST209-1 1/8	4	1-1/8" SQ.	1.654	1.685	5.000	0.276	3.859	5.000	0.531	0.687
ST209-1 1/4	4	1-1/4" SQ.	1.654	1.685	5.000	0.276	3.859	5.000	0.531	0.687
ST211-1 1/2	4	1-1/2" SQ.	1.827	2.000	5.500	0.354	4.469	5.500	0.531	0.594
ST211-1 3/4	1	1-3/4" RD.	1.827	2.189	5.500	0.354	4.469	5.500	0.531	-
ST211-1 5/16	1	1-5/16" RD.	1.827	2.752	5.500	0.354	4.469	5.500	0.531	-
ST211-2 3/16	1	2-3/16" RD.	1.750	2.189	5.500	0.354	4.469	5.500	0.531	-

Flanged Disc Interchange Chart


Part Number	Fafnir	BCA
ST491A	491A	FD-209-RA
ST491B	DHU 1 1/2R-209	FD-209-RB
ST209-1 1/8	DHU 1 1/8S-209	FD-209RM
ST209-1 1/4	DHU 1 1/4S-209	FD-209RK
ST211-1 1/2	DHU 1 1/2S-211	FD-211-RM
ST211-1 3/4	DHU 1 3/4R-211	FD-211-RE
ST211-1 5/16	DHU 1 5/16R-211	FD-211-RK
ST211-2 3/16	DHU 2 3/16R-211	FD-211-RB

Bearing Flanges

2-Bolt



*Sold per pair




Part Number	Dimensions					
	Da	L	H	A	A1	N
40MS2	1.5748	2.3622	3.2283	0.5906	0.1772	0.2795
47MS2	1.8504	2.6772	3.5827	0.6693	0.1772	0.3543
52MS2	2.0472	2.8346	3.7795	0.7480	0.1772	0.3543
62MS2	2.4409	3.3465	4.4882	0.7874	0.2165	0.4330
72MS2	2.8346	3.7402	5.0000	0.9055	0.2165	0.4330

3-Bolt



*Sold per pair




Part Number	Dimensions					
	Da	L	P	A	B	N
40MS3	1.5748	3.1890	2.5000	0.5512	0.1575	0.2795
47MS3	1.8504	3.5433	2.8150	0.6299	0.1575	0.3543
52MS3	2.0472	3.7402	2.9921	0.6693	0.1575	0.3543
62MS3	2.4409	4.4488	3.5630	0.6693	0.1969	0.4331
72MS3	2.8346	4.8031	3.9370	0.7874	0.1969	0.4331

4-Bolt





*Sold per pair



Part Number	Dimensions					
	Da	L	P	A	B	N
80MS4	3.1496	5.8268	4.6850	0.9055	0.2756	0.5315
85MS4	3.3465	5.9055	4.7441	0.9055	0.2756	0.5315
90MS4	3.5433	6.1811	5.0000	0.9843	0.3150	0.5315
100MS4	3.9370	6.6142	5.4331	1.0236	0.3150	0.5315

*Add g on the end of each part number if you need a grease zerk for relubeable bearings


Pillow Block Bearings



W/ Eccentric Locking Collar

Part Number	Shaft Size	Dim. (A)	Dim. (B)	Dim. (C)	Bolt Size	Bearing No.	Housing No.
VPE208	1/2"	5.0000	2.5591	3.7402	3/8"	NA204-8	P204G
VPE209	9/16"	5.0000	2.5591	3.7402	3/8"	NA204-9	P204G
VPE210	5/8"	5.0000	2.5591	3.7402	3/8"	NA204-10	P204G
VPE211	11/16"	5.0000	2.5591	3.7402	3/8"	NA204-11	P204G
VPE212	3/4"	5.0000	2.5591	3.7402	3/8"	NA204-12	P204G
VPE213	13/16"	5.0000	2.5591	3.7402	3/8"	NA204-13	P204G
VPE214	7/8"	5.5118	2.7953	4.1339	3/8"	NA205-14	P205G
VPE215	15/16"	5.5118	2.7953	4.1339	3/8"	NA205-15	P205G
VPE216	1"	5.5118	2.7953	4.1339	3/8"	NA205-16	P205G
VPE217	1-1/16"	6.2992	3.2677	4.7638	3/8"	NA206-17	P206G
VPE218	1-1/8"	6.2992	3.2677	4.7638	3/8"	NA206-18	P206G
VPE219	1-3/16"	6.2992	3.2677	4.7638	3/8"	NA206-19	P206G
VPE220	1-1/4"	6.5748	3.6614	5.0000	1/2"	NA207-20	P207G
VPE221	1-5/16"	6.5748	3.6614	5.0000	1/2"	NA207-21	P207G
VPE222	1-3/8"	6.5748	3.6614	5.0000	1/2"	NA207-22	P207G
VPE223	1-7/16"	6.5748	3.6614	5.0000	1/2"	NA207-23	P207G
VPE224	1-1/2"	7.0866	3.8583	5.3937	1/2"	NA208-24	P208G
VPE225	1-9/16"	7.0866	3.8583	5.3937	1/2"	NA208-25	P208G
VPE226	1-5/8"	7.4803	4.1732	5.7480	1/2"	NA209-26	P209G
VPE227	1-11/16"	7.4803	4.1732	5.7480	1/2"	NA209-27	P209G
VPE228	1-3/4"	7.4803	4.1732	5.7480	1/2"	NA209-28	P209G
VPE229	1-13/16"	8.1102	4.4882	6.2598	5/8"	NA210-29	P210G
VPE230	1-7/8"	8.1102	4.4882	6.2598	5/8"	NA210-30	P210G
VPE231	1-15/16"	8.1102	4.4882	6.2598	5/8"	NA210-31	P210G
VPE232	2"	8.6220	4.9306	6.7323	5/8"	NA211-32	P211G
VPE233	2-1/16"	8.6220	4.9306	6.7323	5/8"	NA211-33	P211G
VPE234	2-1/8"	8.6220	4.9306	6.7323	5/8"	NA211-34	P211G
VPE235	2-3/16"	8.6220	4.9306	6.7323	5/8"	NA211-35	P211G
VPE236	2-1/4"	9.4882	5.4331	7.2441	5/8"	NA212-36	P212G
VPE237	2-5/16"	9.4882	5.4331	7.2441	5/8"	NA212-37	P212G
VPE238	2-3/8"	9.4882	5.4331	7.2441	5/8"	NA212-38	P212G
VPE239	2-7/16"	9.4882	5.4331	7.2441	5/8"	NA212-39	P212G
VPE240	2-1/2"	10.3937	5.9449	7.9921	3/4"	NA213-40	P213G
VPE244	2-3/4"	10.4724	6.1811	8.2677	3/4"	NA214-44	P214G
VPE247	2-5/16"	10.8268	6.4173	8.5433	3/4"	NA215-47	P215G
VPE248	3"	10.8268	6.4173	8.5433	3/4"	NA215-48	P215G


Pillow Block Bearings



W/ Set Screw Locking

Part Number	Shaft Size	Dim. (A)	Dim. (B)	Dim. (C)	Bolt Size	Bearing No.	Housing No.
VPS208	1/2"	5.0000	2.5591	3.7402	3/8"	UC204-8	P204G
VPS209	9/16"	5.0000	2.5591	3.7402	3/8"	UC204-9	P204G
VPS210	5/8"	5.0000	2.5591	3.7402	3/8"	UC204-10	P204G
VPS211	11/16"	5.0000	2.5591	3.7402	3/8"	UC204-11	P204G
VPS212	3/4"	5.0000	2.5591	3.7402	3/8"	UC204-12	P204G
VPS213	13/16"	5.0000	2.5591	3.7402	3/8"	UC204-13	P204G
VPS214	7/8"	5.5118	2.7953	4.1339	3/8"	UC205-14	P205G
VPS215	15/16"	5.5118	2.7953	4.1339	3/8"	UC205-15	P205G
VPS216	1"	5.5118	2.7953	4.1339	3/8"	UC205-16	P205G
VPS217	1-1/16"	6.2992	3.2677	4.7638	3/8"	UC206-17	P206G
VPS218	1-1/8"	6.2992	3.2677	4.7638	3/8"	UC206-18	P206G
VPS219	1-3/16"	6.2992	3.2677	4.7638	3/8"	UC206-19	P206G
VPS220	1-1/4"	6.5748	3.6614	5.0000	1/2"	UC207-20	P207G
VPS221	1-5/16"	6.5748	3.6614	5.0000	1/2"	UC207-21	P207G
VPS222	1-3/8"	6.5748	3.6614	5.0000	1/2"	UC207-22	P207G
VPS223	1-7/16"	6.5748	3.6614	5.0000	1/2"	UC207-23	P207G
VPS224	1-1/2"	7.0866	3.8583	5.3937	1/2"	UC208-24	P208G
VPS225	1-9/16"	7.0866	3.8583	5.3937	1/2"	UC208-25	P208G
VPS226	1-5/8"	7.4803	4.1732	5.7480	1/2"	UC209-26	P209G
VPS227	1-11/16"	7.4803	4.1732	5.7480	1/2"	UC209-27	P209G
VPS228	1-3/4"	7.4803	4.1732	5.7480	1/2"	UC209-28	P209G
VPS229	1-13/16"	8.1102	4.4882	6.2598	5/8"	UC210-29	P210G
VPS230	1-7/8"	8.1102	4.4882	6.2598	5/8"	UC210-30	P210G
VPS231	1-15/16"	8.1102	4.4882	6.2598	5/8"	UC210-31	P210G
VPS232	2"	8.6220	4.9306	6.7323	5/8"	UC211-32	P211G
VPS233	2-1/16"	8.6220	4.9306	6.7323	5/8"	UC211-33	P211G
VPS234	2-1/8"	8.6220	4.9306	6.7323	5/8"	UC211-34	P211G
VPS235	2-3/16"	8.6220	4.9306	6.7323	5/8"	UC211-35	P211G
VPS236	2-1/4"	9.4882	5.4331	7.2441	5/8"	UC212-36	P212G
VPS237	2-5/16"	9.4882	5.4331	7.2441	5/8"	UC212-37	P212G
VPS238	2-3/8"	9.4882	5.4331	7.2441	5/8"	UC212-38	P212G
VPS239	2-7/16"	9.4882	5.4331	7.2441	5/8"	UC212-39	P212G
VPS240	2-1/2"	10.3937	5.9449	7.9921	3/4"	UC213-40	P213G
VPS244	2-3/4"	10.4724	6.1811	8.2677	3/4"	UC214-44	P214G
VPS247	2-5/16"	10.8268	6.4173	8.5433	3/4"	UC215-47	P215G
VPS248	3"	10.8268	6.4173	8.5433	3/4"	UC215-48	P215G


2-Bolt Flange Bearings



W/ Eccentric Locking Collar

Part Number	Shaft Size	Dim. (A)	Dim. (B)	Dim. (C)	Bolt Size	Bearing No.	Housing No.
VF2E208	1/2"	2.3819	4.4291	3.5315	3/8"	NA204-8	NFL204G
VF2E209	9/16"	2.3819	4.4291	3.5315	3/8"	NA204-9	NFL204G
VF2E210	5/8"	2.3819	4.4291	3.5315	3/8"	NA204-10	NFL204G
VF2E211	11/16"	2.3819	4.4291	3.5315	3/8"	NA204-11	NFL204G
VF2E212	3/4"	2.3819	4.4291	3.5315	3/8"	NA204-12	NFL204G
VF2E213	13/16"	2.3819	4.4291	3.5315	3/8"	NA204-13	NFL204G
VF2E214	7/8"	2.7559	4.8819	3.8976	3/8"	NA205-14	NFL205G
VF2E215	15/16"	2.7559	4.8819	3.8976	3/8"	NA205-15	NFL205G
VF2E216	1"	2.7559	4.8819	3.8976	3/8"	NA205-16	NFL205G
VF2E217	1-1/16"	3.2677	5.5906	4.5945	3/8"	NA206-17	NFL206G
VF2E218	1-1/8"	3.2677	5.5906	4.5945	3/8"	NA206-18	NFL206G
VF2E219	1-3/16"	3.2677	5.5906	4.5945	3/8"	NA206-19	NFL206G
VF2E220	1-1/4"	3.5433	6.3386	5.1260	1/2"	NA207-20	NFL207G
VF2E221	1-5/16"	3.5433	6.3386	5.1260	1/2"	NA207-21	NFL207G
VF2E222	1-3/8"	3.5433	6.3386	5.1260	1/2"	NA207-22	NFL207G
VF2E223	1-7/16"	3.5433	6.3386	5.1260	1/2"	NA207-23	NFL207G
VF2E224	1-1/2"	3.9764	6.7323	5.6575	1/2"	NA208-24	NFL208G
VF2E225	1-9/16"	3.9764	6.7323	5.6575	1/2"	NA208-25	NFL208G
VF2E226	1-5/8"	4.3701	7.0472	5.8465	9/16"	NA209-26	NFL209G
VF2E227	1-11/16"	4.3701	7.0472	5.8465	9/16"	NA209-27	NFL209G
VF2E228	1-3/4"	4.3701	7.0472	5.8465	9/16"	NA209-28	NFL209G
VF2E229	1-13/16"	4.5669	7.4409	6.1890	9/16"	NA210-29	NFL210G
VF2E230	1-7/8"	4.5669	7.4409	6.1890	9/16"	NA210-30	NFL210G
VF2E231	1-15/16"	4.5669	7.4409	6.1890	9/16"	NA210-31	NFL210G
VF2E232	2"	5.2362	8.5039	7.2480	5/8"	NA211-32	NFL211G
VF2E233	2-1/16"	5.2362	8.5039	7.2480	5/8"	NA211-33	NFL211G
VF2E234	2-1/8"	5.2362	8.5039	7.2480	5/8"	NA211-34	NFL211G
VF2E235	2-3/16"	5.2362	8.5039	7.2480	5/8"	NA211-35	NFL211G
VF2E236	2-1/4"	5.4331	9.3307	7.9528	5/8"	NA212-36	NFL212G
VF2E237	2-5/16"	5.4331	9.3307	7.9528	5/8"	NA212-37	NFL212G
VF2E238	2-3/8"	5.4331	9.3307	7.9528	5/8"	NA212-38	NFL212G
VF2E239	2-7/16"	5.4331	9.3307	7.9528	5/8"	NA212-39	NFL212G


2-Bolt Flange Bearings



W/ Set Screw Locking

Part Number	Shaft Size	Dim. (A)	Dim. (B)	Dim. (C)	Bolt Size	Bearing No.	Housing No.
VF2S208	1/2"	2.3819	4.4291	3.5315	3/8"	UC204-8	NFL204G
VF2S209	9/16"	2.3819	4.4291	3.5315	3/8"	UC204-9	NFL204G
VF2S210	5/8"	2.3819	4.4291	3.5315	3/8"	UC204-10	NFL204G
VF2S211	11/16"	2.3819	4.4291	3.5315	3/8"	UC204-11	NFL204G
VF2S212	3/4"	2.3819	4.4291	3.5315	3/8"	UC204-12	NFL204G
VF2S213	13/16"	2.3819	4.4291	3.5315	3/8"	UC204-13	NFL204G
VF2S214	7/8"	2.7559	4.8819	3.8976	3/8"	UC205-14	NFL205G
VF2S215	15/16"	2.7559	4.8819	3.8976	3/8"	UC205-15	NFL205G
VF2S216	1"	2.7559	4.8819	3.8976	3/8"	UC205-16	NFL205G
VF2S217	1-1/16"	3.2677	5.5906	4.5945	3/8"	UC206-17	NFL206G
VF2S218	1-1/8"	3.2677	5.5906	4.5945	3/8"	UC206-18	NFL206G
VF2S219	1-3/16"	3.2677	5.5906	4.5945	3/8"	UC206-19	NFL206G
VF2S220	1-1/4"	3.5433	6.3386	5.1260	1/2"	UC207-20	NFL207G
VF2S221	1-5/16"	3.5433	6.3386	5.1260	1/2"	UC207-21	NFL207G
VF2S222	1-3/8"	3.5433	6.3386	5.1260	1/2"	UC207-22	NFL207G
VF2S223	1-7/16"	3.5433	6.3386	5.1260	1/2"	UC207-23	NFL207G
VF2S224	1-1/2"	3.9764	6.7323	5.6575	1/2"	UC208-24	NFL208G
VF2S225	1-9/16"	3.9764	6.7323	5.6575	1/2"	UC208-25	NFL208G
VF2S226	1-5/8"	4.3701	7.0472	5.8465	9/16"	UC209-26	NFL209G
VF2S227	1-11/16"	4.3701	7.0472	5.8465	9/16"	UC209-27	NFL209G
VF2S228	1-3/4"	4.3701	7.0472	5.8465	9/16"	UC209-28	NFL209G
VF2S229	1-13/16"	4.5669	7.4409	6.1890	9/16"	UC210-29	NFL210G
VF2S230	1-7/8"	4.5669	7.4409	6.1890	9/16"	UC210-30	NFL210G
VF2S231	1-15/16"	4.5669	7.4409	6.1890	9/16"	UC210-31	NFL210G
VF2S232	2"	5.2362	8.5039	7.2480	5/8"	UC211-32	NFL211G
VF2S233	2-1/16"	5.2362	8.5039	7.2480	5/8"	UC211-33	NFL211G
VF2S234	2-1/8"	5.2362	8.5039	7.2480	5/8"	UC211-34	NFL211G
VF2S235	2-3/16"	5.2362	8.5039	7.2480	5/8"	UC211-35	NFL211G
VF2S236	2-1/4"	5.4331	9.3307	7.9528	5/8"	UC212-36	NFL212G
VF2S237	2-5/16"	5.4331	9.3307	7.9528	5/8"	UC212-37	NFL212G
VF2S238	2-3/8"	5.4331	9.3307	7.9528	5/8"	UC212-38	NFL212G
VF2S239	2-7/16"	5.4331	9.3307	7.9528	5/8"	UC212-39	NFL212G

3-Bolt Flange Bearings



W/ Eccentric Locking Collar


Part Number	Shaft Size	L	P	Dimensions L1	N	Bolt Used	Bearing No.	Housing No.
SATRD204-12G	3/4"	2.5433	2.8110	2.6378	0.3425	5/16"	SA204-12G	TRD204
SATRD205-14G	7/8"	3.7480	3.0000	2.5984	0.3425	5/16"	SA205-14G	TRD205
SATRD205-15G	15/16"	3.7480	3.0000	2.5984	0.3425	5/16"	SA205-15G	TRD205
SATRD205-16G	1"	3.7480	3.0000	2.5984	0.3425	5/16"	SA205-16G	TRD205
SATRD206-17G	1-1/16"	4.4370	3.5630	3.2283	0.4055	3/8"	SA206-17G	TRD206
SATRD206-18G	1-1/8"	4.4370	3.5630	3.2283	0.4055	3/8"	SA206-18G	TRD206
SATRD206-19G	1-3/16"	4.4370	3.5630	3.2283	0.4055	3/8"	SA206-19G	TRD206
SATRD206-20G	1-1/4"	4.4370	3.5630	3.2283	0.4055	3/8"	SA206-20G	TRD206
SATRD207-20G	1-1/4"	4.8031	3.9370	3.4646	0.4055	3/8"	SA207-20G	TRD207
SATRD207-21G	1-5/16"	4.8031	3.9370	3.4646	0.4055	3/8"	SA207-21G	TRD207
SATRD207-22G	1-3/8"	4.8031	3.9370	3.4646	0.4055	3/8"	SA207-22G	TRD207
SATRD207-23G	1-7/16"	4.8031	3.9370	3.4646	0.4055	3/8"	SA207-23G	TRD207



W/ Set Screw Locking

Part Number	Shaft Size	L	P	Dimensions L1	N	Bolt Used	Bearing No.	Housing No.
SBTRD204-12G	3/4"	2.5433	2.8110	2.6378	0.3425	5/16"	SB204-12G	TRD204
SBTRD205-14G	7/8"	3.7480	3.0000	2.5984	0.3425	5/16"	SB205-14G	TRD205
SBTRD205-15G	15/16"	3.7480	3.0000	2.5984	0.3425	5/16"	SB205-15G	TRD205
SBTRD205-16G	1"	3.7480	3.0000	2.5984	0.3425	5/16"	SB205-16G	TRD205
SBTRD206-17G	1-1/16"	4.4370	3.5630	3.2283	0.4055	3/8"	SB206-17G	TRD206
SBTRD206-18G	1-1/8"	4.4370	3.5630	3.2283	0.4055	3/8"	SB206-18G	TRD206
SBTRD206-19G	1-3/16"	4.4370	3.5630	3.2283	0.4055	3/8"	SB206-19G	TRD206
SBTRD206-20G	1-1/4"	4.4370	3.5630	3.2283	0.4055	3/8"	SB206-20G	TRD206
SBTRD207-20G	1-1/4"	4.8031	3.9370	3.4646	0.4055	3/8"	SB207-20G	TRD207
SBTRD207-21G	1-5/16"	4.8031	3.9370	3.4646	0.4055	3/8"	SB207-21G	TRD207
SBTRD207-22G	1-3/8"	4.8031	3.9370	3.4646	0.4055	3/8"	SB207-22G	TRD207
SBTRD207-23G	1-7/16"	4.8031	3.9370	3.4646	0.4055	3/8"	SB207-23G	TRD207


4-Bolt Flange Bearings



W/ Eccentric Locking Collar

Part Number	Shaft Size	Dim. (A)	Dim. (B)	Bolt Size	Bearing No.	Housing No.
VF4E208	1/2"	3.3858	2.5000	7/16"	NA204-8	NF204G
VF4E209	9/16"	3.3858	2.5000	7/16"	NA204-9	NF204G
VF4E210	5/8"	3.3858	2.5000	7/16"	NA204-10	NF204G
VF4E211	11/16"	3.3858	2.5000	7/16"	NA204-11	NF204G
VF4E212	3/4"	3.3858	2.5000	7/16"	NA204-12	NF204G
VF4E213	13/16"	3.3858	2.5000	7/16"	NA204-13	NF204G
VF4E214	7/8"	3.6614	2.7559	7/16"	NA205-14	NF205G
VF4E215	15/16"	3.6614	2.7559	7/16"	NA205-15	NF205G
VF4E216	1"	3.6614	2.7559	7/16"	NA205-16	NF205G
VF4E217	1-1/16"	4.1732	3.2480	7/16"	NA206-17	NF206G
VF4E218	1-1/8"	4.1732	3.2480	7/16"	NA206-18	NF206G
VF4E219	1-3/16"	4.1732	3.2480	7/16"	NA206-19	NF206G
VF4E220	1-1/4"	4.5669	3.6220	1/2"	NA207-20	NF207G
VF4E221	1-5/16"	4.5669	3.6220	1/2"	NA207-21	NF207G
VF4E222	1-3/8"	4.5669	3.6220	1/2"	NA207-22	NF207G
VF4E223	1-7/16"	4.5669	3.6220	1/2"	NA207-23	NF207G
VF4E224	1-1/2"	5.0787	3.9961	1/2"	NA208-24	NF208G
VF4E225	1-9/16"	5.0787	3.9961	1/2"	NA208-25	NF208G
VF4E226	1-5/8"	5.3150	4.1339	9/16"	NA209-26	NF209G
VF4E227	1-11/16"	5.3150	4.1339	9/16"	NA209-27	NF209G
VF4E228	1-3/4"	5.3150	4.1339	9/16"	NA209-28	NF209G
VF4E229	1-13/16"	5.6299	4.3701	9/16"	NA210-29	NF210G
VF4E230	1-7/8"	5.6299	4.3701	9/16"	NA210-30	NF210G
VF4E231	1-15/16"	5.6299	4.3701	9/16"	NA210-31	NF210G
VF4E232	2"	6.3780	5.1181	5/8"	NA211-32	NF211G
VF4E233	2-1/16"	6.3780	5.1181	5/8"	NA211-33	NF211G
VF4E234	2-1/8"	6.3780	5.1181	5/8"	NA211-34	NF211G
VF4E235	2-3/16"	6.3780	5.1181	5/8"	NA211-35	NF211G
VF4E236	2-1/4"	6.8898	5.6299	5/8"	NA212-36	NF212G
VF4E237	2-5/16"	6.8898	5.6299	5/8"	NA212-37	NF212G
VF4E238	2-3/8"	6.8898	5.6299	5/8"	NA212-38	NF212G
VF4E239	2-7/16"	6.8898	5.6299	5/8"	NA212-39	NF212G
VF4E240	2-1/2"	7.2441	5.8661	5/8"	NA213-40	NF213G
VF4E244	2-3/4"	7.4016	5.9843	5/8"	NA214-44	NF214G
VF4E247	2-15/16"	7.8740	6.0000	3/4"	NA215-47	NF215G
VF4E248	3"	7.8740	6.0000	3/4"	NA215-48	NF215G


4-Bolt Flange Bearings



W/ Set Screw Locking

Part Number	Shaft Size	Dim. (A)	Dim. (B)	Bolt Size	Bearing No.	Housing No.
VF4S208	1/2"	3.3858	2.5000	7/16"	UC204-8	NF204G
VF4S209	9/16"	3.3858	2.5000	7/16"	UC204-9	NF204G
VF4S210	5/8"	3.3858	2.5000	7/16"	UC204-10	NF204G
VF4S211	11/16"	3.3858	2.5000	7/16"	UC204-11	NF204G
VF4S212	3/4"	3.3858	2.5000	7/16"	UC204-12	NF204G
VF4S213	13/16"	3.3858	2.5000	7/16"	UC204-13	NF204G
VF4S214	7/8"	3.6614	2.7559	7/16"	UC205-14	NF205G
VF4S215	15/16"	3.6614	2.7559	7/16"	UC205-15	NF205G
VF4S216	1"	3.6614	2.7559	7/16"	UC205-16	NF205G
VF4S217	1-1/16"	4.1732	3.2480	7/16"	UC206-17	NF206G
VF4S218	1-1/8"	4.1732	3.2480	7/16"	UC206-18	NF206G
VF4S219	1-3/16"	4.1732	3.2480	7/16"	UC206-19	NF206G
VF4S220	1-1/4"	4.5669	3.6220	1/2"	UC207-20	NF207G
VF4S221	1-5/16"	4.5669	3.6220	1/2"	UC207-21	NF207G
VF4S222	1-3/8"	4.5669	3.6220	1/2"	UC207-22	NF207G
VF4S223	1-7/16"	4.5669	3.6220	1/2"	UC207-23	NF207G
VF4S224	1-1/2"	5.0787	3.9961	1/2"	UC208-24	NF208G
VF4S225	1-9/16"	5.0787	3.9961	1/2"	UC208-25	NF208G
VF4S226	1-5/8"	5.3150	4.1339	9/16"	UC209-26	NF209G
VF4S227	1-11/16"	5.3150	4.1339	9/16"	UC209-27	NF209G
VF4S228	1-3/4"	5.3150	4.1339	9/16"	UC209-28	NF209G
VF4S229	1-13/16"	5.6299	4.3701	9/16"	UC210-29	NF210G
VF4S230	1-7/8"	5.6299	4.3701	9/16"	UC210-30	NF210G
VF4S231	1-15/16"	5.6299	4.3701	9/16"	UC210-31	NF210G
VF4S232	2"	6.3780	5.1181	5/8"	UC211-32	NF211G
VF4S233	2-1/16"	6.3780	5.1181	5/8"	UC211-33	NF211G
VF4S234	2-1/8"	6.3780	5.1181	5/8"	UC211-34	NF211G
VF4S235	2-3/16"	6.3780	5.1181	5/8"	UC211-35	NF211G
VF4S236	2-1/4"	6.8898	5.6299	5/8"	UC212-36	NF212G
VF4S237	2-5/16"	6.8898	5.6299	5/8"	UC212-37	NF212G
VF4S238	2-3/8"	6.8898	5.6299	5/8"	UC212-38	NF212G
VF4S239	2-7/16"	6.8898	5.6299	5/8"	UC212-39	NF212G
VF4S240	2-1/2"	7.2441	5.8661	5/8"	UC213-40	NF213G
VF4S244	2-3/4"	7.4016	5.9843	5/8"	UC214-44	NF214G
VF4S247	2-15/16"	7.8740	6.0000	3/4"	UC215-47	NF215G
VF4S248	3"	7.8740	6.0000	3/4"	UC215-48	NF215G


Tapped Base Pillow Block Bearings



W/ Eccentric Locking Collar

Part Number	Shaft Size	Dimensions					Tapped Holes 2-N	Bearing No.	Housing No.
		H	L	J	H2	F			
NAPA204-08	1/2"	1.311	2.874	2.000	2.559	1/2	3/8"-16UNC	NA204-08	PA204
NAPA204-10	5/8"	1.311	2.874	2.000	2.559	1/2	3/8"-16UNC	NA204-10	PA204
NAPA204-12	3/4"	1.311	2.874	2.000	2.559	1/2	3/8"-16UNC	NA204-12	PA204
NAPA205-14	7/8"	1.437	2.992	2.000	2.795	1/2	3/8"-16UNC	NA205-14	PA205
NAPA205-15	15/16"	1.437	2.992	2.000	2.795	1/2	3/8"-16UNC	NA205-15	PA205
NAPA205-16	1"	1.437	2.992	2.000	2.795	1/2	3/8"-16UNC	NA205-16	PA205
NAPA206-17	1-1/16"	1.689	4.016	3.000	3.425	5/8	7/16"-14UNC	NA206-17	PA206
NAPA206-18	1-1/8"	1.689	4.016	3.000	3.425	5/8	7/16"-14UNC	NA206-18	PA206
NAPA206-19	1-3/16"	1.689	4.016	3.000	3.425	5/8	7/16"-14UNC	NA206-19	PA206
NAPA206-20	1-1/4"	1.689	4.016	3.000	3.425	5/8	7/16"-14UNC	NA206-20	PA206
NAPA207-20	1-1/4"	1.874	4.252	3.248	3.740	3/4	1/2"-13UNC	NA207-20	PA207
NAPA207-21	1-5/16"	1.874	4.252	3.248	3.740	3/4	1/2"-13UNC	NA207-21	PA207
NAPA207-22	1-3/8"	1.874	4.252	3.248	3.740	3/4	1/2"-13UNC	NA207-22	PA207
NAPA207-23	1-7/16"	1.874	4.252	3.248	3.740	3/4	1/2"-13UNC	NA207-23	PA207
NAPA208-24	1-1/2"	1.937	4.626	3.500	3.937	3/4	1/2"-13UNC	NA208-24	PA208
NAPA208-25	1-9/16"	1.937	4.626	3.500	3.937	3/4	1/2"-13UNC	NA208-25	PA208
NAPA209-26	1-5/8"	2.126	5.000	3.752	4.252	3/4	1/2"-13UNC	NA209-26	PA209
NAPA209-27	1-11/16"	2.126	5.000	3.752	4.252	3/4	1/2"-13UNC	NA209-27	PA209
NAPA209-28	1-3/4"	2.126	5.000	3.752	4.252	3/4	1/2"-13UNC	NA209-28	PA209
NAPA210-30	1-7/8"	2.250	5.512	4.000	4.626	31/32	5/8"-11UNC	NA210-30	PA210
NAPA210-31	1-15/16"	2.250	5.512	4.000	4.626	31/33	5/8"-11UNC	NA210-31	PA210
NAPA210-32	2"	2.250	5.512	4.000	4.626	31/34	5/8"-11UNC	NA210-32	PA210


Tapped Base Pillow Block Bearings



W/ Set Screw Locking

Part Number	Shaft Size	H	Dimensions L	J	H2	F	Tapped Holes 2-N	Bearing No.	Housing No.
UCPA204-08	1/2"	1.311	2.874	2.000	2.559	1/2	3/8"-16UNC	UC204-08	PA204
UCPA204-10	5/8"	1.311	2.874	2.000	2.559	1/2	3/8"-16UNC	UC204-10	PA204
UCPA204-12	3/4"	1.311	2.874	2.000	2.559	1/2	3/8"-16UNC	UC204-12	PA204
UCPA205-14	7/8"	1.437	2.992	2.000	2.795	1/2	3/8"-16UNC	UC205-14	PA205
UCPA205-15	15/16"	1.437	2.992	2.000	2.795	1/2	3/8"-16UNC	UC205-15	PA205
UCPA205-16	1"	1.437	2.992	2.000	2.795	1/2	3/8"-16UNC	UC205-16	PA205
UCPA206-17	1-1/16"	1.689	4.016	3.000	3.425	5/8	7/16"-14UNC	UC206-17	PA206
UCPA206-18	1-1/8"	1.689	4.016	3.000	3.425	5/8	7/16"-14UNC	UC206-18	PA206
UCPA206-19	1-3/16"	1.689	4.016	3.000	3.425	5/8	7/16"-14UNC	UC206-19	PA206
UCPA206-20	1-1/4"	1.689	4.016	3.000	3.425	5/8	7/16"-14UNC	UC206-20	PA206
UCPA207-20	1-1/4"	1.874	4.252	3.248	3.740	3/4	1/2"-13UNC	UC207-20	PA207
UCPA207-21	1-5/16"	1.874	4.252	3.248	3.740	3/4	1/2"-13UNC	UC207-21	PA207
UCPA207-22	1-3/8"	1.874	4.252	3.248	3.740	3/4	1/2"-13UNC	UC207-22	PA207
UCPA207-23	1-7/16"	1.874	4.252	3.248	3.740	3/4	1/2"-13UNC	UC207-23	PA207
UCPA208-24	1-1/2"	1.937	4.626	3.500	3.937	3/4	1/2"-13UNC	UC208-24	PA208
UCPA208-25	1-9/16"	1.937	4.626	3.500	3.937	3/4	1/2"-13UNC	UC208-25	PA208
UCPA209-26	1-5/8"	2.126	5.000	3.752	4.252	3/4	1/2"-13UNC	UC209-26	PA209
UCPA209-27	1-11/16"	2.126	5.000	3.752	4.252	3/4	1/2"-13UNC	UC209-27	PA209
UCPA209-28	1-3/4"	2.126	5.000	3.752	4.252	3/4	1/2"-13UNC	UC209-28	PA209
UCPA210-30	1-7/8"	2.250	5.512	4.000	4.626	31/32	5/8"-11UNC	UC210-30	PA210
UCPA210-31	1-15/16"	2.250	5.512	4.000	4.626	31/33	5/8"-11UNC	UC210-31	PA210
UCPA210-32	2"	2.250	5.512	4.000	4.626	31/34	5/8"-11UNC	UC210-32	PA210


Insert Bearings NA Series



W/ Eccentric Locking Collar

Part Number	Shaft Size	Dimensions								
		D	B	B1	C	S	B2	d1	h	G
NA204-8	1/2"	1.8504	1.3465	1.7205	0.6693	0.6732	0.5315	1.3110	0.1475	0.1969
NA204-9	9/16"	1.8504	1.3465	1.7205	0.6693	0.6732	0.5315	1.3110	0.1475	0.1969
NA204-10	5/8"	1.8504	1.3465	1.7205	0.6693	0.6732	0.5315	1.3110	0.1475	0.1969
NA204-11	11/16"	1.8504	1.3465	1.7205	0.6693	0.6732	0.5315	1.3110	0.1475	0.1969
NA204-12	3/4"	1.8504	1.3465	1.7205	0.6693	0.6732	0.5315	1.3110	0.1475	0.1969
NA204-13	13/16"	1.8504	1.3465	1.7205	0.6693	0.6732	0.5315	1.3110	0.1475	0.1969
NA205-14	7/8"	2.0475	1.3740	1.7480	0.6693	0.6890	0.5315	1.5000	0.1654	0.1969
NA205-15	15/16"	2.0475	1.3740	1.7480	0.6693	0.6890	0.5315	1.5000	0.1654	0.1969
NA205-16	1"	2.0475	1.3740	1.7480	0.6693	0.6890	0.5315	1.5000	0.1654	0.1969
NA206-17	1-1/16"	2.4409	1.4370	1.9055	0.7480	0.7205	0.6260	1.7520	0.1969	0.2362
NA206-18	1-1/8"	2.4409	1.4370	1.9055	0.7480	0.7205	0.6260	1.7520	0.1969	0.2362
NA206-19	1-3/16"	2.4409	1.4370	1.9055	0.7480	0.7205	0.6260	1.7520	0.1969	0.2362
NA206-20	1-1/4"	2.4409	1.4370	1.9055	0.7480	0.7205	0.6260	1.7520	0.1969	0.2362
NA207-20	1-1/4"	2.8346	1.4803	2.0018	0.7874	0.7402	0.6890	2.1890	0.2244	0.2559
NA207-21	1-5/16"	2.8346	1.4803	2.0018	0.7874	0.7402	0.6890	2.1890	0.2244	0.2559
NA207-22	1-3/8"	2.8346	1.4803	2.0018	0.7874	0.7402	0.6890	2.1890	0.2244	0.2559
NA207-23	1-7/16"	2.8346	1.4803	2.0018	0.7874	0.7402	0.6890	2.1890	0.2244	0.2559
NA208-24	1-1/2"	3.1496	1.6850	2.2165	0.8268	0.8425	0.7205	2.3740	0.2480	0.2559
NA208-25	1-9/16"	3.1496	1.6850	2.2165	0.8268	0.8425	0.7205	2.3740	0.2480	0.2559
NA209-26	1-5/8"	3.3465	1.6850	2.2165	0.8661	0.8425	0.7205	2.5000	0.2677	0.2559
NA209-27	1-11/16"	3.3465	1.6850	2.2165	0.8661	0.8425	0.7205	2.5000	0.2677	0.2559
NA209-28	1-3/4"	3.3465	1.6850	2.2165	0.8661	0.8425	0.7205	2.5000	0.2677	0.2559
NA210-29	1-13/16"	3.5433	1.9370	2.4685	0.9449	0.9685	0.7205	2.7520	0.2638	0.2559
NA210-30	1-7/8"	3.5433	1.9370	2.4685	0.9449	0.9685	0.7205	2.7520	0.2638	0.2559
NA210-31	1-15/16"	3.5433	1.9370	2.4685	0.9449	0.9685	0.7205	2.7520	0.2638	0.2559
NA211-32	2"	3.9370	2.1850	2.8110	0.9843	1.0817	0.8150	3.0000	0.2756	0.3150
NA211-33	2-1/16"	3.9370	2.1850	2.8110	0.9843	1.0817	0.8150	3.0000	0.2756	0.3150
NA211-34	2-1/8"	3.9370	2.1850	2.8110	0.9843	1.0817	0.8150	3.0000	0.2756	0.3150
NA211-35	2-3/16"	3.9370	2.1850	2.8110	0.9843	1.0817	0.8150	3.0000	0.2756	0.3150
NA212-36	2-1/4"	4.3307	2.4370	3.0630	1.0630	1.2205	0.8780	3.3150	0.2992	0.3150
NA212-37	2-5/16"	4.3307	2.4370	3.0630	1.0630	1.2205	0.8780	3.3150	0.2992	0.3150
NA212-38	2-3/8"	4.3307	2.4370	3.0630	1.0630	1.2205	0.8780	3.3150	0.2992	0.3150
NA212-39	2-7/16"	4.3307	2.4370	3.0630	1.0630	1.2205	0.8780	3.3150	0.2992	0.3150
NA213-40	2-1/2"	4.7244	2.6850	3.3740	1.1024	1.3425	0.9252	3.3858	0.3504	0.3346
NA214-44	2-3/4"	4.9213	2.6850	3.3740	1.1811	1.3425	0.9252	3.5433	0.3505	0.3346
NA215-47	2-15/16"	5.1181	2.9370	3.6260	1.2598	1.4685	0.9252	4.0157	0.3504	0.3346
NA215-48	3"	5.1181	2.9370	3.6260	1.2598	1.4685	0.9252	4.0157	0.3504	0.3346


Insert Bearings UC Series



W/ Set Screw Locking

Part Number	Shaft Size	Dimensions						
		D	B	C	S	S ₁	G	h
UC204-08	1/2"	1.8504	1.2205	0.6693	0.5000	0.7205	0.1850	0.1575
UC204-09	9/16"	1.8504	1.2205	0.6693	0.5000	0.7205	0.1850	0.1575
UC204-10	5/8"	1.8504	1.2205	0.6693	0.5000	0.7205	0.1850	0.1575
UC204-11	11/16"	1.8504	1.2205	0.6693	0.5000	0.7205	0.1850	0.1575
UC204-12	3/4"	1.8504	1.2205	0.6693	0.5000	0.7205	0.1850	0.1575
UC204-13	13/16"	1.8504	1.2205	0.6693	0.5000	0.7205	0.1850	0.1575
UC205-14	7/8"	2.0475	1.3425	0.6693	0.5630	0.7795	0.1969	0.1654
UC205-15	15/16"	2.0475	1.3425	0.6693	0.5630	0.7795	0.1969	0.1654
UC205-16	1"	2.0475	1.3425	0.6693	0.5630	0.7795	0.1969	0.1654
UC206-17	1-1/16"	2.4409	1.5000	0.7480	0.6260	0.8740	0.1969	0.1969
UC206-18	1-1/8"	2.4409	1.5000	0.7480	0.6260	0.8740	0.1969	0.1969
UC206-19	1-3/16"	2.4409	1.5000	0.7480	0.6260	0.8740	0.1969	0.1969
UC206-20	1-1/4"	2.4409	1.5000	0.7480	0.6260	0.8740	0.1969	0.1969
UC207-20	1-1/4"	2.8346	1.6890	0.7874	0.6890	1.0000	0.2362	0.2244
UC207-21	1-5/16"	2.8346	1.6890	0.7874	0.6890	1.0000	0.2362	0.2244
UC207-22	1-3/8"	2.8346	1.6890	0.7874	0.6890	1.0000	0.2362	0.2244
UC207-23	1-7/16"	2.8346	1.6890	0.7874	0.6890	1.0000	0.2362	0.2244
UC208-24	1-1/2"	3.1496	1.9370	0.8268	0.7480	1.1890	0.3150	0.2480
UC208-25	1-9/16"	3.1496	1.9370	0.8268	0.7480	1.1890	0.3150	0.2480
UC209-26	1-5/8"	3.3465	1.9370	0.8661	0.7480	1.1890	0.1500	0.2480
UC209-27	1-11/16"	3.3465	1.9370	0.8661	0.7480	1.1890	0.1500	0.2480
UC209-28	1-3/4"	3.3465	1.9370	0.8661	0.7480	1.1890	0.1500	0.2480
UC210-29	1-13/16"	3.5433	2.0315	0.9449	0.7480	1.2835	0.3937	0.2598
UC210-30	1-7/8"	3.5433	2.0315	0.9449	0.7480	1.2835	0.3937	0.2598
UC210-31	1-15/16"	3.5433	2.0315	0.9449	0.7480	1.2835	0.3937	0.2598
UC211-32	2"	3.9370	2.1890	0.9843	0.8740	1.3150	0.3937	0.2756
UC211-33	2-1/16"	3.9370	2.1890	0.9843	0.8740	1.3150	0.3937	0.2756
UC211-34	2-1/8"	3.9370	2.1890	0.9843	0.8740	1.3150	0.3937	0.2756
UC211-35	2-3/16"	3.9370	2.1890	0.9843	0.8740	1.3150	0.3937	0.2756
UC212-36	2-1/4"	4.3307	2.5630	1.0630	1.0000	1.5630	0.3937	0.2992
UC212-37	2-5/16"	4.3307	2.5630	1.0630	1.0000	1.5630	0.3937	0.2992
UC212-38	2-3/8"	4.3307	2.5630	1.0630	1.0000	1.5630	0.3937	0.2992
UC212-39	2-7/16"	4.3307	2.5630	1.0630	1.0000	1.5630	0.3937	0.2992
UC213-40	2-1/2"	4.7244	2.5630	1.1024	1.0000	1.5630	0.3937	0.3504
UC214-44	2-3/4"	4.9213	2.9370	1.1811	1.1890	1.7480	0.4724	0.3504
UC215-47	2-15/16"	5.1181	3.0630	1.2598	1.3110	1.7520	0.4724	0.3504
UC214-48	3"	5.1181	3.0630	1.2598	1.3110	1.7520	0.4724	0.3504


Insert Bearings SA Series



W/ Eccentric Locking Collar (Non-greasable)

Part Number	Shaft Size	Dimensions								
		D	B1	B	C	S	d1	B2	h	G
SA204-12	3/4"	1.8504	1.2205	0.8465	0.5906	0.2953	1.3110	0.5315	0.1575	0.1969
SA205-14	7/8"	2.0472	1.2205	0.8465	0.5906	0.2953	1.5000	0.5315	0.1654	0.1969
SA205-15	15/16"	2.0472	1.2205	0.8465	0.5906	0.2953	1.5000	0.5315	0.1654	0.1969
SA205-16	1"	2.0472	1.2205	0.8465	0.5906	0.2953	1.5000	0.5315	0.1654	0.1969
SA206-17	1-1/16"	2.4409	1.4055	0.9370	0.7087	0.3543	1.7520	0.6260	0.1969	0.2362
SA206-18	1-1/8"	2.4409	1.4055	0.9370	0.7087	0.3543	1.7520	0.6260	0.1969	0.2362
SA206-19	1-3/16"	2.4409	1.4055	0.9370	0.7087	0.3543	1.7520	0.6260	0.1969	0.2362
SA206-20	1-1/4"	2.4409	1.4055	0.9370	0.7087	0.3543	1.7520	0.6260	0.1969	0.2362
SA207-20	1-1/4"	2.8346	1.5313	1.0000	0.7490	0.3740	2.1890	0.6890	0.2244	0.2559
SA207-21	1-5/16"	2.8346	1.5313	1.0000	0.7490	0.3740	2.1890	0.6890	0.2244	0.2559
SA207-22	1-3/8"	2.8346	1.5313	1.0000	0.7490	0.3740	2.1890	0.6890	0.2244	0.2559
SA207-23	1-7/16"	2.8346	1.5313	1.0000	0.7490	0.3740	2.1890	0.6890	0.2244	0.2559
SA208-24	1-1/2"	3.1496	1.7205	1.1890	0.8661	0.4331	2.3740	0.7205	0.2362	0.2559
SA208-25	1-9/16"	3.1496	1.7205	1.1890	0.8661	0.4331	2.3740	0.7205	0.2362	0.2559
SA209-26	1-5/8"	3.3465	1.7205	1.1890	0.8661	0.4331	2.5000	0.7205	0.2480	0.2559
SA209-27	1-11/16"	3.3465	1.7205	1.1890	0.8661	0.4331	2.5000	0.7205	0.2480	0.2559
SA209-28	1-3/4"	3.3465	1.7205	1.1890	0.8661	0.4331	2.5000	0.7205	0.2480	0.2559
SA210-30	1-7/8"	3.5433	1.7205	1.1890	0.8661	0.4331	2.7520	0.7205	0.2598	0.2559
SA210-31	1-15/16"	3.5433	1.7205	1.1890	0.8661	0.4331	2.7520	0.7205	0.2598	0.2559
SA211-32	2"	3.9370	1.9055	1.2795	0.9449	0.4721	3.0000	0.8150	0.2756	0.3150
SA211-34	2-1/8"	3.9370	1.9055	1.2795	0.9449	0.4721	3.0000	0.8150	0.2756	0.3150
SA211-35	2-3/16"	3.9370	1.9055	1.2795	0.9449	0.4721	3.0000	0.8150	0.2756	0.3150


Insert Bearings CSA Series



W/ Eccentric Locking Collar (Non-greasable)

Part Number	Shaft Size	D	B1	B	C	S	d1	B2	h	G
CSA204-12	3/4"	1.8504	1.2205	0.8465	0.5906	0.2953	1.3110	0.5315	0.1575	0.1969
CSA205-14	7/8"	2.0472	1.2205	0.8465	0.5906	0.2953	1.5000	0.5315	0.1654	0.1969
CSA205-15	15/16"	2.0472	1.2205	0.8465	0.5906	0.2953	1.5000	0.5315	0.1654	0.1969
CSA205-16	1"	2.0472	1.2205	0.8465	0.5906	0.2953	1.5000	0.5315	0.1654	0.1969
CSA206-17	1-1/16"	2.4409	1.4055	0.9370	0.7087	0.3543	1.7520	0.6260	0.1969	0.2362
CSA206-18	1-1/8"	2.4409	1.4055	0.9370	0.7087	0.3543	1.7520	0.6260	0.1969	0.2362
CSA206-19	1-3/16"	2.4409	1.4055	0.9370	0.7087	0.3543	1.7520	0.6260	0.1969	0.2362
CSA206-20	1-1/4"	2.4409	1.4055	0.9370	0.7087	0.3543	1.7520	0.6260	0.1969	0.2362
CSA207-20	1-1/4"	2.8346	1.5313	1.0000	0.7490	0.3740	2.1890	0.6890	0.2244	0.2559
CSA207-21	1-5/16"	2.8346	1.5313	1.0000	0.7490	0.3740	2.1890	0.6890	0.2244	0.2559
CSA207-22	1-3/8"	2.8346	1.5313	1.0000	0.7490	0.3740	2.1890	0.6890	0.2244	0.2559
CSA207-23	1-7/16"	2.8346	1.5313	1.0000	0.7490	0.3740	2.1890	0.6890	0.2244	0.2559
CSA208-24	1-1/2"	3.1496	1.7205	1.1890	0.8661	0.4331	2.3740	0.7205	0.2362	0.2559
CSA208-25	1-9/16"	3.1496	1.7205	1.1890	0.8661	0.4331	2.3740	0.7205	0.2362	0.2559
CSA209-26	1-5/8"	3.3465	1.7205	1.1890	0.8661	0.4331	2.5000	0.7205	0.2480	0.2559
CSA209-27	1-11/16"	3.3465	1.7205	1.1890	0.8661	0.4331	2.5000	0.7205	0.2480	0.2559
CSA209-28	1-3/4"	3.3465	1.7205	1.1890	0.8661	0.4331	2.5000	0.7205	0.2480	0.2559
CSA210-30	1-7/8"	3.5433	1.7205	1.1890	0.8661	0.4331	2.7520	0.7205	0.2598	0.2559
CSA210-31	1-15/16"	3.5433	1.7205	1.1890	0.8661	0.4331	2.7520	0.7205	0.2598	0.2559
CSA211-32	2"	3.9370	1.9055	1.2795	0.9449	0.4721	3.0000	0.8150	0.2756	0.3150
CSA211-34	2-1/8"	3.9370	1.9055	1.2795	0.9449	0.4721	3.0000	0.8150	0.2756	0.3150
CSA211-35	2-3/16"	3.9370	1.9055	1.2795	0.9449	0.4721	3.0000	0.8150	0.2756	0.3150


Insert Bearings SB Series



W/ Set Screw Locking (Non-Greaseable)

Part Number	Shaft Size	Dimensions					
		D	B	C	S	h	G
SB204-12	3/4"	1.8504	0.9842	0.5512	0.2756	0.1575	0.1772
SB205-14	7/8"	2.0472	1.0630	0.5906	0.2953	0.1654	0.1969
SB205-15	15/16"	2.0472	1.0630	0.5906	0.2953	0.1654	0.1969
SB205-16	1"	2.0472	1.0630	0.5906	0.2953	0.1654	0.1969
SB206-17	1-1/16"	2.4409	1.1811	0.6299	0.3150	0.1969	0.2165
SB206-18	1-1/8"	2.4409	1.1811	0.6299	0.3150	0.1969	0.2165
SB206-19	1-3/8"	2.4409	1.1811	0.6299	0.3150	0.1969	0.2165
SB206-20	1-1/4"	2.4409	1.1811	0.6299	0.3150	0.1969	0.2165
SB207-20	1-1/4"	2.8346	1.2598	0.6693	0.3346	0.2244	0.2362
SB207-21	1-5/16"	2.8346	1.2598	0.6693	0.3346	0.2244	0.2362
SB207-22	1-3/8"	2.8346	1.2598	0.6693	0.3346	0.2244	0.2362
SB207-23	1-7/16"	2.8346	1.2598	0.6693	0.3346	0.2244	0.2362
SB208-24	1-1/2"	3.1496	1.3386	0.7087	0.3543	0.2362	0.3150
SB208-25	1-9/16"	3.1496	1.3386	0.7087	0.3543	0.2362	0.3150
SB209-27	1-11/16"	3.3460	1.6220	0.7480	0.4016	0.2480	0.3150
SB209-28	1-3/4"	3.3460	1.6220	0.7480	0.4016	0.2480	0.3150
SB210-31	1-15/16"	3.5433	1.7126	0.7874	0.4291	0.2598	0.3543
SB210-32	2"	3.5433	1.7126	0.7874	0.4291	0.2598	0.3543

Insert Bearings CSB Series



W/ Set Screw Locking (Non-Greaseable)

Part Number	Shaft Size	Dimensions					
		D	B	C	S	h	G
CSB204-12	3/4"	1.8504	0.9842	0.5512	0.2756	0.1575	0.1772
CSB205-14	7/8"	2.0472	1.0630	0.5906	0.2953	0.1654	0.1969
CSB205-15	15/16"	2.0472	1.0630	0.5906	0.2953	0.1654	0.1969
CSB205-16	1"	2.0472	1.0630	0.5906	0.2953	0.1654	0.1969
CSB206-17	1-1/16"	2.4409	1.1811	0.6299	0.3150	0.1969	0.2165
CSB206-18	1-1/8"	2.4409	1.1811	0.6299	0.3150	0.1969	0.2165
CSB206-19	1-3/8"	2.4409	1.1811	0.6299	0.3150	0.1969	0.2165
CSB206-20	1-1/4"	2.4409	1.1811	0.6299	0.3150	0.1969	0.2165
CSB207-20	1-1/4"	2.8346	1.2598	0.6693	0.3346	0.2244	0.2362
CSB207-21	1-5/16"	2.8346	1.2598	0.6693	0.3346	0.2244	0.2362
CSB207-22	1-3/8"	2.8346	1.2598	0.6693	0.3346	0.2244	0.2362
CSB207-23	1-7/16"	2.8346	1.2598	0.6693	0.3346	0.2244	0.2362
CSB208-24	1-1/2"	3.1496	1.3386	0.7087	0.3543	0.2362	0.3150
CSB208-25	1-9/16"	3.1496	1.3386	0.7087	0.3543	0.2362	0.3150
CSB209-27	1-11/16"	3.3460	1.6220	0.7480	0.4016	0.2480	0.3150
CSB209-28	1-3/4"	3.3460	1.6220	0.7480	0.4016	0.2480	0.3150
CSB210-31	1-15/16"	3.5433	1.7126	0.7874	0.4291	0.2598	0.3543
CSB210-32	2"	3.5433	1.7126	0.7874	0.4291	0.2598	0.3543


Ag Radial Bearings



Part Number	Bore	O.D.	Overall Width	BCA Part No.	Fafnir Part No.
202NPP9	0.500	1.500	0.433	202FFH8	202NPP9
202RRE	0.591	1.375	0.878	202RRE	202KRRB
203JD	17MM	40MM	14MM		
203KRR2-C/3	0.640	1.575	0.720	203RRAR10	203KRR2
203KRR2-DG	0.640	1.575	0.720		
203KRR-5	0.515	1.575	0.720	203RRAR08	203PP7
204KRR2	0.688	1.850	0.825		204KRR2
204KRD4	0.629	1.850	0.686	204FGB	204KRD4
204KRR8	0.626	1.781	0.610	204BBE	204KRR8
204RY2	0.626	1.780	0.735	204FVMN	204RY2
205DDS	0.630	2.096	0.764	205WH	
205DDS 3/4	0.750	2.096	0.764		
205NPP9	0.750	2.047	1.375	205TTB	205NPP9
205RVA	0.751	1.047	0.828	205RVA	205KRP2
W205PPB7	0.943	2.047	1.379	205TTH	205PPB7
205TNK	0.756	2.047	0.591	205TNK	205KP8
206GGH	0.756	2.441	0.630	206GGH	
5203KYY2	17MM	40MM	1.737		5203KYY2
5204RY2	0.631	1.780	0.898		
Z9504AB	0.751	1.781	0.610	204BBAR	204KRDKRPZ
Z9504RST	0.751	1.781	0.610	204BBAR	2045RR6

Bearings

Nut Sweeper Bearings



Part Number	Description
68912HD	Nut sweeper bearing with heavy duty flange. Bearing is 3/4" ID, includes cap.
68912C	Cap for 68912HD bearing
6922RH	Nut sweeper flange bearing assembly with 5/8" fine thread. (Nut not included)

Radial Ball Bearings - 1600 Series




Less Seal



Rubber Seal



Metal Shield



Part Number Less Seal	Part Number Rubber Seal	Part Number Metal Shield	Bore A	OD B	Width C
1601	1601-2RS	1601-ZZ	0.1875 (3/16")	0.6875 (11/16")	0.2500 (1/4")
1602	1602-2RS	1602-ZZ	0.2500 (1/4")	0.6875 (11/16")	0.2500 (1/4")
1603	1603-2RS	1603-ZZ	0.3125 (5/16")	0.8750 (7/8")	0.2813 (9/32")
1604	1604-2RS	1604-ZZ	0.3750 (3/8")	0.8750 (7/8")	0.2813 (9/32")
1605	1605-2RS	1605-ZZ	0.3125 (5/16")	0.9063 (29/32")	0.3125 (5/16")
1606	1606-2RS	1606-ZZ	0.3750 (3/8")	0.9063 (29/32")	0.3125 (5/16")
1607	1607-2RS	1607-ZZ	0.4375 (7/16")	0.9063 (29/32")	0.3125 (5/16")
1614	1614-2RS	1614-ZZ	0.3750 (3/8")	1.1250 (1-1/8")	0.3750 (3/8")
1615	1615-2RS	1615-ZZ	0.4375 (7/16")	1.1250 (1-1/8")	0.3750 (3/8")
1616	1616-2RS	1616-ZZ	0.5000 (1/2")	1.1250 (1-1/8")	0.3750 (3/8")
1620	1620-2RS	1620-ZZ	0.4375 (7/16")	1.3750 (1-3/8")	0.4375 (7/16")
1621	1621-2RS	1621-ZZ	0.5000 (1/2")	1.3750 (1-3/8")	0.4375 (7/16")
1622	1622-2RS	1622-ZZ	0.5625 (9/16")	1.3750 (1-3/8")	0.4375 (7/16")
1623	1623-2RS	1623-ZZ	0.6250 (5/8")	1.3750 (1-3/8")	0.4375 (7/16")
1628	1628-2RS	1628-ZZ	0.6250 (5/8")	1.6250 (1-5/8")	0.5000 (1/2")
1630	1630-2RS	1630-ZZ	0.7500 (3/4")	1.6250 (1-5/8")	0.5000 (1/2")
1633	1633-2RS	1633-ZZ	0.6250 (5/8")	1.7500 (1-3/4")	0.5000 (1/2")
1635	1635-2RS	1635-ZZ	0.7500 (3/4")	1.7500 (1-3/4")	0.5000 (1/2")
1638	1638-2RS	1638-ZZ	0.7500 (3/4")	2.0000 (2")	0.5625 (9/16")
1640	1640-2RS	1640-ZZ	0.8750 (7/8")	2.0000 (2")	0.5625 (9/16")
1641	1641-2RS	1641-ZZ	1.0000 (1")	2.0000 (2")	0.5625 (9/16")
1652	1652-2RS	1652-ZZ	1.1250 (1-1/8")	2.5000 (2-1/2")	0.6250 (5/8")
1654	1654-2RS	1654-ZZ	1.2500 (1-1/4")	2.5000 (2-1/2")	0.6250 (5/8")
1657	1657-2RS	1657-ZZ	1.2500 (1-1/4")	2.5625 (2-9/16")	0.6875 (11/16")
1658	1658-2RS	1658-ZZ	1.3125 (1-5/16")	2.5625 (2-9/16")	0.6875 (11/16")

Radial Ball Bearings - 6000 Series




Less Seal



Rubber Seal



Metal Shield



Part Number Less Seal	Part Number Rubber Seal	Part Number Metal Shield	Bore A	OD B	Width C
6000	6000-2RS	6000-ZZ	0.3937 (10mm)	1.0236 (26mm)	0.3159 (8mm)
6001	6001-2RS	6001-ZZ	0.4724 (12mm)	1.1024 (28mm)	0.3159 (8mm)
6002	6002-2RS	6002-ZZ	0.5906 (15mm)	1.2598 (32mm)	0.3543 (9mm)
6003	6003-2RS	6003-ZZ	0.6693 (17mm)	1.3780 (35mm)	0.3937 (10mm)
6004	6004-2RS	6004-ZZ	0.7874 (20mm)	1.6535 (42mm)	0.4724 (12mm)
6005	6005-2RS	6005-ZZ	0.9843 (25mm)	1.8504 (47mm)	0.4724 (12mm)
6006	6006-2RS	6006-ZZ	1.1811 (30mm)	2.1654 (55mm)	0.5118 (13mm)
6007	6007-2RS	6007-ZZ	1.3780 (35mm)	2.4409 (62mm)	0.5512 (14mm)
6008	6008-2RS	6008-ZZ	1.5748 (40mm)	2.6772 (68mm)	0.5906 (15mm)
6009	6009-2RS	6009-ZZ	1.7717 (45mm)	2.9528 (75mm)	0.6299 (16mm)
6010	6010-2RS	6010-ZZ	1.9685 (50mm)	3.1496 (80mm)	0.6299 (16mm)
6011	6011-2RS	6011-ZZ	2.1654 (55mm)	3.5433 (90mm)	0.7087 (18mm)
6012	6012-2RS	6012-ZZ	2.3622 (60mm)	3.7402 (95mm)	0.7087 (18mm)
6013	6013-2RS	6013-ZZ	2.5591 (65mm)	3.9370 (100mm)	0.7087 (18mm)
6014	6014-2RS	6014-ZZ	2.7559 (70mm)	4.3307 (110mm)	0.7874 (20mm)
6015	6015-2RS	6015-ZZ	2.9528 (75mm)	4.5276 (115mm)	0.7874 (20mm)
6016	6016-2RS	6016-ZZ	3.1496 (80mm)	4.9213 (125mm)	0.8661 (22mm)
6017	6017-2RS	6017-ZZ	3.3465 (85mm)	5.1181 (130mm)	0.8661 (22mm)
6018	6018-2RS	6018-ZZ	3.5433 (90mm)	5.5118 (140mm)	0.9449 (24mm)
6019	6019-2RS	6019-ZZ	3.7402 (95mm)	5.7087 (145mm)	0.9449 (24mm)
6020	6020-2RS	6020-ZZ	3.9370 (100mm)	5.9055 (150mm)	0.9449 (24mm)

Radial Ball Bearings - 6200 Series




Less Seal



Rubber Seal



Metal Shield



Part Number Less Seal	Part Number Rubber Seal	Part Number Metal Shield	Bore A	OD B	Width C
6200	6200-2RS	6200-ZZ	0.3937 (10mm)	1.1811 (30mm)	0.3543 (9mm)
6201	6201-2RS	6201-ZZ	0.4724 (12mm)	1.2598 (32mm)	0.3937 (10mm)
6202	6202-2RS	6202-ZZ	0.5906 (15mm)	1.3780 (35mm)	0.4331 (11mm)
6203	6202-2RS	6203-ZZ	0.6693 (17mm)	1.5748 (40mm)	0.4724 (12mm)
6204	6204-2RS	6204-ZZ	0.7874 (20mm)	1.8504 (47mm)	0.5512 (14mm)
6205	6205-2RS	6205-ZZ	0.9843 (25mm)	2.0472 (52mm)	0.5906 (15mm)
6206	6206-2RS	6206-ZZ	1.1811 (30mm)	2.4409 (62mm)	0.6299 (16mm)
6207	6207-2RS	6207-ZZ	1.3780 (35mm)	2.8346 (72mm)	0.6693 (17mm)
6208	6208-2RS	6208-ZZ	1.5748 (40mm)	3.1496 (80mm)	0.7087 (18mm)
6209	6209-2RS	6209-ZZ	1.7717 (45mm)	3.3465 (85mm)	0.7480 (19mm)
6210	6210-2RS	6210-ZZ	1.9685 (50mm)	3.5433 (90mm)	0.7874 (20mm)
6211	6211-2RS	6211-ZZ	2.1654 (55mm)	3.9370 (100mm)	0.8268 (21mm)
6212	6212-2RS	6212-ZZ	2.3622 (60mm)	4.3307 (110mm)	0.8661 (22mm)
6213	6213-2RS	6213-ZZ	2.5591 (65mm)	4.7244 (120mm)	0.9055 (23mm)
6214	6214-2RS	6214-ZZ	2.7559 (70mm)	4.9213 (125mm)	0.9449 (24mm)
6215	6215-2RS	6215-ZZ	2.9528 (75mm)	5.1181 (130mm)	0.9843 (25mm)
6216	6216-2RS	6216-ZZ	3.1496 (80mm)	5.5118 (140mm)	1.0236 (26mm)
6217	6217-2RS	6217-ZZ	3.3465 (85mm)	5.9055 (150mm)	1.1024 (28mm)
6218	6218-2RS	6218-ZZ	3.5433 (90mm)	6.2992 (160mm)	1.1811 (30mm)
6219	6219-2RS	6219-ZZ	3.7402 (95mm)	6.6929 (170mm)	1.2598 (32mm)
6220	6220-2RS	6220-ZZ	3.9370 (100mm)	7.0866 (180mm)	1.3386 (34mm)

Radial Ball Bearings - 6300 Series




Less Seal



Rubber Seal



Metal Shield



Part Number Less Seal	Part Number Rubber Seal	Part Number Metal Shield	Bore A	OD B	Width C
6300	6300-2RS	6300-ZZ	0.3937 (10mm)	1.3780 (35mm)	0.4331 (11mm)
6301	6301-2RS	6301-ZZ	0.4724 (12mm)	1.4567 (37mm)	0.4724 (12mm)
6302	6302-2RS	6302-ZZ	0.5906 (15mm)	1.6535 (42mm)	0.5118 (13mm)
6303	6303-2RS	6303-ZZ	0.6693 (17mm)	1.8504 (47mm)	0.5512 (14mm)
6304	6304-2RS	6304-ZZ	0.7874 (20mm)	2.0472 (52mm)	0.5906 (15mm)
6305	6305-2RS	6305-ZZ	0.9843 (25mm)	2.4409 (62mm)	0.6693 (17mm)
6306	6306-2RS	6306-ZZ	1.1811 (30mm)	2.8346 (72mm)	0.7480 (19mm)
6307	6307-2RS	6307-ZZ	1.3780 (35mm)	3.1496 (80mm)	0.8268 (21mm)
6308	6308-2RS	6308-ZZ	1.5748 (40mm)	3.5433 (90mm)	0.9055 (23mm)
6309	6309-2RS	6309-ZZ	1.7717 (45mm)	3.9370 (100mm)	0.9843 (25mm)
6310	6310-2RS	6310-ZZ	1.9685 (50mm)	4.3307 (110mm)	1.0630 (27mm)
6311	6311-2RS	6311-ZZ	2.1654 (55mm)	4.7244 (120mm)	1.1417 (29mm)
6312	6312-2RS	6312-ZZ	2.3622 (60mm)	5.1181 (130mm)	1.2205 (31mm)
6313	6313-2RS	6313-ZZ	2.5591 (65mm)	5.5118 (140mm)	1.2992 (33mm)
6314	6314-2RS	6314-ZZ	2.7559 (70mm)	5.9055 (150mm)	1.3780 (35mm)
6315	6315-2RS	6315-ZZ	2.9528 (75mm)	6.2992 (160mm)	1.4567 (37mm)
6316	6316-2RS	6316-ZZ	3.1496 (80mm)	6.6929 (170mm)	1.5354 (39mm)
6317	6317-2RS	6317-ZZ	3.3465 (85mm)	7.0866 (180mm)	1.6142 (41mm)
6318	6318-2RS	6318-ZZ	3.5433 (90mm)	7.4803 (190mm)	1.6929 (43mm)
6319	6319-2RS	6319-ZZ	3.7402 (95mm)	7.8740 (200mm)	1.7717 (45mm)
6320	6320-2RS	6320-ZZ	3.9370 (100mm)	8.4646 (215mm)	1.8504 (47mm)


Water Pump/Gauge Wheel Cultivator Bearings

Bearings




DC2207F

Ref #'s: 247658B




885152

Ref #'s: B15-0902, AA21015, AA35741, GA2022




885154B

Ref #'s: B15-0901, AN131668, 446612M1, 369851




885151E

Ref #'s: B15-0907, 526769R91, T26882, P3573




885118B

Ref #'s: B15-0903, 601440F1, P6310



5203KYY-2

Ref #'s: 5203VVAN, 5203KYY2, 854003, 822-170C, 324461A1A1, AN21232



Tapered Bearings



Cone Part No.	Cone Bore	Cone Width	Cup Part No.	Cup OD	Cup Width
342A	1.625	1.180	332A	3.149	0.827
342S	1.688	0.882	332A	3.149	0.827
355X	1.750	0.854	354A	3.347	0.688
366BR	1.969	0.875	362	3.543	0.625
368	2.000	0.875	362A	3.500	0.650
368A	2.000	0.875	363	3.543	0.787
369A	1.875	0.875	363	3.543	0.787
370A	2.000	0.875	363	3.543	0.787
386A	1.875	0.864	383A	3.937	0.702
387A	2.250	0.864	383A	3.937	0.702
387S	2.250	0.864	383A	3.937	0.702
387	2.250	0.864	383A	3.937	0.702
395A	2.625	0.866	394AS	4.331	0.741
395S	2.625	0.866	394AS	4.331	0.741
399A	2.688	0.866	394AS	4.331	0.741
420	1.575	1.145	414	3.484	0.875
462	2.250	1.154	453X	4.125	0.969
469	2.250	1.154	454	4.331	1.063
497	3.375	1.172	493	5.375	0.875
580	3.250	1.421	572X	5.500	1.125
594A	3.750	1.430	592XS	5.813	1.031
39585	2.500	2.500	39520	4.438	0.938
39590	2.625	2.625	39520	4.438	0.938
L44643	1.000	1.000	L44610	1.980	0.420
L44649	1.063	1.063	L44610	1.980	0.420
LM48548	1.375	0.720	LM48510	2.564	0.550
LM67048	1.250	0.660	LM67010	2.328	0.465
L68149	1.378	0.660	L68110	2.328	0.470
JL69349	1.496	0.669	JL69310	2.480	0.531
M86649	1.188	0.844	M86610	2.531	0.656
M88048	1.313	0.875	M88010	2.688	0.688
HM88649	1.375	1.000	HM88611	2.835	0.844
LM102949	1.781	0.780	LM102910	2.891	0.620
LM104949	2.000	0.875	LM104911	3.250	0.650
JLM104948	1.969	0.847	JLM104910	3.228	0.669
LM501349	1.625	0.780	LM501310	2.891	0.580
JLM506849	2.165	0.906	JLM506810	3.543	0.728
LM603049	1.781	0.781	LM603011	3.063	0.594

Seals



Part Number	Shaft Size	Seal OD	Seal Width
CR14974	1.500	2.328	0.500
CR14975	1.500	2.328	0.390
CR15174	1.500	2.462	0.290
CR15190	1.500	2.627	0.250
CR16069	1.625	2.332	0.406
CR16289	1.625	2.562	0.438
CR16818	1.688	2.650	0.290
CR17617	1.750	2.722	0.359
CR18030	1.813	1.808	0.300
CR18562	1.875	2.571	0.312
CR18823	1.875	3.005	0.312
CR19844	2.000	2.802	0.250
CR20044	2.000	3.067	0.375
CR20148	2.000	3.623	0.250
CR22392	2.250	3.066	0.375
CR22870	2.297	3.148	0.359
CR25091	2.500	3.756	0.500
CR26310	2.625	3.818	0.415
CR27394	2.750	3.756	0.250
CR27577	2.750	4.125	0.563
CR28848	2.750	4.500	0.469
CR40108	4.000	5.751	0.438
TCM121194VB	1.218	1.972	0.468
TCM171255VB	1.718	2.565	0.500

Joyce Sweeps

Thickness: 1/4"
Bolt Size: 7/16"

Hole Spacing: 2-1/4"
Stem Angle: 55°




Part Number	Ref. Part No.	Width	Weight (Lbs.)
AW444-6	112-06	6"	2.71
AW444-8	112-08	8"	3.12
AW444-10	112-10	10"	3.34
AW444-12	112-12	12"	4.10
AW444-14	112-14	14"	5.04
AW444-16	112-16	16"	5.69
AW444-18	112-18	18"	6.37
AW444-20	112-20	20"	7.73
AW444-22	112-22	22"	8.18
AW444-24	112-24	24"	8.58

Field Cultivator Sweeps

Thickness: 1/4"
Bolt Size: 3/8"

Hole Spacing: 1-3/4"
Stem Angle: 47°




Part Number	Ref. Part No.	Width	Weight (Lbs.)
93404	101-04-4	4"	1.88
93406	101-06-4	6"	2.20
93407	101-07-4	7"	2.32
93408	101-08-4	8"	2.33
93409	101-09-4	9"	2.60
93410	101-10-4	10"	3.10

Field Cultivator Sweeps

Thickness: 1/4"
Bolt Size: 7/16"

Hole Spacing: 1-3/4"
Stem Angle: 47°



Part Number	Ref. Part No.	Width	Weight (Lbs.)
92404	202-04-4	4"	1.88
92406	202-06-4	6"	2.20
92407	202-07-4	7"	2.32
92408	202-08-4	8"	2.33
92409	202-09-4	9"	2.60
92410	202-10-4	10"	3.10
92411	202-11-4	11"	3.20
92412	202-12-4	12"	3.43

*Add HF after Part No. for hardfaced, and DF after Part No. for durafaced

Alabama Sweeps

1080 High Carbon Steel. Two holes for 7/16" plow bolts on 2-1/4" centers & one square hole for 5/8" carriage bolt.

Thickness: 1/4"

Bolt Size: 7/16"

Hole Spacing: 2-1/4"

Stem Angle: 55°



Part Number	Ref. Part No.	Size	Weight (Lbs.)
AW51H12	E47-12	12"	3.35
AW51H14	E47-14	14"	4.40
AW51H16	E47-16	16"	5.95
AW51H18	E47-18	18"	8.10
AW51H20	E47-20	20"	9.00
AW51H22	E47-22	22"	10.25
AW51H24	E47-24	24"	11.10

Furrowers

1080 High Carbon Steel. Two holes for 7/16" plow bolts on 2-1/4" centers & one square hole for 5/8" carriage bolt.

Thickness: 1/4"

Bolt Size: 7/16"

Hole Spacing: 2-1/4"



Part Number	Ref. Part No.	Size	Weight (Lbs.)
AW608	3235	8"	5.70
AW610	3236	10"	4.35
AW612	3237	12"	6.05
AW615	3238	15"	8.60
AW618	3239	18"	11.50

High Wing Furrowers

1080 High Carbon Steel. Two holes for 7/16" plow bolts on 2-1/4" centers & one square hole for 5/8" carriage bolt.

Thickness: 1/4"

Bolt Size: 7/16"

Hole Spacing: 2-1/4"



Part Number	Ref. Part No.	Size	Weight (Lbs.)
AW1110UB	1110UB	10"	10.40
AW1112UB	1112UB	12"	11.30
AW1115UB	1115UB	15"	13.20
AW1118UB	1118UB	18"	15.90

Furrower Points



Thickness: 5/16"


Bolt Size: 7/16"

Hole Spacing: 1-1/4" to 2-1/4"

Part Number	Ref. Part No.	Width	Weight (Lbs.)
AW1120UB	1120UB	3"	1.40


*Add HF after part number for hardfaced & DF after part number for durafaced

John Deere Lister




Part Number	Description	Weight (Lbs.)
AW287	5/16" x 14" Lister Bottom, 4" Hole Spacing	9.50
AWP2008	R.H. Lister Wing	12.50
AWP1884	L.H. Lister Wing	12.50
AW443JDF	Lister Frog	8.30

International Lister




Part Number	Description	Weight (Lbs.)
AW0757	5/16" x 14" Lister Bottom, 4-1/2" Hole Spacing	9.50
LSWR125SQ	R.H Lister Wing	11.30
LSWL125SQ	L.H. Lister Wing	11.30
AW443IHF	Lister Frog	7.30


Lister Parts



SCB1134



FP1137




FP1137JD

Part Number	Description	Weight (Lbs.)
SCB1134	Cast Lister Shank, Fits 2-1/4" Tool Bar	35.00
FP1137	Lister Foot Piece For International	12.30
FP1137JD	Lister Foot Piece For International	10.40
25768	Lister Clip LH/RH	0.20

Springtooth Points



AW17, AW19



AW18, CC03



CC01

Part Number	Ref. Part No.	Bolt Size	Hole Center	Approximate Size	Weight (Lbs.)
AW17	E79-403	3/8"	One Hole	1/4" x 1-3/4" x 9-1/16"	0.95
AW18	P57-0965, DF10	3/8"	1-3/4"	1/4" x 1-3/4" x 11"	0.95
AW19*	ST19	3/8"	One Hole	1/4" x 1-3/4" x 10"	0.95
CC01	CC01	3/8"	1-3/8" - 1-3/4"	5/16" x 1-3/4" x 11"	1.05
CC03	CC03	7/16"	1-3/4"	5/16" x 1-3/4" x 11"	1.05

* Has one hole and two dimples

Cultivator Steel Points



Part Part No.	Ref. Part No.	Bolt Size	Hole Center	Approximate Size	Weight (Lbs.)
AW5711	P57-0963	3/8"	1" - 2"	1/4" x 1-3/4" x 11"	1.60
AW6711	ST-20	3/8"	1-1/4" - 2"	3/8" x 2" x 11"	2.09
AW5811	P57-0202	7/16"	1-1/4" - 2-1/4"	5/16" x 2" x 10-1/2"	1.75
AW6811	ST-21	7/16"	1-1/4" - 2"	3/8" x 2" x 11"	2.08
AW8811	169UB	7/16"	1-1/4" - 2-1/4"	1/2" x 2" x 11"	2.85

Alfalpa Steel Points



Part Number	Ref. Part No.	Bolt Size	Hole Center	Approximate Size	Weight (Lbs.)
AW75UB	75UB	7/16"	1-1/4" x 2-1/4"	1/2" x 1-1/2" x 12"	1.75

* Add HF after Part No. for Hardfaced

Chisel Plow Steel Points



Part Number	Ref. Part No.	Bolt Size	Hole Center	Approximate Size	Weight (Lbs.)
AW1759C	175-9C	1/2"	2-1/4"	5/8" x 2" x 13"	4.30
AW1829C	182-9C, P57-0221	1/2"	2-1/4"	5/8" x 2" x 15"	4.90
AW761750	45022	7/16"	2-1/4"	5/8" x 2" x 17"	5.30
AW761760	45522, 189-9C	1/2"	2-1/4"	5/8" x 2" x 17"	5.30
AW761770	47522, AW128	1/2"	2-1/4"	3/4" x 2" x 17"	5.90
HD88*	P57-0260, HD88	1/2"	2-1/4" to 2-1/2"	1" x 2" x 18"	9.30

* Has one hole and slot, picture not shown.

Add HF after Part No. for Hardfaced

Chisel Plow Point W/ Chrome



(Chrome Welded on 1 End)



PHD88CC

(Chrome Welded on Both Ends)

Part Number	Ref. Part No.	Bolt Size	Hole Center	Approximate Size	Weight (Lbs.)
CB70	N/A	7/16"	2-1/4"	3/4" x 2" x 13"	6.80
CB75	HA13S	1/2"	2-1/4" - 2-1/2"	3/4" x 2" x 13"	6.80
PHD88CC	N/A	1/2"	2-1/4"	3/4" x 2" x 16"	15.00

Chisel Plow Alfalfa Steel Points



Part Number	Ref. Part No.	Bolt Size	Hole Center	Approximate Size	Weight (Lbs.)
AW1534	17522, 83-9C	1/2"	2-1/4"	3/4" x 2" x 15"	5.10

* Add HF after Part No. for Hardfaced

Forged Cultivator Standards



Part Number	Thickness	Width	Length	Weight (Lbs)
AW40	5/8"	2"	30"	11.0
AW50	3/4"	2-1/2"	36"	18.0
AW60	1"	3"	36"	31.0

Straight Cultivator Standards



Part Number	Thickness	Width	Length	Weight (Lbs)
AW1638	5/8"	2"	30"	10.00
AW1632	3/4"	2-1/2"	36"	16.00
AW1639	1"	3"	36"	30.00

Adjustable Foot Pieces



Part Number	Style	Shank Size	Bolt Size	Weight (Lbs)
FP1	Fabricated	5/8" x 2"	3/8"	2.50
FP2	Fabricated	3/4" x 2-1/2"	1/2"	4.50
FP3	Fabricated	1" x 3"	5/8"	6.50
AW13	Cast	1" x 3"	5/8"	6.50

Cast Shanks



Part Number	Description	Weight (Lbs.)
2212213	Cast Straight Shank with Cap	32.00
2212214	Cast Curved Shank with Cap	43.00

Cast Tool Bar Clamps




Part Number	Shank Size	Tool Bar Size	Strap Reference	Weight (Lbs)
AW583	5/8" x 2"	2-1/4" Diamond	AW58380	6.20
AW343	3/4" x 2-1/2"	2-1/4" Diamond	AW34315	10.50
AW133	1" x 3"	2-1/4" Diamond	AW13300	14.50
AW581	5/8" x 2"	1-1/4" & 1-1/2" Diamond	AW58114	5.60

Fabricated Tool Bar Clamps




Part Number	Shank Size	Tool Bar Size	Strap Reference	Weight (Lbs)
AW1311	5/8" x 2"	2-1/4" Diamond	AW13311	7.60
AW1313	3/4" x 2-1/2"	2-1/4" Diamond	AW13313	10.90
AW1314	1" x 3"	2-1/4" Diamond	AW13314	18.90
AW1312	1-1/4" to 1-3/8" Round	2-1/4" Diamond	AW13311	7.40



Part Number	Shank Size	Tool Bar* Size	Strap Reference	Weight (Lbs)
AW1344	1" x 3"	4" x 4" Square	AW13344	19.00
AW1357	1" x 3"	5" x 7" Rectangular	AW13357	20.50
AW1375	1" x 3"	7" x 5" Rectangular	AW13375	20.50
AW1377	1" x 3"	7" x 7" Rectangular	AW13357	20.50


* Tool Bar Listed Above Is Measured By Height x Width

Tool Bar Spacers



Part Number	Spacing	Strap Part No.	Weight (Lbs)
AW108	8"	AW13300	25.00
AW110	10"	AW13300	27.00
AW112	12"	AW13300	29.00
AW114	14"	AW13300	31.00
AW116	16"	AW13300	33.00
AW118	18"	AW13300	35.00
AW120	20"	AW13300	37.00
AW124	24"	AW13300	40.00
AW130	30"	AW13300	45.00

Cast Steel Cap



Part Number	Thickness	Width	Hole Size	Weight (Lbs)
AW1	3/4"	2-1/2"	1-1/16"	4.00

Pressed Steel Caps



- 1/2" Thick
- 1" Bolts
- 7" Length
- 4-1/2" Centers


Part Number	Inside Width	Outside Width	Weight (Lbs)
AW4405	1-1/2"	2-1/2"	4.50
AW4408	3"	4"	6.10

Clamp Straps



Part Number	Thickness	Width	Hole Size	Centers	Clamp Part No.	Weight (Lbs)
AW13311	1/2"	1-1/2"	3/4"	4-1/2"	AW1311-12	1.00
AW13313	5/8"	2"	7/8"	4-1/2"	AW1313	2.20
AW13314	1"	2-1/2"	1-1/16"	4-1/2"	AW1314	5.00
AW58380	1/2"	1-5/8"	3/4"	4-1/2"	AW583	1.20
AW34315	3/4"	1-7/8"	7/8"	4-1/2"	AW343	4.00
AW13300	1"	2-1/2"	1-1/8"	4-1/2"	AW133	5.00
AW58114	7/16"	1-1/2"	1/2"	4"	AW581	1.00

Danish "S" Tine Shanks



Part No.	Description	Size	Weight (Lbs)
AW781400	Miniature S-Tine	5/16" x 1" x 10" (13-3/8" Overall)	4.20
AW781500	Standard S-Tine	3/8" x 1-1/4" x 14-1/2" (22" Overall)	5.90
AW781800	Heavy Duty S-Tine	1/2" x 1-1/4" x 14-1/2" (22" Overall)	7.50
AW781900	Stand. High Clearance	1/2" x 1-3/4" x 18-1/2" (26" Overall)	8.10

Danish "S" Tine Clamp Brackets



Part No.	Description
AW9933	Attachment Clamp for AW781900, Fits 3" Bar
AW9943	Attachment Clamp for AW781400, Fits 1-1/2" Bar
AW9953	Attachment Clamp for AW781500, Fits 2" Bar
AW9973	Attachment Clamp for AW781800, Fits 3" Bar
AW9993	Attachment Clamp for AW781900, Fits 2-1/2" Bar

Danish Style Points/Sweeps




Part No.	Description
AW761810	1/4" x 1-1/4" x 9" (Standard) Point
AW761811	1/4" x 1" x 6" (Mini) Point



Part No.	Description
AW762340	1/4" x 2-3/4"



Part No.	Description
AW761440	1/4" x 4" Sweep



Part No.	Description
AW761470	1/4" x 7" Sweep
AW761490	1/4" x 9" Sweep

* Add HF after Part No. for Hardfaced


Danish "S" Tine Bolt & Nut




Part No.	Description
AW6024	3/8" x 1-1/2" Elliptic Head Bolt w/ Nut

Spring Harrow Shanks


Part No	Application	Ref. No.	Size	Hole Size	Applicable Point	Weight (Lbs)
AW781615	Domries, Indusco, MF, Towner, Wesked	220-2201	3/8" x 1-3/4"	3/8"	AW19	7.50
AW7330	G & M	220-2205	3/8" x 1-3/4"	3/8"	AW19	7.30
AW6638	Towner Rd Bar	220-2210	3/8" x 1-3/4"	3/8"	AW17	7.70
AW2207	Strathmore	220-2207	3/8" x 1-3/4"	3/8"	AW19	6.30




AW781615



AW7330




AW6638



AW2207

Spring Harrow Clamps



Part No.	Description
485-056M1	Fits AW781615 Shank (Massey Style)
AW3384	Fits AW781615 Shank
GM7563	Fits AW6638 & AW2207 Uses 7/16" x 4-1/2" Hex Head Bolt
AW500-11	Fits AW781615 Shank (Indusco Style) U-Bolt 1/2" x 2" (Fits 2" x 2" Sq. Bar) Includes Nuts
AW500-12	Bracket
AW500-13	Bottom Strap


Coil Shanks



Part Number	Ref No.	Description	Weight (Lbs)
AW93	S-393	1" Short Style Right Hand Coil	22.00
AW94	S-394	1" Long Style Right Hand Coil	24.00
AW95	S-395	1-1/4" Short Style Right Hand Coil	32.50
AW96	S-396	1-1/4" Long Style Right Hand Coil	38.00

Coil Shank Clamps

1" Coil Shank



Part Part No.	Qty.	Description	Weight (Lbs)
AW13196	1	Clamp Assymbly	7.00

Components

AW4403	1	Pressed Steel Caps Top	3.50
AW4916	1	Pressed Steel Cap Clipped	2.00
AW4917	1	Shank Bracket for 1" Shank	1.00
HB58512	1	5/8" x 5-1/2" Hex Head Bolt	0.60
HB588	1	5/8" x 8" Hex Head Bolt	0.80
N58	2	5/8" Nut	0.20
LW58	2	5/8" Loc Washer	0.20

1-1/4" Coil Shank




Part Number	Qty.	Description	Weight (Lbs)
AW13198	1	Clamp Assymbly	11.00

Components

AW4405	2	Pressed Steel Caps Top & Bottom	4.40
AW4927	1	Flat Strap	2.00
AW4926	1	3/4" U-Bolt	2.40
HB34712	1	3/4" x 7-1/2" Hex Head Bolt	1.00
N34	3	3/4" Nut	0.30
LW34	3	3/4" Loc Washer	0.30

Schmeiser Chisel Plow Shanks & Parts



Ref No.	Part Number	Description	Qty In Shank Assy
1.	SCP0702	Shank, Chisel F-9	1
2.	SCP0703	Shank, Chisel B-9	1
3.	SCP0704	Shank, Chisel T-8	1
4.	SCP0661-01	3-1/2" Tie Clamp (2-Shank)	1
4.	SCP0663-01	4-1/2" Tie Clamp (3-Shank)	1
5.	AW1534	Chisel Point	1
6.	SCP0604	HD Culti-Plow Frame Clamp Plate	2
7.	HB349	3/4" x 9" Hex Bolt, Grade 5	4
8.	LW34	3/4" Lock Washer	4
9.	N34	3/4" Hex Nut	4
10.	PB12212	1/2" x 2-1/2" Plow Bolt	2
11.	LW12	1/2" Lock Washer	2
12.	N12	1/2" Hex Nut	2
13.	HB589	5/8" x 9" Hex Bolt, Grade 5	1
14.	LW58	5/8" Lock Washer	2
15.	N58	5/8" Hex Nut	2
16.	HB58312	5/8" x 3-1/2" Hex Bolt, Grade 5	1

Chisel Plow Shanks



Part Number	Description
2181911A	1-1/4" x 2" x 26" Graham Chisel Shank
2181912	1-1/2" x 2" x 22" Cook Chisel Shank

Harrow Teeth

Square Teeth



Part Number	Size	Length	Type	Weight (Lbs)
AW10-4322	5/8"	12"	Square w/ Head	1.30
AW10-4324	5/8"	14"	Square w/ Head	1.60
AW10-4332	3/4"	12"	Square w/ Head	1.80
AW10-4334	3/4"	14"	Square w/ Head	2.10

Harrow Clips / Clamps



Part No.	Size
AW2140	5/8"
AW2145	3/4"

Diamond Teeth-Threaded




Part Number	Thread Dia.	Thread Length	Tooth Dia.	Useable Tooth Length	Weight (Lbs)
AW506D	7/16"	2-1/8"	5/8" x 7/8"	6"	0.60
AW510D	1/2"	2-1/8"	5/8" x 7/8"	6-1/4"	0.70

Cast Point Shanks



Part Number	Description	Replacement Point	Weight (Lbs)
AW1615S	5/8" x 2" x 30" w/ Cast Steel Point	AW1601	11.00
AW1615C	5/8" x 2" x 30" w/ Chrome Point	AW1601C	11.00
AW1617S	3/4" x 2" x 30" w/ Cast Steel Point	AW1601	19.50
AW1617C	3/4" x 2" x 30" w/ Chrome Point	AW1601C	19.50

Replacement Points & Hardware



Part Number	Description	Weight (Lbs)
AW1601	Replacement Cast Steel Point Less Hardware	1.00
AW1601C	Replacement Chrome Point Less Hardware	1.00
SB516114	5/16" x 1-1/4" Stove Bolt	N/A
SN516	5/16" Square Nut	N/A

Diamond Point Standard Shanks



Part* Number	Description	Weight (Lbs)
AW1611	5/8" x 2" x 26" w/ Chrome Point	12.00
AW1612	3/4" x 2-1/2" x 30" w/ Chrome Point	17.00

*Can also use AW1601 point on shank

Replacement Diamond Point



Part Number	Description	Weight (Lbs)
AW1604	Replacement Chrome Point	0.80

Ripper Points / Subsoiler Points



Allis Chalmers

Part Number	OEM Part No.	Style	Dimensions H x W x L	Shank Width	Chrome Inserted	Weight (Lbs.)
AWAC125C	412279	Booted	1" x 2-1/2" x 12"	1-1/2"	DNC-278-12W	12.00
AWAC133C	403702	Booted	1" x 3" x 12"	1-1/2"	DNC-338-12W	13.00
AWAC144C	404289	Booted	1" x 4" x 12"	2"	DNC-438-12W	18.00
AWAC342C	412050	Booted	1" x 2" x 12"	1"	DNC-278-12W	8.00
AWAC343C	402584	Booted	1" x 3" x 12"	1"	DNC-338-12W	10.00



Big Ed / Super Big Ed

Part Number	OEM Part No.	Style	Dimensions H x W x L	Shank Width	Chrome Inserted	Weight (Lbs.)
BE3420C	582E	Booted	1" x 2" x 7"	1"	DNC-214-714W	5.00
SE3420C	424E	Booted	1" x 2" x 7"	1-1/4"	DNC-214-714W	6.00
AW1LO	1LO	Booted	5/8" x 1-5/8" x 6"	1"	N/A	2.00



Big Ox

Part Number	OEM Part No.	Style	Dimensions H x W x L	Shank Width	Chrome Inserted	Weight (Lbs.)
AW2D5	2D5	Slip-On	1-3/4" x 7"	1"	N/A	2.40
AW2D5C	N/A	Slip-On	1-3/4" x 7"	1"	DNC-214-714W	4.50
AW2D5ST	2D5ST	Tip	N/A	N/A	N/A	4.00

Ripper Points / Subsoiler Points



International

Part Number	OEM Part No.	Style	Dimensions H x W x L	Shank Width	Chrome Inserted	Weight (Lbs)
AWIH342C	#14 Ripper	Booted	1" x 2-1/2" x 9-1/2"	1-1/4"	DNC-278-12W	11.50



John Deere



Part Number	OEM Part No.	Style	Dimensions H x W x L	Shank Width	Chrome Inserted	Weight (Lbs)
AWJD12	A17994	2-Hole Bolt On	1" x 2" x 12"	N/A	N/A	4.00
AWJD12C	A17994C	2-Hole Bolt On	1" x 2" x 12"	N/A	DNC-278-12W	5.80
AWJD125	Q30680	2-Hole Bolt On	1" x 2-1/2" X 12"	N/A	N/A	7.00
AWJD125C	Q30680C	2-Hole Bolt On	1" x 2-1/2" x 12"	N/A	DNC-278-12W	10.40
AWJD342C	AA21507	Booted	1" x 2-1/2" x 12"	1-1/4"	DNC-278-12W	7.00



Wilcox


Part Number	OEM Part No.	Style	Dimensions H x W x L	Shank Width	Chrome Inserted	Weight (Lbs)
WI150C	W10067	Booted	1" x 3" x 12"	1-1/2"	DNC-338-12W	15.50
WI200C	W10082	Booted	1" x 3" x 12"	2"	DNC-338-12W	18.30

Box Scraper Shanks

	BSS2534C A: 16.0" B: .750" C: 2.50" D: 2.00"		BSS2534N A: 17.50" B: 0.750" C: 2.375" D: 3.625"
	BSS2534BN A: 15.25" B: 0.750" C: 2.500" D: 3.625"		AW175 Replacement Point 63242 5/8" Bent Pin AWE039 Spring Clip For Shank

Back Hoe Bucket Teeth


Type 1




Type 2



Type 3



Type 4




Part Number	Length	Outside Dia.	Inside Dia.	Type
AW1LO	6-1/8"	1-21/32"	1"	1
AW10	2-1/2"	1-1/8"	3/4"	1
AW100	3-7/16"	1-7/16"	1"	1
AW175	5-1/8"	1-11/32"	3/4"	1
AW20A	4-3/16"	1-3/4"	1-1/16"	1
AW210	7-3/16"	1-13/16"	1"	3
AW230	5-7/16"	2-5/16"	1-1/2"	3
AW230LR	5-7/16"	2-5/16"	1-1/2"	3
AW230PP	6-1/8"	2-5/16"	1-1/2"	4
AW240	6-1/2"	2-3/8"	1-1/2"	3
AW30C	4-13/16"	2-3/16"	1-1/2"	1
AW30CR	5-1/8"	2-1/4"	1-1/2"	1
AW30CW	5-7/16"	2-5/16"	1-1/2"	2

Part Number	Length	Outside Dia.
AW210PN	1-3/4"	7/8"
AW230PN	2-3/16"	3/4"
AW240PN	2-3/8"	7/8"
AW250PN	2-7/8"	7/8"
AW270PN	4-7/8"	7/8"


Chromium Carbide

Flat Caps




Part Number	Description
DNC-278-12F	2-7/8" x 12"
DNC-338-12F	3-3/8" x 12"
DNC-438-12F	4-3/8" x 12"

Wrap Around Caps




Part Number	Description
DNC-214-714W	2-1/4" x 7-1/4"
DNC-278-12W	2-7/8" x 12"
DNC-338-12W	3-3/8" x 12"
DNC-438-12W	4-3/8" x 12"

Half Round Shin Guards




Part Number	Description
DNC-038	1-1/4" x 14"
DNC-035	1-5/8" x 14"
DNC-036	1-3/4" x 14"
DNC-037	2-3/8" x 14"

Flat Shin Guards




Part Number	Description
DNC-033	1-1/4" x 9"
DNC-034	1-1/2" x 9"

Mulcher Tooth Chrome



Part Number	Description
DNC-109	3/8" x 11"


Chisel Point Caps



Part Number	Description
DNC-107	For 2" Chisel
DNC-108	For 3" Chisel
DNC-113	For 2" Spike
DNC-115	For 3" Twist

Corner Chrome For Flail Hammers

Part Number	Description
N5803C	Corner Chrome



Back Swept Fertilizer Knives



Part Number	Description	Hole Spacing	Bolt Size
BSK13C	3/8" x 2" x 13" w/ Chrome Insert	1-1/2" to 3"	1/2"
AK42-1	1/2" X 2" X 14-3/8" w/ Chrome Insert	1-1/2" to 3"	1/2"

Front Swept Fertilizer Knives



Part Number	Description	Hole Spacing	Bolt Size
FSK13C	3/8" x 2" x 13" w/ Chrome Insert	1-1/2" to 3"	1/2"
AK62-1	1/2" x 2" x 14" W/ Chrome Insert	1-1/2" to 3"	1/2"

Back Swept Dry Fertilizer Knives



Part Number	Description	Hole Spacing	Bolt Size
AW13DRYC	3/8" x 2" x 13" w/ Chrome Insert	1-1/2" x 3"	1/2"

Crescent/Banana Knives



Part Number	Ref No.	Description	Bolt Size	Weight (Lbs.)
AW1016R	S1016R	1/4" x 6" Right Side	3/8"	1.80
AW1017L	S1017R	1/4" x 6" Left Side	3/8"	1.80

Bean & Beet Hoes



Part Number	Ref No.	Description	Bolt Size	Weight (Lbs.)
BH09R	AW2103	1/4" x 9" Right Side	3/8"	4.50
BH09L	AW2104	1/4" x 9" Left Side	3/8"	4.50

Tender Plant Hoes




Part Number	Ref No.	Description	Bolt Size	Weight (Lbs.)
TP07R	S1122R	3/16" x 7" Right Side	3/8"	2.40
TP07L	S1123L	3/16" x 7" Left Side	3/8"	2.40
TP09R	S1124R	3/16" x 9" Right Side	3/8"	2.90
TP09L	S1125L	3/16" x 9" Left Side	3/8"	2.90

Johnson Style Bed Knives



Part Number	Ref No.	Description	Bolt Size	Weight (Lbs.)
AW4500	S4500L	1/4" x 8" Left Side	3/8"	3.80
AW4501	S4501R	1/4" x 8" Right Side	3/8"	3.80

Bezzerrides Blades



30" Sets

Part Number	Description	Qty
B1000	30" Complete Set	1
Components		
B1012	30" Wheel Mounting Leaf	4
B1020	#2 Leaf	4
B1030	#3 Leaf	4
B1040	#4 Leaf	4
B1050	#5 Leaf	4
B1060	Mounting Shank (Horizontal)	2

Part Number	Description	Qty
B1000A	30" Half Set	1
Components		
B1012	30" Wheel Mounting Leaf	2
B1020	#2 Leaf	2
B1030	#3 Leaf	2
B1040	#4 Leaf	2
B1050	#5 Leaf	2
B1060	Mounting Shank (Horizontal)	1


36" Sets

Part Number	Description	Qty
B1000SP	36" Complete Set	1
Components		
B1015	36" Wheel Mounting Leaf	4
B1014	#2 Leaf (Long)	4
B1020	#2 Leaf	4
B1030	#3 Leaf	4
B1040	#4 Leaf	4
B1050	#5 Leaf	4
B1060	Mounting Shank (Horizontal)	2


Part Number	Description	Qty
B1000ASP	36" Half Set	1
Components		
B1015	36" Wheel Mounting Leaf	2
B1014	#2 Leaf (Long)	2
B1020	#2 Leaf	2
B1030	#3 Leaf	2
B1040	#4 Leaf	2
B1050	#5 Leaf	2
B1060	Mounting Shank (Horizontal)	1

Individual Parts


Part Number	Description
B1012	30" Wheel Mounting Leaf
B1013	30" Heavy Duty Wheel Mounting Leaf
B1014	#2 Leaf (Long) For B1015
B1015	36" Wheel Mounting Leaf
B1020	#2 Leaf
B1030	#3 Leaf
B1040	#4 Leaf
B1050	#5 Leaf
B1060	Mounting Shank (Horizontal)
B1090	Wheel Assy w/ Hardware
B10902	1" x 3" x 22" Standard Shank (Vertical)
B11092	Bracket



Tiller Blades




A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center




Tillage

Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
Agrator V	C	RVC	1/4"	2-5/16"	7-1/2"	7/16"	1-3/8"	V042078
Agrator V	C	LVC	1/4"	2-5/16"	7-1/2"	7/16"	1-3/8"	V042077
Agrator VF	C	RVC-12	1/4"	2-5/16"	7-1/2"	12mm	1-3/8"	N/A
Agrator VF	C	RVC-12	1/4"	2-5/16"	7-1/2"	12mm	1-3/8"	N/A
Agrator D-UR	L	R2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	DO3-111
Agrator D-UR	L	L2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	DO3-112
Agrator D-UR	L	R2LXL	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
Agrator D-UR	L	L2LXL	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
Agrator D-UR	L	R2L1/2	1/2"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Agrator D-UR	L	L2L1/2	1/2"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Agrator D-UR	C	R2C5/16	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	URO1355C
Agrator D-UR	C	L2C5/16	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	URO1354C
Agrator D-UR	C	R2CHD	3/8"	3-1/8"	9-5/8"	1/2"	2-1/4"	Heavy Duty
Agrator D-UR	C	L2CHD	3/8"	3-1/8"	9-5/8"	1/2"	2-1/4"	Heavy Duty
Agrator MRP-S	L	R75L	5/16"	3-1/8"	8-3/4"	5/8"	2-1/4"	A661L-H
Agrator MRP-S	L	L75L	5/16"	3-1/8"	8-3/4"	5/8"	2-1/4"	A661R-H
Agrator MRP-S	L	R78L	3/8"	3-1/8"	9-1/4"	5/8"	2-1/4"	N/A
Agrator MRP-S	L	L78L	3/8"	3-1/8"	9-1/4"	5/8"	2-1/4"	N/A
Agrator MRP	L	500R	1/2"	4-1/4"	9-1/4"	5/8"	3"	MR30856
Agrator MRP	L	400L	1/2"	4-1/4"	9-1/4"	5/8"	3"	MR30857
Agrator MRP	C	500RC	1/2"	4-1/4"	10-1/4"	5/8"	3"	N/A
Agrator MRP	C	400LC	1/2"	4-1/4"	10-1/4"	5/8"	3"	N/A
Allis Chalmers 66	C	ROLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	N/A
Allis Chalmers 66	C	LOLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	N/A
Allis Chalmers 66	L	ROLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
Allis Chalmers 66	L	LOLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
Befco G & 1 & 6-In Row T30	L	377R	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	377R
Befco G & 1 & 6-In Row T30	L	378L	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	377L
Befco G & 1 & 6-In Row T30	C	277R	1/4"	2-5/8"	8-1/8"	1/2"	1-9/16"	003-0104D
Befco G & 1 & 6-In Row T30	C	278L	1/4"	2-5/8"	8-1/8"	1/2"	1-9/16"	003-0104S

Tiller Blades




A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center




Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
Befco 2-3-4-T	L	509R	1/4"	2-3/4"	8"	1/2"	1-9/16"	509R
Befco 2-3-4-T	L	509L	1/4"	2-3/4"	8"	1/2"	1-9/16"	509L
Befco 2-3-4-T	C	507R	1/4"	2-3/4"	7-7/8"	1/2"	1-9/16"	0001071D
Befco 2-3-4-T	C	508L	1/4"	2-3/4"	7-7/8"	1/2"	1-9/16"	0001071S
Befco No.5	L	R2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Befco No.5	L	L2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Befco No.5	L	R2LXL	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
Befco No.5	L	L2LXL	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
Befco No.5	L	R2L1/2	1/2"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Befco No.5	L	L2L1/2	1/2"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Befco No.5	C	R2C5/16	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
Befco No.5	C	L2C5/16	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
Befco No.5	C	R2CHD	3/8"	3-1/8"	9-5/8"	1/2"	2-1/4"	Heavy Duty
Befco No.5	C	L2CHD	3/8"	3-1/8"	9-5/8"	1/2"	2-1/4"	Heavy Duty
Big Ox	L	377R	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	N/A
Big Ox	L	378L	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	N/A
Bush Hog RTS-RTL	L	LRHL	5/16"	1-5/8"	10-1/2"	12mm	4-3/16"	81437R
Bush Hog RTS-RTL	L	LLHL	5/16"	1-5/8"	10-1/2"	12mm	4-3/16"	81438L
Bush Hog RTS-RTL	C	LRHC	5/16"	1-5/8"	9-3/4"	12mm	4-3/16"	64452
Bush Hog RTS-RTL	C	LLHC	5/16"	1-5/8"	9-3/4"	12mm	4-3/16"	64454
Bush Hog RTH-RTX	L	PMRL	5/16"	2-3/4"	8-5/8"	9/16"	1-13/16"	1300079R
Bush Hog RTH-RTX	L	PMLL	5/16"	2-3/4"	8-5/8"	9/16"	1-13/16"	1300080L
Bush Hog RTH-RTX	C	PMRC	5/16"	2-3/4"	8-3/4"	9/16"	1-13/16"	65882
Bush Hog RTH-RTX	C	PMLC	5/16"	2-3/4"	8-3/4"	9/16"	1-13/16"	65883
Bush Hog RTM	L	PLRHL	5/16"	2-3/8"	8-1/8"	9/16"	1-13/16"	65772
Bush Hog RTM	L	PLLHL	5/16"	2-3/8"	8-1/8"	9/16"	1-13/16"	65773
Bush Hog RTM	C	PLRHC	5/16"	2-3/8"	7-7/8"	9/16"	1-13/16"	65764
Bush Hog RTM	C	PLLHC	5/16"	2-3/8"	7-7/8"	9/16"	1-13/16"	65765
Bush Hog RTM/6 RTN60	C	32RC	5/16"	2-3/8"	8-1/8"	9/16"	1-9/16"	86390
Bush Hog RTM/6 RTN60	C	32LC	5/16"	2-3/8"	8-1/8"	9/16"	1-9/16"	86391
Bush Hog RTM/6 RTN60	L	32RL	5/16"	2-3/8"	8-1/4"	9/16"	1-9/16"	N/A
Bush Hog RTM/6 RTN60	L	32LL	5/16"	2-3/8"	8-1/4"	9/16"	1-9/16"	N/A

Tillage

Tiller Blades




A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center




Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
Gearmore C	C	4811400R	3/16"	2-7/8"	8-1/4"	12mm	1-5/8"	4811400
Gearmore C	C	4811401L	3/16"	2-7/8"	8-1/4"	12mm	1-5/8"	4811401
Gearmore E	C	32RC	5/16"	2-3/8"	8-1/8"	9/16"	1-9/16"	N/A
Gearmore E	C	32LC	5/16"	2-3/8"	8-1/8"	9/16"	1-9/16"	N/A
Gearmore E	L	32RL	5/16"	2-3/8"	8-1/4"	9/16"	1-9/16"	173008
Gearmore E	L	32LL	5/16"	2-3/8"	8-1/4"	9/16"	1-9/16"	173007
Gearmore AS-G	C	R3MS	1/4"	2-3/8"	7-7/8"	12mm	2-9/16"	466110R
Gearmore AS-G	C	L3MS	1/4"	2-3/8"	7-7/8"	12mm	2-9/16"	466160L
Geamore L	C	R3MC	1/4"	2-3/8"	8-1/8"	12mm	2-9/16"	466103R
Geamore L	C	L3MC	1/4"	2-3/8"	8-1/8"	12mm	2-9/16"	466153L
Geamore L	L	R3ML	1/4"	2-3/8"	8-3/8"	12mm	2-9/16"	N/A
Geamore L	L	L3ML	1/4"	2-3/8"	8-3/8"	12mm	2-9/16"	N/A
Gearmore P-V-H-SB	L	R12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	466164
Gearmore P-V-H-SB	L	L12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	466114
Gearmore P-V-H-SB	C	OPRC	1/4"	3-3/16"	8-7/8"	9/16"	2-1/4"	N/A
Gearmore P-V-H-SB	C	OPLC	1/4"	3-3/16"	8-7/8"	9/16"	2-1/4"	N/A
Gearmore P-V-H-SB	C	OPRCHD	3/8"	3-3/16"	8-7/8"	9/16"	2-1/4"	Heavy Duty
Gearmore P-V-H-SB	C	OPLCHD	3/8"	3-3/16"	8-7/8"	9/16"	2-1/4"	Heavy Duty
Gearmore N S	C	RNCZSP	1/4"	3-1/8"	8-5/8"	9/16"	2-1/4"	4814518
Gearmore N S	C	LNCZSP	1/4"	3-1/8"	8-5/8"	9/16"	2-1/4"	4814519
Gearmore TG	C	32RC	5/16"	2-3/8"	8-1/8"	9/16"	1-9/16"	N/A
Gearmore TG	C	32LC	5/16"	2-3/8"	8-1/8"	9/16"	1-9/16"	N/A
Gearmore TG	L	32RL	5/16"	2-3/8"	8-1/4"	9/16"	1-9/16"	N/A
Gearmore TG	L	32LL	5/16"	2-3/8"	8-1/4"	9/16"	1-9/16"	N/A
Howard HK	L	R56L	1/4"	1-3/8"	10-1/8"	10mm & 12mm	2-1/2" & 3-1/8"	602321
Howard HK	L	L56L	1/4"	1-3/8"	10-1/8"	10mm & 12mm	2-1/2" & 3-1/8"	602322
Howard HR 4	C	6139R	1/4"	2-3/8"	9-1/8"	7/16"	3-3/4"	6139
Howard HR 4	C	6138L	1/4"	2-3/8"	9-1/8"	7/16"	3-3/4"	6138
Howard HR 4	L	6149R	1/4"	2-3/8"	9-1/8"	7/16"	3-3/4"	N/A
Howard HR 4	L	6148L	1/4"	2-3/8"	9-1/8"	7/16"	3-3/4"	N/A
Howard HR 6	C	277R	1/4"	2-5/8"	8-1/8"	1/2"	1-9/16"	R661061
Howard HR 6	C	278L	1/4"	2-5/8"	8-1/8"	1/2"	1-9/16"	L661060
Howard HR 6	L	377R	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	R661063
Howard HR 6	L	378L	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	L661062

Tiller Blades




A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center




Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
Howard HR-J-HN 200	C	ROLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	9942
Howard HR-J-HN 200	C	LOLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	9941
Howard HR-J-HN 200	L	ROLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
Howard HR-J-HN 200	L	LOLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
Howard H-HL-HR-8-10-15-16-HA-P-GEM	C	R1C	1/4"	2-3/4"	8-5/16"	7/16"	2-1/4"	9954
Howard H-HL-HR-8-10-15-16-HA-P-GEM	C	L1C	1/4"	2-3/4"	8-5/16"	7/16"	2-1/4"	9953
Howard H-HL-HR-8-10-15-16-HA-P-GEM	L	R1L	1/4"	2-3/4"	8"	7/16"	2-1/4"	9900
Howard H-HL-HR-8-10-15-16-HA-P-GEM	L	L1L	1/4"	2-3/4"	8"	7/16"	2-1/4"	9901
Howard HR 7/ 12 300	C	RVC	1/4"	2-5/16"	7-1/2"	7/16"	1-3/8"	665150
Howard HR 7/ 12 300	C	LVC	1/4"	2-5/16"	7-1/2"	7/16"	1-3/8"	665149
Howard E -HR-HX 20-30-35-36-50- HB-ST180	L	R2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	63592 & 3901- 9931-9920
Howard E -HR-HX 20-30-35-36-50- HB-ST180	L	L2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	63593 & 3900- 9930-9919
Howard E -HR-HX 20-30-35-36-50- HB-ST180	L	R2L1/2	1/2"	3-1/8"	8-1/4"	1/2"	2-1/4"	6979
Howard E -HR-HX 20-30-35-36-50- HB-ST180	L	L2L1/2	1/2"	3-1/8"	8-1/4"	1/2"	2-1/4"	6978
Howard E -HR-HX 20-30-35-36-50- HB-ST180	L	R2LXL	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	69765 & 5979
Howard E -HR-HX 20-30-35-36-50- HB-ST180	L	L2LXL	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	69764 & 5979

Tiller Blades




A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center




Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
Howard E -HR-HX 20-30-35-36-50- HB-ST180	C	R2C 5/16	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	9949
Howard E -HR-HX 20-30-35-36-50- HB-ST180	C	L2C 5/16	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	9948
Howard E -HR-HX 20-30-35-36-50- HB-ST180	C	R2CHD	3/8"	3-1/8"	9-5/8"	1/2"	2-1/4"	Heavy Duty
Howard E -HR-HX 20-30-35-36-50- HB-ST181	C	L2CHD	3/8"	3-1/8"	9-5/8"	1/2"	2-1/4"	Heavy Duty
Howard K-S-M HR 40-41-43	L	R38L	3/8"	3-1/8"	8-1/2"	5/8"	2"	9862
Howard K-S-M HR 40-41-43	L	L38L	3/8"	3-1/8"	8-1/2"	5/8"	2"	9863
Howard K-S-M HR 40-41-43-51	C	R3C	3/8"	3-1/8"	9-1/8"	5/8"	2"	9951
Howard K-S-M HR 40-41-43-51	C	L3C	3/8"	3-1/8"	9-1/8"	5/8"	2"	9950
Howard K-S-M HR 40-41-43-51	L	R3L	1/2"	3-1/8"	8-1/2"	5/8"	2"	9861
Howard K-S-M HR 40-41-43-51	L	L3L	1/2"	3-1/8"	8-1/2"	5/8"	2"	9860
Howard K-S-M HR 40-41-43-51	L	R3LXL	1/2"	3-1/8"	10-1/4"	5/8"	2"	9882
Howard K-S-M HR 40-41-43-51	L	L3LXL	1/2"	3-1/8"	10-1/4"	5/8"	2"	9881
Howard HR 50-60 700S	L	500R	1/2"	4-1/4"	9-1/4"	5/8"	3"	2719/700S
Howard HR 50-60 700S	L	400L	1/2"	4-1/4"	9-1/4"	5/8"	3"	2720/700S
Howard HR 50-60 700S	C	500RC	1/2"	4-1/4"	10-1/4"	5/8"	3"	700S
Howard HR 50-60 700S	C	400LC	1/2"	4-1/4"	10-1/4"	5/8"	3"	701S

Tiller Blades



A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center




Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
John Deere 30 4 Hole Blade	L	R56L	1/4"	1-3/8"	10-1/8"	10mm & 12mm	2-1/2" & 3-1/8"	624
John Deere 30 4 Hole Blade	L	L56L	1/4"	1-3/8"	10-1/8"	10mm & 12mm	2-1/2" & 3-1/8"	625
John Deere 448 300-35A-40	C	R50C	3/16"	2"	6-7/8"	7/16" & 10mm	1-1/8" & 2"	M83772 M150519R
John Deere 448 300-35A-40	C	L50C	3/16"	2"	6-7/8"	7/16" & 10mm	1-1/8" & 2"	M83773 M150520L
John Deere J Type	C	ROLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	9941
John Deere J Type	C	LOLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	9942
John Deere J Type	L	ROLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
John Deere J Type	L	LOLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
John Deere 450	C	6139R	1/4"	2-3/8"	9-1/8"	7/16"	3-3/4"	6139
John Deere 450	C	6139L	1/4"	2-3/8"	9-1/8"	7/16"	3-3/4"	6138
John Deere 450	L	6149R	1/4"	2-3/8"	9-1/8"	7/16"	3-3/4"	6149
John Deere 450	L	6148L	1/4"	2-3/8"	9-1/8"	7/16"	3-3/4"	6148
John Deere 550-660	L	R1L	1/4"	2-3/4"	8"	7/16"	2-1/4"	PT8445
John Deere 550-660	L	L1L	1/4"	2-3/4"	8"	7/16"	2-1/4"	PT8444
John Deere 550-660	C	R1C	1/4"	2-3/4"	8-5/16"	7/16"	2-1/4"	N/A
John Deere 550-660	C	L1C	1/4"	2-3/4"	8-5/16"	7/16"	2-1/4"	N/A
John Deere 770	L	R2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
John Deere 770	L	L2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
John Deere 770	C	R2C 5/16	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
John Deere 770	C	L2C 5/16	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
John Deere 770	C	R2CHD	3/8"	3-1/8"	9-5/8"	1/2"	2-1/4"	Heavy Duty
John Deere 770	C	L2CHD	3/8"	3-1/8"	9-5/8"	1/2"	2-1/4"	Heavy Duty
Johnson Inc.	L	R7L5/16	5/16"	3-1/8"	8"	5/8"	2-1/4"	R62378L
Johnson Inc.	L	L7L5/16	5/16"	3-1/8"	8"	5/8"	2-1/4"	L62379L
Johnson Inc.	L	R7L3/8	3/8"	3-1/8"	8"	5/8"	2-1/4"	N/A
Johnson Inc.	L	L7L3/8	3/8"	3-1/8"	8"	5/8"	2-1/4"	N/A
Johnson Inc. 6"	L	R8L	5/16"	2"	8-1/4"	1/2"	2"	62390R
Johnson Inc. 6"	L	L8L	5/16"	2"	8-1/4"	1/2"	2"	62391L
Johnson Inc. 8-1/2"	L	R9L	5/16"	2"	9-3/8"	1/2"	2"	62373R
Johnson Inc. 8-1/2"	L	L9L	5/16"	2"	9-3/8"	1/2"	2"	62374L
Johnson Inc. 10"	L	R9LS	5/16"	2"	10-7/8"	1/2"	2"	N/A
Johnson Inc. 10"	L	L9LS	5/16"	2"	10-7/8"	1/2"	2"	N/A

Tillage


Phone: (800) 321-5247 Fax: (559) 237-2048

www.agwestparts.com

Tiller Blades




A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center




Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
Krause 653	C	LDMR	5/16"	3-1/8"	7-3/4"	1/2"	1-3/4"	N/A
Krause 653	C	LDML	5/16"	3-1/8"	7-3/4"	1/2"	1-3/4"	N/A
Kronevator RL	L	R15L	5/16"	1-3/4"	11"	12mm	4-3/4"	0340200
Kronevator RL	L	L15L	5/16"	1-3/4"	11"	12mm	4-3/4"	0341090
Kronevator RE-RES 35-325	L	R16L	1/4"	2-3/4"	8-7/8"	9/16"	1-3/8"	0352681R
Kronevator RE-RES 35-325	L	L16L	1/4"	2-3/4"	8-7/8"	9/16"	1-3/8"	0354350L
Kronevator RF	L	R14L	3/8"	4"	9"	5/8"	2-15/16"	107283HR
Kronevator RF	L	L14L	3/8"	4"	9"	5/8"	2-15/16"	107283HL
Kronevator REV-REVS	L	R12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	35-32-5
Kronevator REV-REVS	L	L12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	35-32-51
Kronevator REV-REVS	C	R12C	3/8"	3-1/8"	10"	9/16"	2-1/4"	036-293
Kronevator REV-REVS	C	L12C	3/8"	3-1/8"	10"	9/16"	2-1/4"	036-395
Kubota K50 L50 B700 500B	C	ROLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	99413G
Kubota K50 L50 B700 500B	C	LOLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	99422G
Kubota K50 L50 B700 500B	L	ROLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
Kubota K50 L50 B700 500B	L	LOLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
Kubota 1520C/1521C FL850-1000-1020-21-1020RC-1270-71C	L	R1L	1/4"	2-3/4"	8"	7/16"	2-1/4"	572, 574R
Kubota 1520C/1521C FL850-1000-1020-21-1020RC-1270-71C	L	L1L	1/4"	2-3/4"	8"	7/16"	2-1/4"	572, 574L
Kubota 1520C/1521C FL850-1000-1020-21-1020RC-1270-71C	C	R1C	1/4"	2-3/4"	8-5/16"	7/16"	2-1/4"	572, 574L
Kubota 1520C/1521C FL850-1000-1020-21-1020RC-1270-71C	C	L1C	1/4"	2-3/4"	8-5/16"	7/16"	2-1/4"	572, 574L

Tiller Blades




A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center




Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
Kubota BC & BL 40-50-52-60	L	LRHL	5/16"	1-5/8"	10-1/2"	12mm	4-3/16"	1400079
Kubota BC & BL 40-50-52-60	L	LLHL	5/16"	1-5/8"	10-1/2"	12mm	4-3/16"	1400080
Kubota BC & BL 40-50-52-60	C	LRHC	5/16"	1-5/8"	10-1/2"	12mm	4-3/16"	1400077
Kubota BC & BL 40-50-52-60	C	LLHC	5/16"	1-5/8"	10-1/2"	12mm	4-3/16"	1400078
Kubota AT 70S	C	1120R	3/16"	1-9/16"	8-5/8"	10mm	3-1/8"	21120
Kubota AT 70S	C	1110L	3/16"	1-9/16"	8-5/8"	10mm	3-1/8"	21110
Kubota AT 70S	C	2130R	3/16"	2"	8-5/8"	10mm	3-1/8"	Heavy Duty
Kubota AT 70S	C	2140L	3/16"	2"	8-5/8"	10mm	3-1/8"	Heavy Duty
Kubota B422-B442-K420-K422	L	R56L	1/4"	1-3/8"	10-1/8"	10mm & 12mm	2-1/2" & 3-1/8"	N/A
Kubota B422-B442-K420-K422	L	L56L	1/4"	1-3/8"	10-1/8"	10mm & 12mm	2-1/2" & 3-1/8"	N/A
Kubota FL 1021 RC 1271RC	L	R1LS	1/4"	2-3/4"	7-7/8"	7/16"	2-1/4"	1271C
Kubota FL 1021 RC 1271RC	L	L1LS	1/4"	2-3/4"	7-7/8"	7/16"	2-1/4"	1272C
Kubota FS850	C	461R	5/16"	2-7/8"	9-1/8"	1/2"	2-5/16"	14620
Kubota FS850	C	461L	5/16"	2-7/8"	9-1/8"	1/2"	2-5/16"	14610
Kubota FS1000	C	561R	5/16"	2-7/8"	9-1/4"	1/2"	2-5/16"	N/A
Kubota FS1000	C	561L	5/16"	2-7/8"	9-1/4"	1/2"	2-5/16"	N/A
Kubota R2 / Gray Market 581R	C	522R	5/16"	1"	8-3/4"	7/16"	One Hole	N/A
Kubota R2 / Gray Market 581R	C	522L	5/16"	1"	8-3/4"	7/16"	One Hole	N/A
Kuhn EL 25	L	LRHL	5/16"	1-5/8"	10-1/2"	12mm	4-3/16"	52011500R
Kuhn EL 25	L	LLHL	5/16"	1-5/8"	10-1/2"	12mm	4-3/16"	52011600L
Kuhn EL 25	C	LRHC	5/16"	1-5/8"	9-3/4"	12mm	4-3/16"	N/A
Kuhn EL 25	C	LLHC	5/16"	1-5/8"	9-3/4"	12mm	4-3/16"	N/A
Kuhn EL 30-45	C	ROLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	N/A
Kuhn EL 30-45	C	LOLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	N/A
Kuhn EL 30-45	L	ROLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
Kuhn EL 30-45	L	LOLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A

Tiller Blades




A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center




Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
Kuhn EL 30-35-45-50-60-71	L	R1L	1/4"	2-3/4"	8"	7/16"	2-1/4"	52106300
Kuhn EL 30-35-45-50-60-71	L	L1L	1/4"	2-3/4"	8"	7/16"	2-1/4"	52106400
Kuhn EL 30-35-45-50-60-71	C	R1C	1/4"	2-3/4"	8-5/16"	7/16"	2-1/4"	N/A
Kuhn EL 30-35-45-50-60-71	C	L1C	1/4"	2-3/4"	8-5/16"	7/16"	2-1/4"	N/A
Kuhn EL (50 Old) 80-100	L	R2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Kuhn EL (50 Old) 80-100	L	L2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Kuhn EL (50 Old) 80-100	L	R2LXL	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
Kuhn EL (50 Old) 80-100	L	L2LXL	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
Kuhn 100	L	R2L1/2	1/2"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Kuhn 100	L	L2L1/2	1/2"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Kuhn 100	C	R2C5/16	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
Kuhn 100	C	L2C5/16	5/16"	3-1/8"	9-5/8"	1/2"	2-1/4"	N/A
Kuhn 100	C	R2CHD	3/8"	3-1/8"	9-5/8"	1/2"	2-1/4"	Heavy Duty
Kuhn 100	C	L2CHD	3/8"	3-1/8"	9-5/8"	1/2"	2-1/4"	Heavy Duty
Kuhn EL 81-82 80N-100N	L	R12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	51921600
Kuhn EL 81-82 80N-100N	L	L12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	51921500
Kuhn EL 81-82 80N-100N	C	R12C	3/8"	3-1/8"	10"	9/16"	2-1/4"	N/A
Kuhn EL 81-82 80N-100N	C	L12C	3/8"	3-1/8"	10"	9/16"	2-1/4"	N/A
Kuhn 140N - EL201	L	500R	1/2"	4-1/4"	9-1/4"	5/8"	3"	52255500
Kuhn 140N - EL201	L	400L	1/2"	4-1/4"	9-1/4"	5/8"	3"	52255400
Kuhn 140N - EL201	C	500RC	1/2"	4-1/4"	10-1/4"	5/8"	3"	52359600
Kuhn 140N - EL201	C	400LC	1/2"	4-1/4"	10-1/4"	5/8"	3"	52359700
Land Pride	L	377R	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	N/A
Land Pride	L	378L	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	N/A
Land Pride	C	277R	1/4"	2-5/8"	8-1/8"	1/2"	1-9/16"	820-056C
Land Pride	C	278L	1/4"	2-5/8"	8-1/8"	1/2"	1-9/16"	820-055C

Tiller Blades




A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center




Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
Land Pride 20-25-34-50	L	LA25RL	1/4"	2-3/8"	8-1/2"	1/2"	1-3/4"	N/A
Land Pride 20-25-34-50	L	LA25LL	1/4"	2-3/8"	8-1/2"	1/2"	1-3/4"	N/A
Land Pride 20-25-34-50	C	LA25RC	1/4"	2-3/8"	8-1/2"	1/2"	1-3/4"	820-058C
Land Pride 20-25-34-50	C	LA25LC	1/4"	2-3/8"	8-1/2"	1/2"	1-3/4"	820-057C
Land Pride 35	C	RNCZHD	3/8"	3-1/8"	8-5/8"	9/16"	2-1/4"	Heavy Duty
Land Pride 35	C	LNCZHD	3/8"	3-1/8"	8-5/8"	9/16"	2-1/4"	Heavy Duty
Land Pride 35	L	R12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	N/A
Land Pride 35	L	L12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	N/A
Land Pride 35	C	RNCZ	1/4"	3-1/8"	8-5/8"	9/16"	2-1/4"	820-060C
Land Pride 35	C	LNCZ	1/4"	3-1/8"	8-5/8"	9/16"	2-1/4"	820-059C
Marvin	L	R2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Marvin	L	L2L	5/16"	3-1/8"	8-1/4"	1/2"	2-1/4"	N/A
Maschio A-E-KS-H	L	LA25RL	1/4"	2-3/8"	8-1/2"	1/2"	1-3/4"	19100421
Maschio A-E-KS-H	L	LA25LL	1/4"	2-3/8"	8-1/2"	1/2"	1-3/4"	19100422
Maschio A-E-KS-H	C	LA25RC	1/4"	2-3/8"	8-3/8"	1/2"	1-3/4"	19100423
Maschio A-E-KS-H	C	LA25LC	1/4"	2-3/8"	8-3/8"	1/2"	1-3/4"	19100424
Maschio K	L	RKL	1/4"	2-3/8"	7"	10mm	2-3/16"	21100412
Maschio K	L	LKL	1/4"	2-3/8"	7"	10mm	2-3/16"	21100413
Maschio L-RC	C	R3MC	1/4"	2-3/8"	8-1/8"	12mm	2-9/16"	566103
Maschio L-RC	C	L3MC	1/4"	2-3/8"	8-1/8"	12mm	2-9/16"	566153
Maschio L-RC	L	R3ML	1/4"	2-3/8"	8-3/8"	12mm	2-9/16"	N/A
Maschio L-RC	L	L3ML	1/4"	2-3/8"	8-3/8"	12mm	2-9/16"	N/A
Maschio B-C-F-M-BI	L	R12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	0110428
Maschio B-C-F-M-BI	L	L12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	0110429
Maschio B-C-F-M-BI	L	R12C	3/8"	3-1/8"	10"	9/16"	2-1/4"	01110426
Maschio B-C-F-M-BI	L	L12C	3/8"	3-1/8"	10"	9/16"	2-1/4"	01110427

Tiller Blades




A = Blade Thickness
B = Blade Width
C = Blade Length Tip to Tip
D = Hole Center



Tillage

Machine	Type	Part Number	A	B	C	Bolt Size	Hole Center D	Mfg Number
Maschio NC-Z-PS	C	RNCZ	1/4"	3-1/8"	8-5/8"	9/16"	2-1/4"	02108432
Maschio NC-Z-PS	C	LNCZ	1/4"	3-1/8"	8-5/8"	9/16"	2-1/4"	02108433
Maschio NC-Z-PS	C	RNCZHD	1/4"	3-1/8"	8-5/8"	9/16"	2-1/4"	Heavy Duty
Maschio NC-Z-PS	C	LNCZHD	1/4"	3-1/8"	8-5/8"	9/16"	2-1/4"	Heavy Duty
Maschio NC-Z-PS	L	R12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	02108430
Maschio NC-Z-PS	L	L12L	5/16"	3-1/8"	8-1/4"	9/16"	2-1/4"	02108431
Maschio SC 330-350-380-400	L	TSCR	7/16"	3-1/8"	10-1/4"	9/16"	2-1/4"	N/A
Maschio SC 330-350-380-400	L	TSCL	7/16"	3-1/8"	10-1/4"	9/16"	2-1/4"	N/A
Maschio S-G	C	RSGC	5/16"	3-1/2"	11-1/8"	5/8"	2-11/16"	20100412
Maschio S-G	C	LSGC	5/16"	3-1/2"	11-1/8"	5/8"	2-11/16"	20100413
Maschio TC	L	RTCL	5/16"	3-1/2"	9-3/8"	9/16"	2-3/16"	N/A
Maschio TC	L	LTCL	5/16"	3-1/2"	9-3/8"	9/16"	2-3/16"	N/A
Maschio TC	C	RTUC	3/8"	3-1/2"	9-5/8"	9/16"	2-3/16"	N/A
Maschio TC	C	LTUC	3/8"	3-1/2"	9-5/8"	9/16"	2-3/16"	N/A
Maschio U	L	RUL	1/4"	3-3/16"	9-1/4"	9/16"	1-7/8"	29100407
Maschio U	L	LUL	1/4"	3-3/16"	9-1/4"	9/16"	1-7/8"	29100408
Maschio U	C	RULC	1/4"	3-3/16"	8-7/8"	9/16"	1-7/8"	29100405
Maschio U	C	LULC	1/4"	3-3/16"	8-7/8"	9/16"	1-7/8"	29100406
Massey Ferguson	C	ROLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	9941
Massey Ferguson	C	LOLC	5/16"	1-9/16"	11"	7/16"	4-1/2"	9942
Massey Ferguson	L	ROLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
Massey Ferguson	L	LOLL	5/16"	1-9/16"	10-1/4"	7/16"	4-1/2"	N/A
North East	L	377R	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	377R
North East	L	378L	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	378L
North East	C	277R	1/4"	2-5/8"	8-1/8"	1/2"	1-9/16"	277R
North East	C	278L	1/4"	2-5/8"	8-1/8"	1/2"	1-9/16"	278L
North West	L	R75L	5/16"	3-1/8"	8-3/4"	5/8"	2-1/4"	RB66
North West	L	L75L	5/16"	3-1/8"	8-3/4"	5/8"	2-1/4"	RB67
North West	L	R78L	3/8"	3-1/8"	9-1/4"	5/8"	2-1/4"	RB26
North West	L	L78L	3/8"	3-1/8"	9-1/4"	5/8"	2-1/4"	RB27
North West	L	R82L	7/16"	3-5/8"	9"	5/8"	2-1/4"	R82
North West	L	L83L	7/16"	3-5/8"	9"	5/8"	2-1/4"	L83
Rhino	L	377R	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	N/A
Rhino	L	378L	1/4"	2-3/8"	7-5/16"	1/2"	1-9/16"	N/A
Rhino	C	277R	1/4"	2-5/8"	8-1/8"	1/2"	1-9/16"	N/A
Rhino	C	278L	1/4"	2-5/8"	8-1/8"	1/2"	1-9/16"	N/A

Row Crop Ditcher



Ditcher Includes:

- Adaptor Clamp
- Ditcher Blade
- 1 Pr of Bedding Rails

Part Number	Size	Shank Size	Row Spacing	Weight (Lbs.)
DIT41001	8"	1" x 3"	16" - 24"	26.00
DIT41002	10"	1" x 3"	20" - 30"	30.00
DIT41003	12"	1" x 3"	24" - 30"	27.00
DIT41004	14"	1" x 3"	30" - 36"	29.00
DIT41005	16"	1" x 3"	36" - 40"	37.00
DIT40006	20"	1" x 3"	Large Furrowers	68.00

Ditcher Replacement Blades

Part Number	Description	Weight (Lbs.)
DIT31001	Blade for 8" Ditcher	8.00
DIT31002	Blade for 10" Ditcher	10.00
DIT31003	Blade for 12" Ditcher	10.00
DIT31004	Blade for 14" Ditcher	10.00
DIT31005	Blade for 16" Ditcher	11.00
DIT31006	Blade for 20" Ditcher	15.00

Ditcher Replacement Bedding Rails

Part Number	Description	Weight (Lbs.)
DIT33003	Bedding Rails for 8" & 12" Ditcher (1-Pair)	3.50
DIT33004	Bedding Rails for 10" & 14" Ditcher (1-Pair)	4.00
DIT33005	Bedding Rails for 16" Ditcher (1-Pair)	5.00
DIT33006	Bedding Rails for 20" Ditcher (1-Pair)	17.00

Shank for Ditcher




Part Number	Description	Weight (Lbs.)
SHK30007	1" x 3" x 36"	31.50

Single Row Crop Stabilizer



Part Number	Description	Weight (Lbs.)
STB40000	Single Row Stabilizer Wheel Assy. Assy Includes: 1- 1" x 3" Shank 1- 18" x 5" Stabilizer Can Hardfaced 2- 1-1/4" 4-Bolt Bearings	63.00

Dual Row Crop Stabilizer




Part Number	Description	Weight (Lbs.)
STB41000	Dual Row Stabilizer Wheel Assy. Assy Includes: 1- 1" x 3" Shank 2- 18" x 5" Stabilizer Cans Hardfaced 4- 1-1/4" 4-Bolt Bearings	95.00

Stabilizer Can



Part Number	Description	Weight (Lbs.)
STB31006	18" x 5" Stabilizer Can Hardfaced Less Bearings	20.50


Rigid Rolling Coulters



*Features 1" x 3" Shank

Part Number	Description	Weight (Lbs.)
CLT30001	Rigid Coulter Assembly Less Blade	41.50
CLT30017	Rigid Coulter Assembly w/ 17" Blade	51.00
CLT30020	Rigid Coulter Assembly w/ 20" Blade	55.50

Swivel Rolling Coulters



*Features 1" x 3" Shank

Part Number	Description	Weight (Lbs.)
CLT31001	HD 38 Degree Coulter 26" Shank Less Blade	60.30
CLT40001	HD 38 Degree Coulter 26" Shank w/ 17" Blade	70.00
CLT41001	HD 38 Degree Coulter 26" Shank w/ 20" Blade	74.60

Coulter Blades




Part Number	Description	Weight (Lbs.)
CLT20000	17" Coulter Blade Fluted	9.50
CLT20001	20" Coulter Blade Fluted	14.00

Coulter Hub



Part Number	Description	Weight (Lbs.)
CLT21010	Hub Complete Less Spindle	9.00

Plow Shares Ribbed



Allis Chalmers

Part Number	OEM Number	Description	No. of Bolts Required	Bolt Sizes Required
AM164RS	347749, 572184	16"	4	1) 1/2" & 3) 7/16"
AM184RS	573307	18"	4	1) 1/2" & 3) 7/16"

J.I. Case

CA163RS	EE16A, T39128	16", Right	3	1) 1/2" & 2) 3/8"
CA164LRS	EE16FM, T39135	16", Left	4	1) 1/2" & 3) 3/8"
CA164RS	EE16FM, T39136	16", Right	4	1) 1/2" & 3) 3/8"

Ford


FF143RS	105205, 104410	14"	3	3) 7/16"
FF144RS	7102453, 251423, 7100369	14"	4	4) 7/16"
FF163RS	105207, 104413	16"	3	3) 7/16"
FF164LRS	201581, 251426, 7100370	16", Left	4	4) 7/16"
FF164RS	201581, 251426, 7100371	16", Right	4	4) 7/16"
FF185LRS	7102455, 251432, 7101980	18", Left	5	5) 7/16"
FF185RS	7102455, 251432, 7101981	18", Right	5	5) 7/16"

International Harvester (Case IH) Super Chief

IH144RS	143240R1, 463236R1	14"	4	1) 1/2" & 3) 7/16"
IH164LRS	143241R1, 463237R1	16", Left	4	1) 1/2" & 3) 7/16"
IH164RS	143241R1, 463237R2	16", Right	4	1) 1/2" & 3) 7/16"
IH184LRS	463238R, 1980956C2	18", Left	4	1) 1/2" & 3) 7/16"
IH184RS	463238R, 1980956C2	18", Right	4	1) 1/2" & 3) 7/16"

*Add HF on the end of part number for Hardfaced

Plow Shares Ribbed



John Deere

Part Number	OEM Number	Description	No. of Bolts Required	Bolt Sizes Required
JD143RS	A10005	14"	3	3) 7/16"
JD144RS	A10225	14"	4	1) 1/2" & 3) 7/16"
JD163RS	A10007	16"	3	3) 7/16"
JD164LRS	A10227	16", Left	4	1) 1/2" & 3) 7/16"
JD164RS	A10227	16", Right	4	1) 1/2" & 3) 7/16"
JD185LRS	A14243	18", Left	5	1) 1/2" & 4) 7/16"
JD185RS	A14243	18", Right	5	1) 1/2" & 4) 7/16"

Massey Ferguson

MI143RS	660005M1, 463244M1	14"	3	3) 7/16"
MI163RS	660208M1, 463244M1	16"	3	3) 7/16"
MF144RS	475161M1, 586825M1	14"	4	4) 1/2"
MF164LRS	475167M1, 475716M1	16", Left	4	4) 1/2"
MF164RS	475167M1, 475716M1	16", Right	4	4) 1/2"
MF184LRS	475823M1	18", Left	4	4) 1/2"
MF184RS	475823M1	18", Right	4	4) 1/2"

White/Oliver

OC164LRS	RCA6R, 219617BS	16", Left	4	1) 1/2" & 3) 7/16"
OC164RS	RCA6R, 219617BS	16", Right	4	1) 1/2" & 3) 7/16"
OC185LRS	RCA8R, 219619BS	18", Left	5	1) 1/2" & 4) 7/16"
OC185RS	RCA8R, 219619BS	18", Right	5	1) 1/2" & 4) 7/16"
OM144RS	RCA4R, 219615BS	14"	4	4) 7/16"
OM164LRS	RR16R, RB16R	16", Left	4	4) 7/16"
OM164RS	RR16R, RB16R	16", Right	4	4) 7/16"
OM185LRS	RR18R, RB18R	18", Left	5	5) 7/16"
OM185RS	RR18R, RB18R	18", Right	6	5) 7/16"

* Add HF on the end of part number for Hardfaced


Moldboards



- Heat treated
- Sold Individually
- Painted Black Finish
- 1080 High Carbon Steel
- Solid Construction, 5/16" Thick


Allis Chalmers

M57-0356 Fits Share Size: 14", 16", 18"
OEM Number: 347966HB




Case IH

491634 Fits Share Size: 18" Right
OEM Number: 491634




Case IH

M57-0352 Fits Share Size: 16" & 18" Right
OEM Number: 462314-HB Super Chief




491633 Fits Share Size: 18" Left
OEM Number: 491633L




Ford

464603 Fits Share Size: 16" & 18" Left
OEM Number: 464603 Super Chief



M57-0358 Fits Share Size: 14"
OEM Number: 104409-HB, 251440




Moldboards

Ford

M57-0359

Fits Share Size: 16"

OEM Number: 104412-HB



M57-0360

Fits Share Size: 18"

OEM Number: R619-18HB




John Deere

AA14885

Fits Share Size: 16"


OEM Number: A-15596



AA15673

Fits Share Size: 18"

OEM Number: A-17431




John Deere

M57-0350

Fits Share Size: 14"


OEM Number: BA1022A-HB, A20700



AA15674L

Fits Share Size: 18" Left


OEM Number: A-17432



M57-0351

Fits Share Size: 16"


OEM Number: BA1024A-HB, A20702



A32209M

Fits Share Size: 18" & 20"

OEM Number: A32209



Tillage

Moldboards

John Deere

A57264

Fits Share Size: 24"

OEM Number: P57264 Switch Plow



White Oliver

M57-0353

Fits Share Size: 16"

OEM Number: R619-16-HB




Massey Ferguson

660204

Fits Share Size: 16" & 18" Right

OEM Number: 660204



L61916

Fits Share Size: 16" Left


OEM Number: HR21800B



661651L

Fits Share Size: 16" & 18" Left


OEM Number: 661651



M57-0360

Fits Share Size: 18"


OEM Number: 30-1012991



R62518

Fits Share Size: 18"

OEM Number: 217531BS



Tillage

Shins



Allis Chalmers

Part Number	OEM Number	Fits Share Size	Application
S30-0516	347649	14", 16", 18"	387 Series

Ford

104403A	112136, 201344, 251435, 104428	12", 14", 16" RH	General Purpose
105070	201345, 100368, 251436	12", 14", 16" LH	General Purpose

International Harvester (Case IH)

522325	132001C11	14", 16", 18" RH	Super Chief, High Speed
464595	55075C	14", 16", 18" LH	Super Chief, High Speed
491630	491630	18" Left	General Purpose

John Deere

8195A	A14700	14"	HS314
8196AA	A14702	16"	HS316
A14883	A15594, A51081	16" & 18" RH	NU1036, 1046, 1048
A14887	A15606, A51082	16" & 18" LH	NMU1036, 1046, 1049


Massey Ferguson

660020	660008M1	12" Thru 18"	N & N, Heavy Duty
661584	661584	12" Thru 18" LH	N & N, Heavy Duty

White / Oliver

EP7490	EP7490C	12" Thru 18"	219, 419, 519, 619, 719
EP7488	EP7488C	12" Thru 18"	625, 425, 225
217404L	217404BS	12", 14", 16" LH	219, 419, 519, 619, 719

Landsides & Wear Pads



J.I. Case

Part Number	OEM Number	Position	Application
T10856	T60590	Front or Rear	EXA, B, C, D, E

Ford

107980	107980, 251448	Front	General Purpose
107981	107981, 251449	Rear	General Purpose

International Harvester (Case-IH)

L01-0100	59057C1	Wear Pad, 12-5/8"x4-1/2"x1/2"RH	Super Chief
L01-0102	59058C1	Wear Pad, Rev. 6"x4-1/2"x1/2"RH	Super Chief
L01-0103	59058C1L	Wear Pad LH	Super Chief
522342	522342R	Front RH	Super Chief & Terra Flo
522342L	522342L	Front LH	Super Chief & Terra Flo
522343	522343R	Rear RH	Super Chief & Terra Flo
522343	522343L	Rear LH	Super Chief & Terra Flo
489465	489465	Front RH	General Purpose
542417	542417	Front LH	General Purpose
543322	543222	Rear	General Purpose
543321	54321	Rear LH	General Purpose

John Deere

8206L	BA10147A	Rear LH	All HS Series
8207L	BA10148A	Front RH	All HS Series
A16493	AA16493	Front or Rear Inner Plate	All HS & NU Series
AA15262	AA15262	Wear Pad RH	HS & NU Series
AA15263	AA15263	Wear Pad LH	HS & NU Series

Massey Ferguson

660003	66003M1	Rear	N Series
495937	475153M1	Landslide	N Series, HD High Speed

White/Oliver

L01-0180	218270BS	Offset, 16" x 9/16"	419, 425, 619, 625
301012835L	30-1012835L	Front LH	419, 425, 619, 626
301012851	30-1012851, EP1300W	Rear Heel RH	Raydex 619, 625
301012851L	30-1012851L, EP1300W	Rear Heel LH	Raydex L 619, 626

Grain Drill Assemblies & Parts



Flat 13-1/2" Diameter

Application	Disc Assembly 2/Carton Part No.	Blade Part No.	Bearing Part No.	Dust Cap Part No.	Shim Washers Part No.
Allis Chalmers Planter-Fertilizer Case-IH Planter-Fertilizer & Seed Crustbuster Red Box Drill Crustbuster Silver Box Drill Great Plains Drill John Deere Drill John Deere 7000, 7100, 7200, & 7300 Planter Fertilizer Lilliston (Melroe) Drill Morris Drill Tye Drill White 3400 & 5100 Planter- Fertilizer & Seed	B45-3194	B45-3136	204RY2	0475-02935	S60-0570

Flat 15" Diameter

Application	Disc Assembly 2/Carton Part No.	Blade Part No.	Bearing Part No.	Dust Cap Part No.	Shim Washers Part No.
Great Plains, White 6000 John Deere 7000, 7100, 7200, & 7300, 1700 Planter & Seed Max Emerge2 & Max Emerge Plus Planter - Seed Kinzie Planter - Seed New Idea Planter - Seed	B45-3195	B45-3151	204RY2	0475-02935	S60-0570

Grain Drill Assemblies & Parts



Concave 13" Diameter

Application	Disc Assembly 2/Carton Part No.	Blade Part No.	Bearing Part No.	Seal Part No.	Seal Mounting Spacer
John Deere "Old Style" (Internal 1/2" Threads) AM12419, AN161227	B45-3410	B45-3046	Z9504AB	S16-0240	S60-0239
Fits: B, B-A, B-B, B-C, D-C, DF-B, DF-C, DR-A, DR-B, FB-B, FB-C, LL-A, LL147, LL160, LZ-B, PD-A, 8100, 8200, 8250, 8300, 8350					
John Deere "New Style" (External 5/8" Threads)	B45-3084	B45-3046	Z9504AB	S16-0240	S60-0413
Fits: 450, 515, 8100, 8200, 8250, 8300, 8350, 8500, 8550					
Massey / Oliver	20010565	B45-3046	204RY2	S16-0240	N/A

Concave 14" Diameter

Application	Disc Assembly 2/Carton Part No.	Blade Part No.	Bearing Part No.	Seal Part No.	Seal Mounting Spacer
Crustbuster	20010563	DD14CSD	Z9504AB	S16-0240	N/A
IHC	B45-3408	B45-3505	203NNP	S16-0232	S16-0233
IHC (Heavy Duty)	20010562	DD14CSD	204RY2	S16-0240	N/A
John Deere "Old Style" (Internal 1/2" Threads)	B45-3409	B45-3045	Z9504AB	S16-0240	S60-0239
Fits: B-A, B-B, B-C, D-C, DF-C, DR-A, DR-B, FB-B, FB-C, 8100, 8200, 8250, 8300, 8350					
John Deere "New Style" (External 5/8" Threads)	B45-3902	B45-3045	Z9504AB	S16-0240	S60-0413
Fits: 450, 515, 8100, 8200, 8250, 8300, 8350, 8500, 8550					

Universal Covering Chain



Part Number	Description
C30-0050	Heavy Gauge Steel Welded 3-Ring Construction

Gauge Wheel Assemblies



Part Number	OEM Number	Application	Size	Color	Bearing
W29-0153	AN130058	John Deere	4" x 12"	Yellow	B15-0901
W29-0154	N/A	Case IH	4" x 12"	Off-White	B15-0907
W29-0155	N/A	MF & Noble	4" x 12"	Standard White	B15-0901
W29-0156	N/A	Nobel & Glencoe	4" x 12"	Standard White	B15-0903
W29-0158	AA3246, AA35392	John Deere	4.5" x 15"	Yellow	B15-0902
W29-0161	GA2021	Kinzie & Agco-White	4.5" x 15"	Standard White	B15-0907

Gauge Wheel Halves



Part Number	OEM Number	Description
W29-0150	N187926	Yellow, 2 req. per assy. JD 4" x 12"
W29-0151	N/A	Off-white, 2 req. per assy. 4" x 12"
W29-0163	A22780	Yellow, 2 req. per assy. JD 4.5" x 15"

Gauge Wheel Tires



Part Number	OEM Number	Description
W29-0157	264001	4" x 12" Tire only
W29-0162	A22884, GD1086	4.5" x 15" Tire only

Gauge Wheel Bearings



* Please See Page 56 For Bearing Dimensions

Part Number	OEM Number	Description
885154B	B15-0901AN131668, 446612M1, 369851	Water pump type, short shank w/ groove.
885152	B15-0902, AA21015, AA357041, GA2022	Water pump type, short shank w/ hole.
885118B	B15-0903, 601440F1, P6310	Water pump type, double end smooth.
885151E	B15-0907, 526769R91, T26882, P3573	Water pump type, long shank w/ groove.

Cast Iron Roller Rings



Part Number	Inside Dia.	Outside Dia.	Weight (Ea.)
AW1216	12"	16"	18.00
AW1317	13"	17"	23.00
AW1420	14"	20"	31.00
AW1622	16"	22"	35.00

Roller Ring Bearing



Part Number	Description
S46B	Bearing Assy, Fits Schmeiser Old Style

Clod Buster



Part Number	Description
CB4075	4" Wide x 7-1/2" Wide, 5/8" x 2" x 20" Shank
CB7575	7-1/2" Wide x 7-1/2" Diameter, 5/8" x 2" x 20" Shank

Disc Hillers




- 6 Bolt Hub uses 12", 14", & 16" Blades
- 1-3/8" x 22" Round Shank



Assembly		Components		
Part Number	Blade	Hiller Assembly Consists Of		
		Hub Assy	Shank	Blade
3153401	12"	3153425	3153427	3153428
3153402	14"	3153425	3153427	3153429
3153405	16"	3153425	3153427	3153434

*Other components: Bolt Kit-3153430, Snap Ring-3153432

Gauge Wheels



- Features 15" x 6" 6-Bolt Rims (Tire Not Included)
- Manual Jack Adjustment
- Tool Bars Are Measured Height x Width


Part Number	Description
GWX40001	1 Pair Fits 2-1/4" or 2-1/2" Diamond Bar
GWX40004	1 Pair Fits 7" x 5" Tool Bar
GWX40007	1 Pair Fits 7" x 7" Tool Bar



- Features 4.80" x 8" Wheel and Tire
- Features 1" x 3" Shank

Part Number	Description
AW972SGWL	1" x 3" J-Gauge Wheel Left Side
AW972SGWR	1" x 3" J-Gauge Wheel Right Side

Tool Bar



Part Number	Description	Weight Per Foot
AW214H	2-1/4" Square Hollow Tool Bar	7.01

Sold Per Foot




Part Number	Description	Weight Per Foot
AW214S	2-1/4" Square Solid Tool Bar	17.21

Sold Per Foot


Rolling Cultivator

Rolling Cultivator Parts

Pages: 111-119



Basic Assembly Diagram



Setup Dimensions	A	B	C	D	E	F	G
Cat. II Hitches (1-1/8")	32-1/2"	16-1/4"					
Cat. III Hitches (1-7/16")	38"	19"					
168" Tool Bar						84"	168"
188" Tool Bar						94"	188"
248" Tool Bar						124"	248"
328" Tool Bar						164"	328"
24" Row Spacing			12"	24"	8"		
28" Row Spacing			14"	28"	9-1/2"		
30" Row Spacing			15"	30"	10"		
32" Row Spacing			16"	32"	11"		
34" Row Spacing			17"	34"	11-1/2"		
36" Row Spacing			18"	36"	12"		
38" Row Spacing			19"	38"	12-1/2"		
40" Row Spacing			20"	40"	13"		
42" Row Spacing			21"	42"	14"		

Spider Gangs



Part Number No. 1 (RH)	Part Number No. 2 (LH)	Spider Dia.	Spiders On Gang
35004003P	35005003P	14-1/2"	3
35004004P	35005004P	14-1/2"	4
35004005P	35005005P	14-1/2"	5
75004003P	75005003P	16"	3
75004004P	75005004P	16"	4
75004005P	75005005P	16"	5

* For Durafaced Spider Gangs, instead of P add DF

* Complete Spider Gang Breakdown on Page 112


Spiders



Part Number	Spider Dia.	Spider Rotation
3500145-1P	14-1/2"	Number 1 (RH)
3500145-2P	14-1/2"	Number 2 (LH)
7500160-1P	16"	Number 1 (RH)
7500160-2P	16"	Number 2 (LH)

* For Durafaced Spiders, instead of P add DF

Spider Gang Breakdown



* No. 1 (RH) Shown Above


Component Parts

Ref.	Part No.	Description	Req.
1	3500145-1P	14-1/2" No.1 (RH)	A/R
	3500145-2P	14-1/2" No.2 (LH)	A/R
	7500160-1P	16" No.1 (RH)	A/R
	7500160-2P	16" No.2 (LH)	A/R
2.	75354063	3-Gang 15/16" Sq. Axle	1
	75354064	4-Gang 15/16" Sq. Axle	1
	75354065	5-Gang 15/16" Sq. Axle	1
3	75354053	3-Gang HD Frame	1
	75354054	4-Gang HD Frame	1
	75354055	5-Gang HD Frame	1

Ref.	Part No.	Description	Req.
4	W205PPB7	15/16" Bearing	2
5	52MS2	Bearing Flange	4
6	7535403	Outer Seal Guard	2
7	7535407	Inner Seal	2
8	7535404	Inner Seal Guard	2
9	7535408	Spring Steel Scraper	A/R
10	CB381	3/8" x 1" Carriage Bolt	A/R
11	LW38	3/8" Lock Washer	A/R
12	N38	3/8" Hex Nut	A/R
13	CB516114	5/16" x 1-1/4" Carriage Bolt	4
14	LW516	5/16" Lock Washer	4
15	N516	5/16" Hex Nut	4
16	N78	7/8" Hex Nut	2

Cultivator Pipe Bar Assemblies

For 7" x 5" & 7" x 7" Tool Bars




7501300	Short Pipe Assembly, Less U-Bolt Set
7502300	Long Pipe Assembly, Less U-Bolt Set

U-Bolts on Page 94

Component Parts


Ref.	Part No.	Description	Req.	Ref.	Part No.	Description	Req.
1	FW58	5/8" Flat Washer	1	15	7535318	Pipe Support Bracket	1
2	7535601	Pivot Clamp	1	16	HB12112	1/2" x 1-1/2" Hex Bolt	1
3	7535311	Trunnion	1	17	HB58712	5/8" x 7-1/2" Hex Bolt	1
4	7535312	Trunnion Bracket	2	18	CB381	3/8" x 1" Carriage Bolt	4
5	7535602	Gang Spacer	1	19	CB12134	1/2" x 1-3/4" Carriage Bolt	2
6	7535313	Pivot Bushing	2	20	SB12312	1/2" x 3-1/2" Sq. Head Bolt	2
7	7535317	Tension Rod	1	21	N38	3/8" Hex Nut	4
8	7500301	Gang Pipe, Short	1	22	N58	5/8" Hex Nut	2
9	7500302	Gang Pipe, Long	1	23	LW38	3/8" Lock Washer	4
10	7535315	Rubber Buffer	1	24	LW12	1/2" Lock Washer	4
11	FW12	1/2" Flat Washer	2	25	LW58	5/8" Lock Washer	1
12	7535316	Adjusting Collar	2	26	FW58	5/8" Flat Washer	2
13	N12	1/2" Hex Nut	4	27	SS1234	1/2" x 3/4" Set Screw	2
14	7535314	Compression Spring	1	28	LN12	1/2" Lock Nut	1

Cultivator U-Bolt Sets



Part Number	Description
7512800	U-Bolt Set for 7" x 5" Tool Bar 7/8" U-Bolt w/ Lock Washers & Nuts
7512900	U-Bolt Set for 7" x 7" Tool Bar 7/8" U-Bolt w/ Lock Washers & Nuts

Pivot Clamp Assembly




7535600	Pivot Clamp Assembly
---------	----------------------

Component Parts			
Ref	Part Number	Description	Req.
1	7535601	Pivot Clamp Body	1
2	7535602	Pivot Clamp Gang Spacer	1
3	CB12134	1/2" x 1-3/4" Carriage Bolt	2
4	SB12312	1/2" x 3-1/2" Sq. Head Bolt	2
5	LW12	1/2" Lock Washer	4
6	N12	1/2" Nut	4
7	FW12	1/2" Flat Washer	2

Cultivator 3-Point Hitch

3-Point Hitch Straight

For 7" x 5" & 7" x 7" Tool Bars



7500200 7" x 5" Straight Hitch Assembly

7700200 7" x 7" Straight Hitch Assembly

Component Parts

Ref.	Part No.	Description	Req.	Ref.	Part No.	Description	Req.
1	7500201	Top Link Bushing	1	14	N34	3/4" Hex Nut	3
2	7500202	Hair Pin	2	15	N78	7/8" Hex Nut	12
3	7500203	Lift Arm Bushing	2	16	7500225	Hitch Brace	2
4	7500204	7/8" U-Bolt For 7" x 5"	6	17	7500221	Left Offset Hitch	1
5	7500205	Hitch Center Mast	1	18	7500224	Right Offset Hitch	1
6	7500206	No. 1 Straight Hitch	2	19	CB12134	1/2" x 1-3/4" Carriage Bolt	2
7	7500207	No. 2 Straight Hitch	2	20	CB582	5/8" x 2" Carriage Bolt	2
8	7500208	Lift Bracket Spacer	2	21	LW12	1/2" Lock Washer	2
9	7500209	Hitch Lift Arm Bolt	2	22	LW58	5/8" Lock Washer	2
10	HB344	3/4" x 4" Hex Bolt	1	23	N12	1/2" Hex Nut	2
11	HB345	3/4" x 5" Hex Bolt	2	24	N58	5/8" Hex Nut	2
12	LW34	3/4" Lock Washer	3	25	7503204	7/8" U-Bolt For 7" x 7"	6
13	LW78	7/8" Lock Washer	12				

Phone: (800) 321-5247 Fax: (559) 237-2048


www.agwestparts.com

Rolling Cultivator

Cultivator 3-Point Hitch

3-Point Hitch Offset

For 7" x 5" & 7" x 7" Tool Bars




7511200 7" x 5" Offset Hitch Assembly

7711200 7" x 7" Offset Hitch Assembly

Component Parts

Ref.	Part No.	Description	Req.	Ref.	Part No.	Description	Req.
1	7500201	Top Link Bushing	1	14	N34	3/4" Hex Nut	3
2	7500202	Hair Pin	2	15	N78	7/8" Hex Nut	12
3	7500203	Lift Arm Bushing	2	16	7500225	Hitch Brace	2
4	7500204	7/8" U-Bolt For 7" x 5"	6	17	7500221	Left Offset Hitch	1
5	7500205	Hitch Center Mast	1	18	7500224	Right Offset Hitch	1
6	7500206	No. 1 Straight Hitch	2	19	CB12134	1/2" x 1-3/4" Carriage Bolt	2
7	7500207	No. 2 Straight Hitch	2	20	CB582	5/8" x 2" Carriage Bolt	2
8	7500208	Lift Bracket Spacer	2	21	LW12	1/2" Lock Washer	2
9	7500209	Hitch Lift Arm Bolt	2	22	LW58	5/8" Lock Washer	2
10	HB344	3/4" x 4" Hex Bolt	1	23	N12	1/2" Hex Nut	2
11	HB345	3/4" x 5" Hex Bolt	2	24	N58	5/8" Hex Nut	2
12	LW34	3/4" Lock Washer	3	25	7503204	7/8" U-Bolt For 7" x 7"	6
13	LW78	7/8" Lock Washer	12				


Cultivator Tool Bar



Part Number	Description	Req.
7500101	7" x 5" x 1/4" x 168" Tool Bar	1
7500102	7" x 5" x 1/4" x 188" Tool Bar	1
7500103	7" x 5" x 1/4" x 248" Tool Bar	1
7500104	7" x 5" x 3/8" x 328" Tool Bar	1
7700101	7" x 7" x 1/4" x 168" Tool Bar	1
7700102	7" x 7" x 1/4" x 188" Tool Bar	1
7700103	7" x 7" x 1/4" x 248" Tool Bar	1
7700104	7" x 7" x 3/8" x 328" Tool Bar	1


Rigid Shank Assembly

7535800	Rigid Shank Assembly
---------	----------------------



Component Parts			
Ref	Part Number	Description	Req.
1	7535801	Sweep Shank	1
2	7535802	Footpiece	1
3	HB122	1/2" x 2" Hex Bolt	1
4	CB12212	1/2" x 2-1/2" Carriage Bolt	1
5	7535805	Ratchet Washer with Ear	2
6	LW12	1/2" Lock Washer	2
7	N12	1/2" Hex Nut	2

Standard Support Assembly



7535700

Standard Support Assembly

Component Parts			
Ref	Part Number	Description	Req.
1	7535703	Shank Bracket	1
2	7535702	Shank Clamp	1
3	7535701	Clamp Cap	1
4	7535704	Sweep Clamp	1
5	CB123	1/2" x 3" Carriage Bolt	2
6	CB124	1/2" x 4" Carriage Bolt	4
7	N12	1/2" Hex Nut	6
8	LW12	1/2" Lock Washer	6

Cultivator Clamps



Part Number	Description
AW1357	5" x 7" Clamp, Fits 1" x 3" Shank
AW1377	7" x 7" Clamp, Fits 1" x 3" Shank

Cultivator Shank & Foot Piece






Part Number	Description
AW1639	1" x 3" x 36" Straight Shank



Part Number	Description
FP3	Foot Piece For 1" x 3" Shank

Cultivator Disc Assemblies



7500600	Disc Assembly Complete
7500601	Disc Weeder Clamp Complete
7500668	Hub Assembly Complete


Components							
Ref.	Part No.	Description	Req.	Ref.	Part No.	Description	Req.
1	7500605	Disc Shank	1	11	N34	3/4" Hex Nut	1
2	7500609	Disc Axle	1	12	7500608	Hub Casting Only	1
3	7500610	Bearing	2	13	7500613	O-Ring	1
4	AW12S0300	12" Disc Blade 5-Hole	1	14	7535701	Clamp Cap	1
5	7500611	Bearing Spacer	1	15	7500601B	Clamp Body	1
6	7500612	Blade Backing Plate	1	16	N12	1/2" Nut	3
7	HB5161	5/16" x 1" Hex Bolt	5	17	CB12134	1/2" x 1-3/4" Carriage	1
8	LW516	5/16" Lock Washer	5	18	SB12212	1/2" x 2-1/2" Sq. Bolt	2
9	N516	5/16" Hex Nut	5	19	LW12	1/2" Lock Washer	3
10	LW34	3/4" Lock Washer	1				

A-Frames



Part Number	Description	Lift Arm Spacing	Frame	Pin Dia.	Weight (Lbs.)
AW301	Cat. 1 Standard	26"	3/4" x 3"	7/8"	64.00
AW301H	Cat. 1 Heavy Duty	26"	1" x 3"	7/8"	92.00
AW302	Cat. 2 Standard	32"	1" x 3"	1-1/8"	104.00
AW302H	Cat. 2 Heavy Duty	32"	1/2" x 3" x 5"	1-1/8"	136.00

Bolt-On 3 Point Hitch



Part Number	Tool Bar Size	Category	Weight
TBH40001	4" x 4" Square	Cat. 2	168.00
TBH40002	4" x 4" Square	Cat. 3	168.00
TBH40003	4" x 6" Rectangular	Cat. 2	191.00
TBH40004	4" x 6" Rectangular	Cat. 3	191.00
TBH40005	5" x 7" Rectangular	Cat. 2	218.00
TBH40006	5" x 7" Rectangular	Cat. 3	218.00
TBH40007	7" x 7" Square	Cat. 2	213.00
TBH40008	7" x 7" Square	Cat. 3	213.00

Quick Hitches




Part Number	Cat.	Width	H.P.	Weight
HF141101	1	27-1/4"	50	76
HF141102	2	32"	100	134
HF141103	3	38"	225	182
HF141108	Cat. 2 to 3	38-1/4"	225	192

Quick Hitch Replacement Parts

Part No.	Description
HF141139	Cat. 1 Mounting Pin
HF141124	Cat. 2 Mounting Pin
HF141130	Bushing Kit Converts Cat. 2 to Cat. 3. Includes 2 Bushings & 2 Pins




Forged Hitch Pins




Part Number	A Pin Diameter	B Useable Length	C Overall Length	Weight (Lbs.)
HP1204	1/2"	4-1/4"	5-3/4"	0.40
HP1206	1/2"	6-1/4"	7-3/4"	0.50
HP5804	5/8"	4-1/4"	5-3/4"	0.60
HP5806	5/8"	6-1/4"	7-3/4"	0.80
HP3404	3/4"	4-1/4"	5-3/4"	0.90
HP3406	3/4"	6-1/4"	7-3/4"	1.10
HP7804	7/8"	4-1/4"	5-3/4"	1.20
HP7806	7/8"	6-1/4"	7-3/4"	1.40
HP1004	1"	4-1/4"	5-3/4"	1.50
HP1006	1"	6-1/4"	7-3/4"	1.90
HP1186	1-1/8"	6-1/4"	7-3/4"	2.40
HP1146	1-1/4"	6-1/4"	7-3/4"	2.90

Forged Hitch Pins w/ Chain



Part Number	A Pin Diameter	B Useable Length	C Overall Length	Weight (Lbs.)
HP1204C	1/2"	4-1/4"	5-3/4"	0.50
HP1206C	1/2"	6-1/4"	7-3/4"	0.60
HP5804C	5/8"	4-1/4"	5-3/4"	0.70
HP5806C	5/8"	6-1/4"	7-3/4"	0.90
HP3404C	3/4"	4-1/4"	5-3/4"	1.00
HP3406C	3/4"	6-1/4"	7-3/4"	1.20
HP7804C	7/8"	4-1/4"	5-3/4"	1.60
HP7806C	7/8"	6-1/4"	7-3/4"	1.80
HP1004C	1"	4-1/4"	5-3/4"	1.90
HP1006C	1"	6-1/4"	7-3/4"	2.00
HP1186C	1-1/8"	6-1/4"	7-3/4"	2.50
HP1146C	1-1/4"	6-1/4"	7-3/4"	3.00

Forged Red Head Hitch Pins





Part Number	A Pin Diameter	B Useable Length	C Overall Length	Weight (Lbs.)
RH124	1/2"	3-5/8"	6-5/8"	0.70
RH584	5/8"	4"	7"	0.90
RH586	5/8"	5-3/4"	9"	1.10
RH344	3/4"	4"	7"	1.10
RH347	3/4"	6-1/2"	9-1/2"	1.50
RH784	7/8"	4-1/4"	7-1/4"	1.40
RH787	7/8"	6-1/2"	9-1/2"	1.90
RH1X4	1"	4-3/4"	7-3/4"	1.90
RH1X8	1"	7-1/2"	10"	2.60
RH112	1"	12"	12-5/8"	3.30
RH188	1-1/8"	8-1/2"	11-1/2"	3.30
RH812	1-1/8"	12"	12-5/8"	4.00
RH148	1-1/4"	8-1/2"	11-1/2"	4.10
RH128	1-1/2"	8-1/2"	11-1/2"	5.70

Red Top Forged Hitch Pins



Part Number	A Pin Diameter	B Useable Length	C Overall Length	Weight (Lbs.)
RT584	5/8"	4"	5"	1.00
RT586	5/8"	6"	7"	1.30
RT344	3/4"	4"	5"	1.40
RT347	3/4"	7"	8"	1.80
RT784	7/8"	4"	5"	2.00
RT787	7/8"	7"	8"	2.40
RT1X5	1"	5"	6"	2.70
RT1X8	1"	8"	9"	3.00
RT112	1"	12"	13"	3.50
RT188	1-1/8"	8"	9"	3.40
RT148	1-1/4"	8"	9"	4.30
RT128	1-1/2"	8"	9"	5.50
RT348	1-3/4"	8"	9"	5.90
RT2X8	2"	8"	9"	6.50



Lift Arm Pins



Category 1 and 2

Forged Shoulder



Part Number	Ref Number	Cat.	A Pin Dia.	B Useable Length	C Overall Length	D Thread Dia.	E Thread Length	Weight (Lbs.)
AW7228	P7228	0	5/8"	1-7/16"	3-7/8"	5/8" NF	1-1/8"	0.40
AW728	P728	1	7/8"	1-3/4"	5-1/2"	7/8" NF	1-5/8"	1.10
AW7245	1677A	1	7/8"	2-1/4"	6-1/2"	7/8" NF	2-1/4"	1.30
AW7246	1678A	1 to 2	1-1/8"	2-1/4"	6-5/16"	7/8" NF	2-1/4"	1.50
AW724	P7240	1 to 2	1-1/8"	1-13/16"	5-1/4"	7/8" NF	1-5/8"	1.50
AW7249	1887A	1 & 2	1-1/8", 7/8"	2-1/16" Both	8"	1" NF	1-1/4"	1.90
AW7212	P7212	2	1-1/8"	1-3/4"	6-1/8"	1-1/8" NF	2-3/8"	2.30
AW726	2032A	2 to 1	7/8"	1-3/4"	5-3/4"	1-1/8" NF	2-3/8"	1.80
AW7243	1736A	2 to 3	1-7/16"	1-7/8"	5-3/4"	1-1/8" NF	1-1/2"	3.00
AW7229	P7229	3	1-7/16"	2"	5-7/8"	1-3/8" NF	1-1/2"	3.50



Adjustable Shoulder

Part Number	Ref Number	Cat.	A Pin Dia.	B Useable Length	C Overall Length	D Thread Dia.	E Thread Length	Weight (Lbs.)
AW7220	P7220	0	5/8"	Adj.	3-7/8"	5/8" NF	2"	0.40
AW7221	P7221	0 to 1	7/8"	1-3/4"	4-1/2"	5/8" NF	2"	0.60
AW7224	2252A	1 to 0	5/8"	2"	5"	7/8" NF	2-1/4"	0.60
AW722	P722	1	7/8"	Adj.	5"	7/8" NF	2-5/8"	1.10
AW7219	1341A	1	7/8"	Adj.	6-1/4"	7/8" NF	3-1/2"	1.30
AW724A	P724	1 to 2	1-1/8"	Adj.	5-1/4"	7/8" NF	2-7/16"	1.40
AW721	P721	2	1-1/8"	Adj.	6-1/8"	1-1/8" NF	3-3/8"	2.30
AW729	1865A	2	1-1/8"	Adj.	7-1/2"	1-1/8" NF	4-1/2"	2.60
AW7211	P7211	2 to 3	1-7/16"	Adj.	6-1/2"	1-1/8" NF	3-3/8"	2.90

Top Link Pins



Part Number	Ref Number	Cat.	A Pin Dia.	B Useable Length	C Overall Length	Weight (Lbs.)
AW776	2255	0	5/8"	3"	4-7/16"	0.40
AW771	P771	1	3/4"	2-3/4"	4-1/2"	0.50
AW772	P772	1	3/4"	3-7/8"	5-1/2"	0.60
AW7715	1464H	1	3/4"	4-3/4"	6-3/8"	0.80
AW773	P7716	2	1"	3-9/16"	5-1/4"	1.20
AW774	P774	2	1"	4-3/8"	6"	1.30
AW7711	P7711	3	1-1/4"	4-5/8"	6-1/2"	2.10

Hitch Pin Clips (Hair Pins)



Part Number	Wire Dia.	Overall Length	Inside Dia. of Eye
996-5.5	5/64"	1-7/8"	5/8"
996-5	7/64"	2-15/16"	5/8"
996-9	9/64"	2-9/16"	9/16"
996-6	5/32"	2-5/16"	3/4"
996-7	3/16"	3-3/4"	15/16"
996-8	17/64"	4"	15/16"
996	21/64"	4-1/16"	7/8"

Cotterless Pins



Part No.	Size
AW30-02	3/16" x 1-1/2"
AW30-04	3/16" x 2-1/2"
AW30-07	1/4" x 1-1/2"
AW30-08	1/4" x 2"
AW30-09	1/4" x 2-1/2"
AW30-10	1/4" x 3"
AW30-12	1/4" x 4"
AW30-16	5/16" x 1-1/2"
AW30-17	5/16" x 2"
AW30-18	5/16" x 2-1/2"
AW30-19	5/16" x 3"

Part No.	Size
AW30-20	5/16" x 3-1/2"
AW30-21	5/16" x 4"
AW30-26	3/8" x 1-1/2"
AW30-27	3/8" x 2"
AW30-28	3/8" x 2-1/2"
AW30-29	3/8" x 3"
AW30-30	3/8" x 3-1/2"
AW30-31	3/8" x 4"
AW30-36	7/16" x 1-1/2"
AW30-37	7/16" x 2"
AW30-38	7/16" x 2-1/2"

Part No.	Size
AW30-39	7/16" x 3"
AW30-40	7/16" x 3-1/2"
AW30-41	7/16" x 4"
AW30-46	1/2" x 1-1/2"
AW30-47	1/2" x 2"
AW30-48	1/2" x 2-1/2"
AW30-49	1/2" x 3"
AW30-50	1/2" x 3-1/2"
AW30-51	1/2" x 4"

Lift Arm Bushings



Part Number	Cat.	Inside Diameter	Outside Diameter	Length	Weight (Lbs.)
B828	0-1	5/8"	7/8"	1-3/8"	0.11
B821	1-2	7/8"	1-1/8"	1-3/4"	0.19
B8221	1-2	7/8"	1-1/8"	1-3/8"	0.18
B832	2-3	1-1/8"	1-7/16"	1-3/4"	0.28
B8320	2-3	1-1/8"	1-7/16"	3-1/4"	0.52
B8312*	2-3	1-1/8"	1-7/16"	2-1/2"	0.44
B8312NH	2-3	1-1/8"	1-7/16"	2-1/2"	0.44
B8319	2-3	1-1/8"	1-7/16"	2-3/4"	0.50

*B8312 has 15/32" drilled hole for lynch pin. B8312NH has no drilled hole.

Top Link Bushings



Part Number	Cat.	Inside Diameter	Outside Diameter	Length	Weight (Lbs.)
B829	0-1	5/8"	3/4"	1-5/8"	0.06
B831	1-2	3/4"	1"	1-15/16"	0.18
B8220	1-2	3/4"	1"	1-5/8"	0.15
B833	2-3	1"	1-1/4"	1-15/16"	0.24

Implement Jacks

SL1541



Part Number	Description	Weight (Lbs.)
SL1541	Ratchet jack with 1-1/4" Acme threads. 20" Closed to 28" Open. 1" Clevis Pins	15.00
SL152	Leveling Jack/Lift arm Cat. 1 w/ 7/8" NF threads. 18-1/2" Closed to 25" Open	6.60
SL153	Turnbuckle with 1-1/4" NC threads. 20" Closed to 28" Open. 1" Pin holes	11.10




SL152



SL153

Clevis Type Draw Pins



Part Number	Cat.	Type	Pin Dia.	Useable Length	Overall Length	Weight (Lbs.)
P7234	1	Roll Pin	7/8"	4-1/2"	6"	0.9
P7235	2	Roll Pin	1-1/18"	3-5/16"	4-3/4"	1.2
P7236	2	Roll Pin	1-1/18"	4-3/4"	6-1/2"	1.7
P7237	2	Roll Pin	1-1/18"	5-3/8"	7"	1.9
P7238	2	Roll Pin	1-1/18"	7-3/8"	9"	2.4
P7239	2	Roll Pin	1-1/18"	9"	10-3/4"	2.9
P7230	3	Head	1-7/16"	4-11/16"	6"	2.8
P7710	3	Roll Pin	1-7/16"	3-3/8"	5-3/8"	2.3
P7231	3	Roll Pin	1-7/16"	6-1/4"	8-1/2"	3.8
P7250	2 & 3	Head	1-1/8" & 1-7/16"	3-5/8" & 4-1/4"	9-1/4"	3.4

Clevis Pins




Part Number	A Pin Dia.	B Useable Length	C Overall Length	Weight (Lbs.)
P7100	1/2"	5"	6-3/8"	0.40
P7101	5/8"	5"	6-3/8"	0.60
P7102	3/4"	5"	6-3/8"	0.80
P7103	7/8"	5"	6-3/8"	1.00
P7104	1"	5"	6-3/8"	1.40
P7105	1-1/8"	5"	6-3/8"	1.70

Universal Clevis Pins



Part Number	Pin Dia.	Overall Length	Weight (Lbs.)
4851/4	1/4"	2"	0.02
4855/16	5/16"	2"	0.04
4853/8	3/8"	2"	0.05
4857/16	7/16"	2"	0.08
5517/16	7/16"	2-1/2"	0.13
11887/16	7/16"	3"	0.14
4851/2	1/2"	2"	0.11
5511/2	1/2"	2-1/2"	0.14
11881/2	1/2"	3"	0.15


Lynch Pins



Part Number	Ref Number	Description	A Pin Dia.	B Useable Length	C Shank Length	D Overall Length	Weight (Lbs.)
AW7919	2195	Standard	3/16"	1"	1-3/8"	1-5/8"	0.03
AW794*	P794	Standard	1/4"	1-1/4"	1-3/4"	2-1/8"	0.07
AW794A	1746A	Std. w/ Chain	1/4"	1-1/4"	1-3/4"	2-1/8"	0.09
AW7915	1861	Standard	5/16"	1-1/4"	1-3/4"	2-1/8"	0.10
AW7915A	1861A	Std. w/ Chain	5/16"	1-1/4"	1-3/4"	2-1/8"	0.12
AW791*	P791	Standard	7/16"	1-1/4"	1-3/4"	2"	0.10
AW791A	1493A	Std. w/ Chain	7/16"	1-1/4"	1-3/4"	2"	0.12
AW7913	1924	Heavy Duty	7/16"	1-1/2"	1-3/4"	2-1/8"	0.13
AW798	1923	Extra Long	7/16"	1-3/4"	2"	2-5/16"	0.14


* Most Popular

Round PTO Pins





Part Number	Ref Number	A Pin Dia.	B Useable Length	Weight (Lbs.)
AW7951	P7951	1/4"	2-1/2"	0.08
AW7956	P7956	5/16"	2-1/2"	0.10
AW7963	P7963	3/8"	2-1/2"	0.14

Square PTO Pins




Part Number	Ref Number	A Pin Dia.	B Useable Length	Weight (Lbs.)
AW7953	P7953	1/4"	2-1/2"	0.08
AW7957	P7957	5/16"	2-1/2"	0.10
AW7965	P7965	3/8"	2-1/2"	0.16

Forged Top Links





Part Number	Cat.	A Pin Hole Size	B Threads	C Body Length	D Closed Length	Open Length	Weight (Lbs.)
TL199P	0	5/8"	3/4" NC	7-5/8"	11"	16"	2.50
TL1630P	1	3/4"	1-1/8" NC	13-1/4"	17"	26"	7.40
TL165P	1	3/4"	1-1/8" NC	16"	21"	31"	7.60
TL166P	1	3/4"	1-1/8" NC	20"	25"	35"	9.10
TL167P	1	3/4"	1-1/8" NC	24"	29"	39"	8.90
TL1670P	1 & 2	3/4" & 1"	1-1/8" NC	16"	21"	32"	9.10
TL174P	2	1"	1-1/8" NC	16"	21"	31"	10.00
TL176P	2	1"	1-1/8" NC	20"	25"	37"	10.00
TL1730P	2	1"	1-1/4" NC	15-3/4"	20"	30"	10.70
TL173P	2	1"	1-1/4" NC	16"	23"	32"	12.00
TL1735	2	1"	1-1/4" NC	20"	27"	37"	12.50
TL187	3	1-1/4"	1-3/8"	19-1/2"	25-1/2"	37"	20.00

Top Link Repair Ends





Part Number	Cat.	Type	A Pin Hole Size	B Thread Dia.	C Thread Length	D Overall Length	Weight (Lbs.)
RE1933	0	Forged	5/8"	3/4" NC (LH)	3-1/2"	6"	0.8
RE1934	0	Forged	5/8"	3/4" NC (RH)	3-1/2"	6"	0.8
RE113	1	Welded	3/4"	1" NC (LH)	5-1/2"	8"	1.8
RE114	1	Welded	3/4"	1" NC (RH)	5-1/2"	8"	1.8
RE1619	1	Forged	3/4"	1-1/8" NC (LH)	6"	8-3/4"	2.4
RE1620	1	Forged	3/4"	1-1/8" NC (RH)	6"	8-3/4"	2.4
RE1717	2	Forged	1"	1-1/4" NC (LH)	5-1/2"	10"	3.0
RE1718	2	Forged	1"	1-1/4" NC (RH)	5-1/2"	10"	3.0
RE1640	2	Forged	1"	1-1/8" NC (RH)	6-1/2"	11"	3.0
RE1641	2	Forged	1"	1-1/8" NC (LH)	6-1/2"	11"	3.0
RE1826	3	Forged	1-1/4"	1-3/8" NC (RH)	7-1/4"	12-1/8"	8.0
RE1827	3	Forged	1-1/4"	1-3/8" NC (LH)	7-1/4"	12-1/8"	8.0

Top Link Ball Sockets




Part Number	Cat.	Description	A Pin Hole Size	B Length Thru Bore	C Sleeve Width	D Sleeve O.D.	Weight (Lbs.)
B2225	0	Std. duty, unplated	5/8"	1"	3/4"	2"	0.60
B2226	0	Std. duty, plated	5/8"	1"	3/4"	2"	0.60
B213	1	Std. duty, unplated	3/4"	1-5/8"	3/4"	2"	0.60
B216	1	Std. duty, plated	3/4"	1-5/8"	3/4"	2"	0.60
B215	1	Hvy duty, plated	3/4"	1-5/8"	7/8"	2-1/8"	0.70
B235	1 & 2	Std. duty, unplated	3/4" & 1"	1-1/2" & 1-1/4"	7/8"	2-3/8"	0.60
B236	1 & 2	Std. duty, plated	3/4" & 1"	1-1/2" & 1-1/4"	7/8"	2-3/8"	0.60
B211	2	Std. duty, unplated	1"	1-3/4"	7/8"	2-3/8"	0.80
B214	2	Std. duty, plated	1"	1-3/4"	7/8"	2-3/8"	0.80
B227	2	Std. duty, unplated	1"	1-1/4"	7/8"	2-3/8"	0.80
B228	2	Std. duty, plated	1"	1-1/4"	7/8"	2-3/8"	0.80
B2219	2	Hvy duty, unplated	1"	1-3/4"	1-3/16"	2-3/4"	1.80
B2220	2	Hvy duty, plated	1"	1-3/4"	1-3/16"	2-3/4"	1.80
B2229	3	Std. duty, unplated	1-1/4"	1-3/4"	1-9/32"	3-1/8"	1.80
B2230	3	Std. duty, plated	1-1/4"	1-3/4"	1-9/32"	3-1/8"	1.80

Top Link Weld-On Ball Ends



Part Number	Ref Number	Cat.	A	B	C	D	E	F
RE1642	1755-5	1	2"	3/4"	1-1/8"	2-1/4"	1/2"	1-3/4"
RE1643	1757-7	2	2-3/8"	1"	1-1/8"	2-5/8"	1/2"	2"
RE1644	1759-5	3	3-11/32"	1-1/4"	1-13/32"	2-3/4"	1/2"	2-1/4"


Top Link / Lift Arm Replacement Balls



Part Number	Cat.	A	B	C	Weight (Lbs.)
B248	1	3/4"	1-3/8"	1-13/16"	0.60
B241	1	3/4"	1-3/4"	2"	0.90
B242	2	1"	1-3/4"	2"	0.80
B245	1	7/8"	1-3/8"	2"	0.70
B243	1	7/8"	1-3/8"	2-1/4"	1.10
B247	2	1-1/8"	1-3/8"	2-1/4"	0.90
B246	2	1-1/8"	1-3/4"	2"	0.80
B244	2	1-1/8"	1-3/4"	2-1/4"	1.10


Lift Arms

Ford/New Holland




Part Number	Description	Weight (Lbs.)
957E555	5/8" Thick, 33" Center to Center Cat. 1 (LH/RH)	13.45
9N555B	5/8" Thick, 31.75" Center to Center Cat. 1 (LH/RH)	11.00
D0NN555C	9/16" Thick, 31.75" Center to Center Cat. 1 (LH)	16.68
D0NN555D	9/16" Thick, 31.75" Center to Center Cat. 1 (R/H)	16.68
81821330	.709" Thick, 34.646" Center to Center Cat. 2 (LH/RH)	22.00
2N564B	Complete Lift Arm (LH)	8.60
4N564B	Complete Lift Arm (LH)	11.08

Massey Ferguson




Part Number	Description	Weight (Lbs.)
1808467M1	5/8" Thick, 31.75" Center to Center Cat. 1 (LH/RH)	11.00
5105845M1	5/8" Thick, 33" Center to Center Cat. 1 (LH/RH)	13.45
510585M91	.625" Thick, 32.50" Center to Center Cat. 1 (LH)	13.45
510584M91	.625" Thick, 33" Center to Center Cat. 1 (RH)	13.45
182633M91	9/16" Thick, 33" Center to Center Cat. 1 (LH/RH)	13.45
531859M92	.625" Thick, 33.50" Center to Center Cat. 1 & 2 (LH)	15.40
531858M92	.625" Thick, 33.50" Center to Center Cat. 1 & 2 (RH)	15.40
1869289M91	0.750" Thick, 36.00" Center to Center Cat. 2 (LH/RH)	20.00
886451M94	.709" Thick, 38.188" Center to Center Cat. 2 (LH/RH)	22.96
1660263M93	.750" Thick, 40.00" Center to Center Cat. 2 (LH)	31.58
1660262M93	.750" Thick, 40.00" Center to Center Cat. 2 (RH)	31.58

Lift Arm Ball Sockets



Part Number	Cat.	Description	A	B	C	D	Weight (Lbs.)
B2225	0	Standard, Unplated	5/8"	1"	3/4"	2"	0.60
B2226	0	Standard, Plated	5/8"	1"	3/4"	2"	0.60
B221	1	Standard, Unplated	7/8"	1-3/8"	7/8"	2-3/8"	0.90
B223	1	Standard, Plated	7/8"	1-3/8"	7/8"	2-3/8"	0.90
B231	1 & 2	Standard, Plated	7/8" & 1-1/8"	1-3/4"	1-3/16"	2-3/4"	1.40
B232	1 & 2	Heavy Duty; Plated	7/8" & 1-1/8"	1-3/4"	1-3/16"	2-3/4"	1.40
B233	1 & 2	X Heavy Duty; Unplated	7/8" & 1-1/8"	1-3/4"	1-3/8"	3-1/8"	1.70
B234	1 & 2	X Heavy Duty; Plated	7/8" & 1-1/8"	1-3/4"	1-3/8"	3-1/8"	1.70
B222	2	Standard, Unplated	1-1/8"	1-5/16"	15/16"	2-3/8"	0.80
B224	2	Standard, Plated	1-1/8"	1-5/16"	15/16"	2-3/8"	0.80
B2215	2	X Heavy Duty; Unplated	1-1/8"	1-3/4"	1-3/8"	3-1/8"	1.90
B2216	2	X Heavy Duty; Plated	1-1/8"	1-3/4"	1-3/8"	3-1/8"	1.90
B2231	3	Standard, Unplated	1-7/16"	1-3/4"	1-11/32"	3-1/2"	2.40
B2232	3	Standard, Plated	1-7/16"	1-3/4"	1-11/32"	3-1/2"	2.40

Lift Arm Weld-On Ball Ends




Part Number	Ref Number	Description	A	B	C	D	E	F
LA3322	2178	Cat.1 Straight	2-3/4"	7/8"	2-3/8"	2-5/8"	5/8"	1-3/8"
LA3325	2179	Cat.2 Straight	3-1/8"	1-1/8"	2-3/4"	2-5/8"	3/4"	1-3/4"
LA3320	2230	Cat.1 RH	4-3/8"	7/8"	1-13/16"	2-5/8"	5/8"	1-3/16"
LA3321	2314	Cat.1 LH	4-3/8"	7/8"	1-13/16"	2-5/8"	5/8"	1-3/16"
LA3323	2313	Cat.1 Bent	4"	7/8"	1-7/8"	2-5/8"	5/8"	1-3/8"
LA3324	////	Cat.2 Bent	4"	1-1/8"	1-7/8"	3-1/8"	5/8"	1-3/4"
LA3328	////	Cat.1 Straight	3-1/8"	7/8"	2-3/4"	3-5/8"	3/4"	1-3/8"
LA3330	2254	Cat.3 Straight	3-3/8"	1-7/16"	3"	3-1/2"	3/4"	1-3/4"

Stabilizer Arms

Ford/New Holland





Part Number	Description	Weight (Lbs.)
C5NN454B	.375" Thick, 2" Wide, Hole .875" & 1.125" 31.50 & 32.00 Ctr to Ctr, Dual Cat. (RH)	7.40
C5NN455B	.375" Thick, 2" Wide, Hole .875" & 1.125" 31.50 & 32.00 Ctr to Ctr, Dual Cat. (LH)	7.40
C5NN454C	.375" Thick, 2" Wide, Hole .875" 31.50" Ctr to Ctr, (RH)	4.00
C5NN455C	.375" Thick, 2" Wide, Hole .875" 31.50" Ctr to Ctr, (LH)	4.00
SA01	.375" Thick, 1.75" Wide, Hole .875" 31.56" Ctr to Ctr, (LH & RH)	5.88
49B300L	.375" Thick, 2" Wide, Hole .920" 31.50" Ctr to Ctr, (LH)	7.00
49B300R	.375" Thick, 2" Wide, Hole .920" 31.50" Ctr to Ctr, (RH)	7.00
49B450	.375" Thick, 2" Wide, Hole .875" 26.187 Inside, 30.75 Outside Ctr to Ctr	6.60



Massey Ferguson



Part Number	Description	Weight (Lbs.)
181778M1	.375" Thick, 1.75" Wide, Hole .937" 31.562" Ctr to Ctr, (LH & RH)	5.63
190582M1	.375" Thick, 2." Wide, Hole .875" 33.125" Ctr to Ctr, (LH & RH)	6.29
SA03	.375" Thick, 1.75" Wide, Hole .875" 31.562" Ctr to Ctr, (LH & RH)	6.08
SA624	Center Tube 22", .Hole 875", 27.50 to 35" Adjustment	6.54
539881M2KIT	Telescoping Stabilizer Kit 26" to 35" Adjustment	11.40
49B240	.375" Thick, 2." Wide, Hole .915" 34.625" Ctr to Ctr, (LH & RH)	4.56
49B3658	.375" Thick, 2." Wide, Hole .915" 36.625" Ctr to Ctr, (LH & RH)	5.10





Stabilizer Pins



Part Number	Replaces	Pin Dia.	Thread Dia.	Length
SP01	C5NNA889A, P178, 181777M1, 230044	0.875"	0.625"	2.625"
SP02	P711, P7065	0.875"	0.875"	3.125"
SP03	824332M1, VPL7029	0.750"	0.750"	2.875"
SP04	668154M1, P785, 03107, 141185	0.875"	0.625"	3.125"
893420M1	354568X1	0.875"	0.625"	3.000"
1808585M1		0.875"	0.750"	2.875"
183617M1	VPL1409	0.875"	0.750"	3.250"
186802M1	P788	0.875"	0.750"	3.125"
503929M1		0.750"	0.750"	3.875"












Drawbars



Part Number	Cat.	No. of Holes	A Lift Arm Spacing	B Hole Diam.	C Pin Diam.	D Thickness	E Width
DB418	0	7	20"	5/8"	5/8"	5/8"	2"
DB419	1	7	20"	3/4"	7/8"	1"	2-1/2"
DB411	1	11	26"	3/4"	7/8"	1"	2-1/2"
DB4115	1	11	26"	3/4"	7/8"	1-1/8"	2-1/2"
DB421	2	11	26"	3/4"	1-1/8"	1-1/4"	3"
DB4212	2	13	32"	3/4"	1-1/8"	1-1/4"	3"
DB4214	2	7	32"	1-1/8"	1-1/8"	1-1/4"	3"
DB431	3	5	38"	1-1/4"	1-7/16"	1-3/4"	3-1/2"











Drawbars

Case-IH

357530R1  Description: 3/4" Thick 50-1/2" C to C For Models: H, Super H	24.39 Lbs.	397065R1  Description: 26.250" Long 2.500" Wide 1.500" High For Models: 1026, 756, 766, 826, 966, 706, 806	25.84 Lbs.
357529R1  Description: 1" Thick 52-1/4" C to C For Models: M, MD, Super M, Super MD	37.82 Lbs.	381706R2  Description: 45.750" Long 2.500" Wide 1.500" High For Models: 1026, 706, 756, 806, 826, 856, 766	46.54 Lbs.
3111194R1  Description: 35.75" Long 2.375" Wide 1.187" High 2.125" Offset For Models: 2300A, 354, 364, 384, 444, 424	27.72 Lbs.	397066R1  Description: 38.750" Long 2.500" Wide 1.500" High For Models: 1206, 1256, 1456, 766, 966	38.66 Lbs.
3116100R2  Description: 38.00" Long 2.00" Wide 1.187" High For Models: 385, 484, 485	23.78 Lbs.	535799R1  Description: 38.750" Long 2.500" Wide 1.500" High For Models: 1066	36.36 Lbs.
406467SPL  Description: 38.00" Long 2.250" Wide 1.375" High For Models: 2400, 385, 395, 454, 464, 485, 495 574, 585, 595, 674, 684, 685, 885, 895	31.06 Lbs.	223351  Description: 56.000" Long 2.750" Wide 1.500" High For Models: 1026, 1066, 1086, 1206, 1256, 1456 1486, 1566, 1586, 706, 756, 766, 786, 806, 826 826, 856, 886, 966, 986	63.00 Lbs.
375986R1  For Models: 504, 544, 606, 2504, 2544, 2606	38.00 Lbs.	223352  Description: 58.125" Long 2.750" Wide 1.500" High For Models: 1026, 1066, 1086, 1206, 1256, 1456 1466, 1486, 1566, 1586, 706, 756, 766, 786, 806 826, 856, 886, 966, 986	66.00 Lbs.
389099R1  Description: 26.250" Long 2.500" Wide 1.500" High For Models: 544, 656, 666, 686, Hydro 70 Hydro 86	25.90 Lbs.		

Drawbars

Case-IH


223353  76.00 Lbs. Description: 62.250" Long 3.000" Wide 1.500" High For Models: 1026, 1066, 1086, 1206, 1256, 1456, 1466, 1486, 1566, 1586, 706, 756, 766, 786, 806, 826, 856, 886, 966, 986	294015A3  88.00 Lbs Description: 57.13" Long 3.00" Wide 2.00" Thick For Models: MX180, MX200, MX220, MX240, MX270, 8910, 8920, 8930, 8940, 8950
142617C4  83.00 Lbs. Description: 58.500" Long 3.00" Wide 1.500" Thick 2.250" Offset For Models: 5088	104642A2  53.00 Lbs. For Models: MX100, MX110, MX120, MX135, 5120, 5130, 5140, 5220, 5230, 5240, 5250
142616C2  72.00 Lbs. Description: 60.500" Long 3.00" Wide 1.500" Thick For Models: 5288, 5488	A65750  39.00 Lbs. Description: 45.875" Long 2.500" Wide 1.250" Thick For Models: 970, 1070
1332020C3  51.60 Lbs. Description: 50.750" Long 2.375" Wide 1.562" Thick For Models: 5120, 5130, 5140, 5220, 5230, 5240, 5250	A160849  79.00 Lbs. Description: 53.000" Long 3.000" Wide 1.750" Thick For Models: 1270, 1370, 1570, 2390, 2394, 2590, 2594, 3394, 3594
1286970C3  70.00 Lbs. Description: 58.690" Long 3.000" Wide 1.500" Thick For Models: 7110, 7120, 7210, 7220, 8910, 8920	A137939  48.40 Lbs. Description: 55.785" Long 2.500" Wide 1.250" Thick For Models: 1896, 2090, 2094, 2096, 2290, 2294
1286969C3  85.00 Lbs. Description: 60.620" Long 3.000" Wide 1.750" Thick For Models: 7130, 7140, 7150, 7230, 7240, 7250 8930, 8940, 8950	149842C2  9.10 Lbs. For Models: 5088
1348030C1  14.00 Lbs. For Models: 7210, 7220, 7230, 7240, 7250	1286983C1  6.63 Lbs. For Models: 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8920, 8930, 8940, 8950
	1286984C1  13.45 Lbs. For Models: 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8920, 8930, 8940, 8950

Drawbars

Ford / New Holland

SBA370710110

19.20 Lbs.



Description:
2.500" Wide
1.000" Thick
28.620" Long

For Models: 1300, 1310, 1500, 1510, 1710

SBA370710030

25.00 Lbs.




Description:
2.380" Wide
1.120" Thick
33.750" Long

For Models: 1600, 1700, 1900, 1910

SBA370700031

26.00 Lbs.



Description:
2.930" Wide
1.000" Thick
32.060" Long

For Models: 1700, 1900, 1910

SBA370710290

18.00 Lbs.




Description:
2.375" Wide
1.130" Thick
25.370" Long

For Models: 1320, 1520, 1620, 1715

SBA370710180

20.00 Lbs.



Description:
2.375" Wide
1.125" Thick
28.190" Long

For Models: 1720, 1920, 3415

SBA370710260

17.00 Lbs.




Description:
2.350" Wide
1.190" Thick
23.500" Long

For Models: TC30, 1320, 1520, 1620, 1715, 1720, 1920, 3415

86402585

19.00 Lbs.



Description:
2.380" Wide
1.180" Thick
25.250" Long

For Models: TC25, T25D, TC29D, TC33, TC33D, TC35, TC40, TC40D, TC45, TC45D

86402762

19.00 Lbs.



Description:
2.500" Wide
1.120" Thick
25.250" Long

For Models: TC25, TC25D, TC29, TC33, TC33D, TC35, TC35D, TC40, TC40D, 1530, 1630, 1725, 1925

5128655

22.00 Lbs.




Description:
2.37" Wide
1.187" Thick
29.50" Long

For Models: 4835, 5635, 6635, 7635, TL100, TL100A, TL70, TL80, TL80A, TL90

SBA370710510

16.15 Lbs.




Description:
2.375" Wide
1.090" Thick
23.500" Long

For Models: TC30

VPL4434

19.30 Lbs.




Description:
2.00" Wide
1.250" Thick
28" Long

For Models: 2000, 3000

C5NN805FSPL

23.00 Lbs.




Description:
2.00" Wide
1.250" Thick
34.625" Long

For Models: 2600, 3600, 3900, 4100, 4600, 515-532

82009197

18.50 Lbs.














Description:
1.875" Wide
1.125" Thick
32.875" Long

For Models: 2000, 2600, 2610, 3000, 3100, 3600, 3610, 4110, 2810, 2910, 3910, 4610, 3230, 3430, 3930, 4130, 4630, 4830, 5030

Drawbars


Ford / New Holland

82009362 22.50 Lbs. Description: 2.00" Wide 1.250" Thick 32.500" Long  For Models: 2810, 2910, 3910, 4100, 4110, 4600 4610, 3230, 3430, 3930, 3930H, 4130, 4630, 4830	5180877 33.00 Lbs. Description: 2.375" Wide 1.580" Thick 30.62" Long  For Models: 4835, 5635, 6635, 7635, TL100, TL100A TL70, TL80, TL80A, TL90, TL90A
86520237 21.60 Lbs. Description: 2.00" Wide 1.250" Thick 32.63" Long  For Models: 3230, 3430, 3930, 3930H, 3930N, 3930NO, 4130, 4130N, 4130NO, 4630, 4630N, 46300, 4830, 4830N, 48300, 5030, 50300	E9NN805AA 34.00 Lbs. Description: 2.250" Wide 1.625" Thick 36.250" Long  For Models: 7840, 8240, 8340, 5640, 6640, 7740
C5NN805F 23.00 Lbs. Description: 2.00" Wide 1.250" Thick 34.625" Long  For Models: 3900, 4000, 4100, 4600	D3NN805A 47.50 Lbs. Description: 3.000" Wide 1.375" Thick 42.500" Long  For Models: 8700, 8830, 9700, TW5, 7810, 7910, 8210, 8530, 8630, 8730, TW10, TW20, 8000, 9000
E0NN805AC 34.00 Lbs. Description: 2.500" Wide 1.375" Thick 36.900" Long  610, 5900, 6410 6600, 6610, 6700, 6710, 6810, 7000, 7100, 7410 7600, 7610, 7700, 7710, 7810, 7910, 8210	86013306 69.00 Lbs. Description: 3.00" Wide 1.75" Thick 48.31" Long  For Models: 8670, 8670A, G170
E3NN805AA12B 46.00 Lbs. Description: 3.00" Wide 1.375" Thick 41.750" Long  For Models: 8160, 8210, 8260, 8360, 8560, TS100, TS110, TS115, TS90	86013305 73.00 Lbs. Description: 3.00" Wide 1.75" Thick 52.62" Long  For Models: 8770, 8770A, 8870, 8870A, 8970
C5NN805A 29.00 Lbs. Description: 2.250" Wide 1.375" Thick 34.750" Long  For Models: 7100, 7200, 5000, 7000	C7NN805A 36.00 Lbs. Description: 2.250" Wide 1.375" Thick 41.750" Long  For Models: TW10, TW20, TW30, 8000, 9000
	C7NN805C 47.00 Lbs. Description: 3.000" Wide 1.375" Thick 41.750" Long  For Models: TW10, TW20, TW30, 8000, 9000

Drawbars

Ford / New Holland

D8NN805AA



64.00 Lbs.

Description:
3.000" Wide
1.625" Thick
47.250" Long

For Models: TW30, TW35, 8830

82026931




9.50 Lbs.

Description:
3.00" Wide
1.25" Thick
10.00" Long
2.75" Rise

For Models: 8160, 8260, 8360, 8560

John Deere

T29898




25.00 Lbs.

Description:
2.000" Wide
1.250" Thick
36.750" Long

For Models: 820, 830, 840, 920, 940, 1020, 1030
1040, 1120, 1130, 1140, 1350, 1550, 1630, 1750
1950, 2020, 2150, 2155, 2255, 2355N

L29020




32.00 Lbs.

Description:
2.500" Wide
1.250" Thick
36.625" Long

For Models: 1020, 1520, 1530, 1640, 1830, 1840
2020, 2030, 2040, 2130, 2140, 2240, 2250, 2350
2355, 2440, 2450, 2550, 2555, 2630, 2640, 2650
2750, 2755, 2850, 2855, 820, 830

R61126




30.66 Lbs.

Description:
2.500" Wide
2.500" Thick
36.750" Long

For Models: 1020, 1520, 1530, 2020, 2030, 2040
2240, 2350, 2355, 2440, 2550, 2555, 2630, 2640
2750, 2755, 2855, 401D, 820, 830

T28014




38.00 Lbs.

Description:
2.500" Wide
1.375" Thick
40.875" Long

For Models: 2840, 2940, 2950, 2955, 3030, 3040
3050, 3120, 3130, 3140, 3150, 3350, 3640, 3650

L61510




46.24 Lbs.

Description:
2.500" Wide
1.370" Thick
49.250" Long

For Models: 2955, 3055, 3155, 3255, 3650

R27692




31.00 Lbs.

Description:
2.000" Wide
1.250" Thick
45.000" Long

For Models: 2510, 2520, 3010

R81576




39.00 Lbs.

Description:
2.500" Wide
1.250" Thick
44.750" Long

For Models: 500C IND, 2510, 2520, 4000, 4020,
4030, 3020, 4010

RE20662




39.98 Lbs.

Description:
2.500" Wide
1.250" Thick
44.750" Long

For Models: 4020, 4000 HI-CROP, 4030 RC,
3010 RC, 4010 RC, 3020 RC

RE20663












41.50 Lbs.

Description:
2.500" Wide
1.375" Thick
45.000" Long

For Models: 4000, 4020, 4040, 4230, 4320, 4430




Drawbars

John Deere

R80842 41.78 Lbs. Description: 2.500" Wide 1.375" Thick 45.000" Long  For Models: 4000, 4020, 4030, 4040, 4230, 4320	R62081 96.00 Lbs. Description: 3.000" Wide 1.750" Thick 63.375" Long  For Models: 4555, 4560, 4640, 4650, 4755, 4760 4840, 4850, 4955, 4960
R80842SPL 41.40 Lbs. Description: 2.500" Wide 1.375" Thick 45.000" Long  For Models: 4000, 4020, 4030, 4040, 4230, 4320	R133359 25.00 Lbs. Description: 2.50" Wide 1.25" Thick 29.50" Long  For Models: 5105, 5200, 5205, 5210, 5220, 5300 5310, 5310N, 5320, 5320N, 5400, 5400N, 5410 5420, 5420N, 5500, 5500N, 5510, 5510N, 5520
R61184 56.00 Lbs. Description: 3.000" Wide 1.500" Thick 45.625" Long  For Models: 4240S, 4350, 4455, 4255, 4050, 4240, 4250, 4440, 4450	R105240 18.46 Lbs. Description: 2.50" Wide 1.25" Thick 22.62" Long  For Models: 5105, 5200, 5205, 5210, 5220, 5300 5310, 5310N, 5320, 5320N, 5400, 5400N, 5410 5420, 5420N, 5500, 5500N, 5510, 5510N, 5520
R61184SPL 56.00 Lbs. Description: 3.000" Wide 1.500" Thick 45.625" Long  For Models: 4240S, 4350, 4455, 4255, 4050, 4240, 4250, 4440, 4450	L114953 45.00 Lbs. Description: 2.50" Wide 1.50" Thick 45.00" Long  For Models: 6110, 6120, 6200, 6210, 6215 6220, 6300, 6310, 6320, 6400, 6405, 6410, 6415 6420, 6500, 6605, 6615, 6715, 7220, 7320
R36608 79.00 Lbs. Description: 3.000" Wide 1.500" Thick 63.250" Long  For Models: 4520, 4620, 4630, 5010, 5020, 6030, 7520, 7020	L115073 53.00 Lbs. Description: 3.00" Wide 1.50" Thick 43.81" Long  For Models: 6800, 6810, 6820, 6900, 6910, 7420, 7520
R50984 93.00 Lbs. Description: 3.000" Wide 1.750" Thick 63.250" Long  For Models: 4520, 4620, 4630, 5010, 5020, 6030 7020, 7520	L76093 53.00 Lbs. Description: 3.00" Wide 1.50" Thick 43.81" Long  For Models: 7200, 7210, 7400, 7405, 7410, 7505 7510, 7600, 7610, 7700, 7710, 7800, 7810

Drawbars

John Deere


R130638  Description: 3.00" Wide 2.00" Thick 57.75" Long For Models: 8100, 8110, 8120, 8200, 8210, 8220 8300, 8310, 8320, 8400, 8410, 8420	94.00 Lbs.	R78214  For Models: 4050, 4240, 4250, 4440, 4450, 4520 4620, 5010, 5020, 7020, 7520,	12.66 Lbs.
R171367  Description: 4.00" Wide 2.25" Thick 57.75" Long For Models: 8100, 8110, 8120, 8200, 8210, 8220 8300, 8310, 8320, 8400, 8410, 8420, 8520	128.00 Lbs.	R80447  For Models: 4250, 4555, 4560, 4620, 4630, 4640 4650, 4755, 4760, 4840, 4850, 4955, 4960, 5010 5020, 6030, 7020, 7520, 8430	12.60 Lbs.
T29899  Description: .75" Thick For Models: 1020, 1250, 1450, 1530, 1650, 2010 2020, 2030, 2040, 2150, 2155, 2240, 2255, 2350 2355, 2440, 2550, 2555, 2630, 2640, 2750, 2755 2855N, 5105, 5200, 5205, 5210, 5220, 5300 5310, 5320, 5400, 5410, 5420, 5500, 5510, 5520	4.52 Lbs.		
L78501  For Models: 6100, 6110, 6120, 6200, 6210, 6215 6220, 6300, 6310, 6320, 6400, 6405, 6410, 6415 6420, 6500, 6506, 6510, 6600, 6605, 6615, 6715 7220, 7320	5.00 Lbs.		
R26584  Description: 2.50" Wide 1.375" Thick 12.875" Long For Models: 600, 2510, 2520, 3010, 3020, 4000 4010, 4020, 4030, 4040, 4230, 4320, 4430, 4455	8.38 Lbs.		

Drawbars

Massey Ferguson

531468M1

21.86 Lbs.




Description:
2.000" Wide
1.125" Thick
35.750" Long

For Models: TO35, 130, 135, 150, 165, 20C, 205
235, 245, 255, 265, 275, 30B, 35, 40B, 60, 65

VPL4434

19.30 Lbs.



2.00" Wide
1.250" Thick
28.00" Long

For Models: 135, 150, 165, 175, 180, 235, 240
35, 50, 65

184629M1

22.57 Lbs.




Description:
2.00" Wide
1.118" Thick
35.75" Long

For Models: 135, 150, 165, 20, 50, 65

872149M1

17.63 Lbs.



Description:
2.00" Wide
1.00" Thick
33.25" Long

For Models: 135,165,175,178 UK MODELS

1869060M1

48.70 Lbs.




Description:
3.750" Wide
1.380" Thick
33.130" Long

For Models: 275, 375, 383, 390, 393, 399

516975M3

40.50 Lbs.




Description:
2.500" Wide
1.500" Thick
39.250" Long

For Models: 1080, 1085, 245, 285

579181M2

42.00 Lbs.



Description:
2.500" Wide
1.500" Thick
39.250" Long

For Models: 1080, 1085, 245, 285

Splined Adaptors To 75HP

- Capacity to operate on tractors related to 75 P.T.O HP
- Provide a means of connecting two dissimilar splines
- Welded steel construction for added strength
- Corrosion resistant finish
- Spring and retaining ring pin or setscrews furnished



Part Number	Female Spline	Male Spline	Length (Inches)	Extendeds Tractor P.T.O. Shaft End	Shaft Retaining Groove	Secured By
03-32-00377	1-1/8" - 6	1-1/8" - 6	5-1/2"	3-3/4"	3-5/8"	Cross Pin
03-32-03531	1-1/8" - 6	1-3/8" - 6	5-1/2"	3-3/4"	3-5/8"	Cross Pin
03-32-00400	1-3/8" - 6	1-1/8" - 6	6-1/2"	4-3/4"	4-1/4"	Cross Pin
03-32-00420	1-3/8" - 6	1-1/8" - 6	5-1/8"	3-5/16"	3-5/16"	Cross Pin
03-32-00371	1-3/8" - 6	1-3/8" - 6	6-1/2"	4-3/8"	3-7/8"	Cross Pin
03-32-00378	1-3/8" - 6	1-3/8" - 6	5-1/8"	3-5/16"	3-5/16"	Cross Pin
03-32-00373	1-3/8" - 21	1-3/8" - 6	6-1/2"	4-3/8"	3-7/8"	Setscrew
03-32-00070	1-3/8" - 21	1-3/4" - 20	7"	5"	4-1/2"	Setscrew
03-32-00401	1-3/4" - 6	1-3/8" - 6	6-1/2"	4-3/4"	4-5/8"	Cross Pin

Splined Adaptors To 125HP

- Capacity to operate on tractors related to 125 P.T.O. HP
- Developed for long and rugged use
- Alloy steel, heat treated for extra strength
- Corrosion resistant finish
- Setscrews furnished



Part Number	Female Spline	Male Spline	Length (Inches)	Extendeds Tractor P.T.O. Shaft End	Shaft Retaining Groove	Secured By
03-32-00005	1-3/8" - 6	1-3/8" - 6	6-7/8"	4-13/16"	5-3/16"	Setscrew
03-32-00004	1-3/8" - 6	1-3/8" - 21	6-7/8"	4-13/16"	5-5/16"	Setscrew
03-32-00002	1-3/8" - 21	1-3/8" - 6	6-7/8"	4-13/16"	4-11/16"	Setscrew
03-32-00001	1-3/8" - 21	1-3/8" - 21	6-7/8"	4-13/16"	4-13/16"	Setscrew
03-32-00094	1-3/8" - 21	1-3/4" - 20	7-11/16"	5-31/64"	4-63/64"	Clamp Type

Over Running Couplers To 75HP

- All steel welded housing
- Heat treated alloy steel inner sleeve
- Hardened steel keys, spring loaded
- Snap ring construction for quick and easy disassembly
- Spring roll pin for quick mounting to tractor
- Convenient grease fitting for gun lubrication
- Designed to operate with 1000 RPM P.T.O's



Part Number	Female Spline	Male Spline	Length (Inches)	Extendeds Tractor P.T.O. Shaft End	Shaft Retaining Groove	Secured By
03-31-00690	1-1/8" - 6	1-1/8" - 6	6-21/32"	4-5/32"	4-1/32"	Cross Pin
03-31-00670	1-1/8" - 6	1-3/8" - 6	6-21/32"	4-5/32"	4-1/32"	Cross Pin
03-31-00680	1-3/8" - 6	1-1/8" - 6	6-21/32"	4-5/32"	4-1/32"	Cross Pin
03-31-00660	1-3/8" - 6	1-3/8" - 6	6-21/32"	4-5/32"	4-1/32"	Cross Pin

Over Running Couplers To 125HP

- Kwik-D-Tach Model
- Capacity to operate on tractors related to 125 P.T.O. HP
- New P.T.O Quick Release Concept, Spring Loaded
- Designed to operate with 1000 RPM P.T.O's



Part Number	Female Spline	Male Spline	Length (Inches)	Extendeds Tractor P.T.O. Shaft End	Shaft Retaining Groove
03-31-00010	1-3/8" - 6	1-3/8" - 6	7-5/16"	4-3/16"	5-3/16"
03-31-00011	1-3/8" - 6	1-3/8" - 21	7-3/16"	4-11/16"	5-3/16"
03-31-00012	1-3/8" - 21	1-3/8" - 6	7-5/16"	5-5/16"	5-3/16"
03-31-00013	1-3/8" - 21	1-3/8" - 21	7-3/16"	5-3/16"	5-3/16"

Kwik-D-Tach Spline Adaptors to 75HP

- Capacity to operate on tractors rated to 75 P.T.O. HP
- Patented Quick Release Drive
- Spring Loaded, rotates about 30deg by hand for quick release
- Dependable operation, no sitcking pins
- No sharp edges, protrusions, or pins to injure operators



Part Number	Female Spline	Male Spline	Length (Inches)	Extends Tractor P.T.O.	
				Shaft End	Shaft Retaining Groove
03-32-00010	1-3/8" - 6	1-3/8" - 6	6-1/2"	4-3/8"	4-3/8"
03-32-00013	1-3/8" - 6	1-3/8" - 21	6-1/2"	4-3/8"	4-7/8"
03-32-01373	1-3/8" - 21	1-3/8" - 6	6-1/2"	4-3/8"	3-7/8"
03-32-02121	1-3/8" - 21	1-3/8" - 21	6-1/2"	4-3/8"	4-3/8"

Clamp Type Spline Adaptor to 75HP



Part Number	Female Spline	Male Spline	Length (Inches)	Extends Tractor P.T.O.	
				Shaft End	Shaft Retaining Groove
03-32-01476	1-3/4" - 20	1-3/8" - 6	8-3/16"	5-3/16"	5-3/16"
03-32-01477	1-3/4" - 20	1-3/8" - 21	8-3/16"	5-3/16"	5-11/16"

Clamp Type Spline Adaptor to 125HP



Part Number	Female Spline	Male Spline	Length (Inches)	Extends Tractor P.T.O.	
				Shaft End	Shaft Retaining Groove
03-32-01490	1-3/4" - 20	1-3/8" - 6	8-3/16"	5-3/16"	5-3/16"
03-32-01491	1-3/4" - 20	1-3/8" - 21	8-3/16"	5-3/16"	5-11/16"

Push Pin Type P.T.O. Adaptor to 75HP



Part Number	Female Spline	Male Spline	Length (Inches)	Extends Shaft End
03-32-00092	1-3/8" - 6	1-3/8" - 21	6-1/2"	4-3/8"
03-32-01375	1-3/8" - 21	1-3/8" - 6	6-1/2"	4-3/8"

Clamp Type P.T.O Adaptors to 75HP



Part Number	Female Spline	Male Spline	Length (Inches)	Extends Shaft End
03-32-01354	1-1/8" - 6	1-3/8" - 6	7-5/16"	4-5/8"
03-32-00057	1-3/8" - 6	1-3/8" - 6	6-1/2"	4-3/8"
03-32-00087	1-3/8" - 21	1-3/8" - 6	6-1/2"	4-3/8"

Forged P.T.O Adaptor to 75HP



Part Number	Female Spline	Male Spline	Length (Inches)
03-32-00018	1-1/8" - 6	1-3/8" - 6	3"

Sleeve Type Splined Adaptors to 75HP



Part Number	Female Spline	Male Spline	Length (Inches)
03-32-00355	31/32" - 10	1-3/8" - 6	2-1/4"
03-32-00352	1-1/8" - 6	1-3/8" - 6	2-1/4"
03-32-00363	1-1/8" - 6	1-3/8" - 6	2"

Round Shaft Adaptor to 75HP



Part Number	Female Round	Male Spline	Keyway	Length (Inches)	Extends Shaft
03-32-00376	1"	1-3/8" - 6	1/4"	5-11/16"	3-1/4"
03-32-00430	1-1/8"	1-3/8" - 6	1/4"	5-11/16"	3-3/16"
03-32-00431	1-1/4"	1-3/8" - 6	1/4"	5-11/16"	3-3/16"
03-32-00432	1-3/8"	1-3/8" - 6	5/16"	5-11/16"	3-3/16"
03-32-00433	1-1/2"	1-3/8" - 6	3/8"	6-9/32"	4"

Kwick-D-Tach Splined Pump Drive Adaptors



Part Number	Female Spline	Female Round	Keyway	Length (Inches)
03-32-00012	1-3/8" - 6	0.625	3/16" x 3/32"	4-1/8"
03-32-00014	1-3/8" - 6	0.750	3/16" x 3/32"	4-1/8"
03-32-00011	1-3/8" - 6	0.875	3/16" x 3/32"	4-1/8"
03-32-00040	1-3/8" - 6	0.937	1/4" x 1/8"	4-1/8"
03-32-00016	1-3/8" - 6	1.000	1/4" x 1/8"	4-1/8"
03-32-00017	1-3/8" - 6	1.125	1/4" x 1/8"	4-1/8"

Splined Pump Drive Adaptors



Part Number	Female Spline	Female Round	Keyway	Length (Inches)
03-32-00412	1-1/8" - 6	1.000	1/4" x 1/8"	3-1/8"
03-32-00407	1-3/8" - 6	0.625	3/16" x 3/32"	4-11/32"
03-32-00408	1-3/8" - 6	0.750	3/16" x 3/32"	4-11/32"
03-32-00409	1-3/8" - 6	0.875	3/16" x 3/32"	4-11/32"
03-32-00413	1-3/8" - 6	0.937	1/4" x 1/8"	4-11/32"
03-32-00410	1-3/8" - 6	1.000	1/4" x 1/8"	4-11/32"
03-32-00411	1-3/8" - 6	1.125	1/4" x 1/8"	4-11/32"
03-32-00607	1-3/8" - 21	0.625	3/16" x 3/32"	4-3/8"
03-32-00608	1-3/8" - 21	0.750	3/16" x 3/32"	4-3/8"
03-32-00612	1-3/8" - 21	0.937	1/4" x 1/8"	4-3/8"
03-32-00610	1-3/8" - 21	1.000	1/4" x 1/8"	4-3/8"

Round Bore Couplings

- Has keyway, no setscrews



Part Number	Bore Size	Keyway	O.D.	Length (Inches)
03-32-00380	3/4"	3/16"	1-1/2"	2-3/4"
03-32-00381	7/8"	3/16"	1-1/2"	2-3/4"
03-32-00382	1"	1/4"	1-3/4"	2-3/4"
03-32-00383	1-1/16"	1/4"	1-3/4"	2-3/4"
03-32-00384	1-1/8"	1/4"	2"	3"
03-32-00385	1-3/16"	1/4"	2"	3"
03-32-00386	1-1/4"	1/4"	2"	3"
03-32-00387	1-5/16"	5/16"	2"	3"
03-32-00388	1-3/8"	5/16"	2-1/8"	3"
03-32-00389	1-7/16"	5/16"	2-1/8"	3"
03-32-00379	1-1/2"	5/16"	2-1/8"	3"

Round Bore Couplings

- Has keyway, with 2 setscrews



Part Number	Bore Size	Keyway	O.D.	Length (Inches)
127-0800	1/2"	1/8"	1-1/4"	2"
127-1000	5/8"	3/16"	1-1/2"	2-1/2"
127-1200	3/4"	3/16"	1-5/8"	3"
127-1400	7/8"	3/16"	1-3/4"	3"
127-1600	1"	1/4"	1-5/8"	3"
127-1604	1"	1/4"	1-3/4"	4"
127-1800	1-1/8"	1/4"	2"	4-1/2"
127-1900	1-3/16"	1/4"	2"	4-1/2"
127-2000	1-1/4"	1/4"	2-1/8"	4-1/2"
127-2005	1-1/4"	5/16"	2-1/8"	4-1/2"
127-2200	1-3/8"	5/16"	2-5/16"	4-1/2"
127-2300	1-7/16"	3/8"	2-5/16"	4-1/2"
127-2400	1-1/2"	3/8"	2-1/2"	4-1/2"
127-2600	1-5/8"	3/8"	2-3/4"	4-1/2"
127-2800	1-3/4"	3/8"	2-3/4"	4-1/2"
127-3100	1-15/16"	1/2"	3-5/16"	4-1/2"
127-3200	2"	1/2"	3-5/16"	4-1/2"

Splined Couplings



Part Number	Splined Size	O.D.	Length (Inches)
03-32-00336	3/4" - 6	1-3/8"	2-1/2"
03-32-00337	7/8" - 6	1-3/8"	2-1/2"
03-32-00340	31/32" - 10	1-3/8"	2-3/4"
03-32-00338	1" - 10	1-3/8"	2-1/2"
03-32-00341	1" - 6"	1-3/8"	2-3/4"
03-32-00344	1-1/8" - 6	1-9/16"	2-3/4"
03-32-00342	1-1/4" - 6	1-7/8"	3-1/4"
03-32-00348	1-1/4" - 10	1-3/4"	3-3/4"
03-32-00345	1-3/8" - 6	1-3/4"	3-3/4"
03-32-00365	1-3/8" - 10	1-3/4"	3"
03-32-00347	1-1/2" - 6	1-7/8"	3-3/4"
03-32-00367	1-1/2" - 10	1-7/8"	3"
03-32-00349	1-5/8" - 6	2"	3-3/4"
03-32-00346	1-5/8" - 6	2-1/4"	3-3/4"

Involute Splined Couplings



Part Number	No. of Splines	Spline O.D.	O.D	Length (Inches)
03-32-00027	9	0.625	1-3/8"	2"
03-32-00066	11	7.500	1-3/8"	2"
03-32-00028	13	8.750	1-3/8"	3"
03-32-00043	15	1.000	1-1/2"	3"
03-32-00029	14	1.250	1-3/4"	3"
03-32-00350	21	1.375	1-3/4"	3"
03-32-00320	20	1.750	2-1/4"	3-3/4"
03-32-00030	13	1.750	2-1/4"	3-3/4"
03-32-00351	27	1.750	2-1/4"	3"

Precision Splined Hubs



Part Number	No. of Splines	Spline O.D.	Hub O.D.	Length (Inches)
03-32-00031	6	1.000	2.000	1-3/4"
03-32-00032	9	0.625	1.250	1-1/4"
03-32-00071	11	0.750	1.500	1-1/2"
03-32-00033	13	0.875	1.500	1-1/2"
03-32-00072	15	1.000	1.750	1-3/4"
03-32-00035	21	1.375	2.250	2-1/8"
03-32-00093	17	1.500	2.250	2-1/4"
03-32-00073	23	1.500	2.250	2-1/8"
03-32-00075	27	1.750	3.000	2-1/4"
03-32-00034	14	1.250	2.250	2"
03-32-00036	16	1.700	2.750	2-1/4"
03-32-00074	13	1.750	3.000	2-1/4"
03-32-00037	16	2.125	3.500	2-31/32"

Quick Release Weld-Ons



Part Number	Description
03-32-01345	1-3/8"-6 Spline, 3-5/16" Long
03-32-01350	1-3/8"-21 Spline, 3-5/16" Long

Square Bushing Weld-Ons



Part Number	I.D.	O.D.	Length (Inches)
03-32-00360	7/8" & 1" Sq.	1-3/4"	2-1/4"
03-32-00362	1-1/8" Sq.	2"	2-1/2"
03-32-00364	1-1/4" Sq.	2-1/4"	2-1/2"

Splined Weld-On Shaft



Part Number	Size	Spline	Length (Inches)
03-32-00358	1-1/8"	6	5-1/4"
03-32-00359	1-3/8"	6	5-1/2"
112A2206	1-3/8"	6	12"
03-32-00019	1-3/8"	21	5-1/2"
112A2221	1-3/8"	21	12"

Splined Shafts



Part Number	Size	Spline	Length (Inches)
03-32-00390	1"	6	10"
03-32-00391	1-1/8"	6	10"
03-32-00392	1-1/4"	6	10"
03-32-00393	1-1/4"	10	10"
03-32-00394	1-3/8"	6	10"
112F2206	1-3/8"	6	12"
105F2206	1-3/8"	6	60"
112F2221	1-3/8"	21	12"
03-32-00396	1-1/2"	6	10"
03-32-00397	1-5/8"	6	10"
03-32-00398	1-3/4"	6	10"

Extension Shafts



Part Number	Spline	Spline	Length (Inches)
03-32-00356	1-3/8" - 6	1-3/8" - 6	9"
112B2206	1-3/8" - 6	1-3/8" - 6	12"
112B2221	1-3/8" - 21	1-3/8" - 21	12"

Involute Splined Shafts




Part Number	No. of Splines	Spline O.D.	Length (Inches)
03-32-00023	9	0.625	6"
03-32-00024	13	0.875	6"
03-32-00044	15	1.000	8"
03-32-00025	14	1.250	10"
03-32-00395	21	1.375	10"
03-32-00026	13	1.750	10"
03-32-00399	27	1.750	10"
03-32-00039	16	2.125	10"

Keyed Shafting



Part Number	Shaft Diameter	Keyway	Length	Weight (Lbs.)
144-0800	1/2"	1/8" x 1/16"	3'	2.01
144-1000	5/8"	3/16" x 3/32"	3'	3.12
144-1100	11/16"	3/16" x 3/32"	3'	3.78
144-1200	3/4"	3/16" x 3/32"	3'	4.5
144-1300	13/16"	3/16" x 3/32"	3'	5.28
144-1400	7/8"	3/16" x 3/32"	3'	6.12
144-1404	7/8"	1/4" x 1/8"	3'	6.12
144-1600	1"	1/4" x 1/8"	3'	8.01
144-1800	1-1/8"	1/4" x 1/8"	3'	10.14
144-1900	1-3/16"	1/4" x 1/8"	3'	11.31
144-2000	1-1/4"	1/4" x 1/8"	3'	12.51
144-2005	1-1/4"	5/16" x 5/32"	3'	12.51
144-2100	1-5/16"	5/16" x 5/32"	3'	13.8
144-2200	1-3/8"	5/16" x 5/32"	3'	15.15
144-2300	1-7/16"	3/8" x 3/16"	3'	16.56
144-2400	1-1/2"	3/8" x 3/16"	3'	17.67
144-2600	1-5/8"	3/8" x 3/16"	3'	21.15
144-2800	1-3/4"	3/8" x 3/16"	3'	24.54
144-3100	1-15/16"	1/2" x 1/4"	3'	30.00

Key Stock



Part Number	Size	Length
KS18	1/8"	12"
KS316	3/16"	12"
KS14	1/4"	12"
KS516	5/16"	12"
KS38	3/8"	12"
KS716	7/16"	12"
KS12	1/2"	12"


Step Key Stock



Part Number	Size	Length
AW310-01	1/8" x 3/16"	12"
AW310-03	3/16" x 1/4"	12"
AW310-04	1/4" x 5/16"	12"
AW310-06	1/4" x 3/8"	12"
AW310-08	5/16" x 3/8"	12"
AW310-11	3/8" x 1/2"	12"
AW310-15	1/2" x 5/8"	12"

Type L-Jaw Couplings


Hitch & PTO Parts



Type-L Coupling	Coupling Series	No. of Jaws	Bore Size	Outside Dia.	LTB	Spider Insert
L050MPB5	L050	2	1/4"	1-7/64"	1-1/16"	L050N5
L05014NK5	L050	2	1/4"	1-7/64"	1-1/16"	L050N5
L05038NK5	L050	2	3/8"	1-7/64"	1-1/16"	L050N5
L0507165	L050	2	7/16"	1-7/64"	1-1/16"	L050N5
L050125	L050	2	1/2"	1-7/64"	1-1/16"	L050N5
L050585	L050	2	5/8"	1-7/64"	1-1/16"	L050N5
L075MPB5	L075	3	1/4"	1-3/4"	1-9/32"	L075N5
L0757165	L075	3	7/16"	1-3/4"	1-9/32"	L075N5
L075125	L075	3	1/2"	1-3/4"	1-9/32"	L075N5
L075585	L075	3	5/8"	1-3/4"	1-9/32"	L075N5
L075345	L075	3	3/4"	1-3/4"	1-9/32"	L075N5
L075785	L075	3	7/8"	1-3/4"	1-9/32"	L075N5
L095MPB5	L095	3	1/4"	2-1/8"	1-1/2"	L090N5
L0957165	L095	3	7/16"	2-1/8"	1-1/2"	L090N5
L095125	L095	3	1/2"	2-1/8"	1-1/2"	L090N5
L0959165	L095	3	9/16"	2-1/8"	1-1/2"	L090N5
L095585	L095	3	5/8"	2-1/8"	1-1/2"	L090N5
L095345	L095	3	3/4"	2-1/8"	1-1/2"	L090N5
L095785	L095	3	7/8"	2-1/8"	1-1/2"	L090N5
L09515165	L095	3	15/16"	2-1/8"	1-1/2"	L090N5
L09515	L095	3	1"	2-1/8"	1-1/2"	L090N5
L0951185	L095	3	1-1/8"	2-1/8"	1-1/2"	L090N5
L100MPB5	L100	3	1/4"	2-1/2"	2-1/32"	L099N5
L100585	L100	3	5/8"	2-1/2"	2-1/32"	L099N5
L100345	L100	3	3/4"	2-1/2"	2-1/32"	L099N5
L100785	L100	3	7/8"	2-1/2"	2-1/32"	L099N5
L10015	L100	3	1"	2-1/2"	2-1/32"	L099N5
L1001185	L100	3	1-1/8"	2-1/2"	2-1/32"	L099N5
L1001145	L100	3	1-1/4"	2-1/2"	2-1/32"	L099N5
L1001385	L100	3	1-3/8"	2-1/2"	2-1/32"	L099N5
L1001125	L100	3	1-1/2"	2-1/2"	2-1/32"	L099N5
L110MPB5	L110	3	1/4"	3-11/32"	2-1/2"	L110N5
L110585	L110	3	5/8"	3-11/32"	2-1/2"	L110N5
L110345	L110	3	3/4"	3-11/32"	2-1/2"	L110N5
L110785	L110	3	7/8"	3-11/32"	2-1/2"	L110N5
L11015	L110	3	1"	3-11/32"	2-1/2"	L110N5
L1101185	L110	3	1-1/8"	3-11/32"	2-1/2"	L110N5
L1101145	L110	3	1-1/4"	3-11/32"	2-1/2"	L110N5
L1101385	L110	3	1-3/8"	3-11/32"	2-1/2"	L110N5
L1101125	L110	3	1-1/2"	3-11/32"	2-1/2"	L110N5
L1101585	L110	3	1-5/8"	3-11/32"	2-1/2"	L110N5


Driveline Cross & Bearing Kits

Domestic Series Cross Kits



Part Number	Ref. Number	Series	A Dim.	B Dim.
200-0600	1-1475	6	31/32" (0.969")	2-9/32" (2.281")
200-0675	1-0675	1000	15/16" (0.938")	2-5/16" (2.313")
200-1200	1-1275	12	1-1/16" (1.063")	2-1/2" (2.500")
200-1400	1-2075	14	1-1/8" (1.125")	2-5/8" (2.625")
200-1875	1-1875	1800	1" (1.000")	3-1/8" (3.125")
200-2600	3-0188	2600	1-3/8" (1.375")	4-3/16" (4.188")
200-3500	2-2275	35	1-1/4" (1.250")	3-7/32" (3.219")
200-4400	3-0044	44	1-5/16" (1.313")	4-1/64" (4.016")
200-5500	3-0045	55	1-17/32" (1.531")	4-5/16" (4.313")

Metric Series Cross Kits



Part Number	Ref. Number	Series	A Dim.	B Dim.
200-6154	BP41201, 1-0121	1	22.0mm (0.866")	54.0mm (2.126")
200-7155	W040116, 1-1001	2100	22.0mm (0.866")	55.0mm (2.165")
200-8261	BP41202, 1-0221	2	23.8mm (0.937")	61.3mm (2.413")
	W044439	2200		
200-8370	BP41203	3	27.0mm (1.063")	70.0mm (2.756")
200-8474	BP41204, 1-0421	4	27.0mm (1.063")	74.6mm (2.937")
	W312410	2300		
200-6580	BP41205, 2-0521	5	30.2mm (1.189")	79.4mm (3.126")
200-7676	W312410, 2-2421	2400	32.0mm (1.260")	76.0mm (2.992")
200-8692	BP41206, 3-0621	6	30.2mm (1.189")	91.4mm (3.598")
200-7989	W312209, 3-2521	2500	36.0mm (1.417")	89.0mm (3.500")
200-6794	BP41207	7	35.0mm (1.378")	93.5mm (3.681")
200-6806	BP41208	8	35.0mm (1.378")	106.0mm (4.173")
200-6908	BP41209	9	41.0mm (1.614")	108.0mm (4.252")
BP41210	BP41210	10	41.0mm (1.614")	118.0mm (4.646")

Driveline Shafts & Tubes

Domestic Shafts




Part Number	Ref. Number	Size	Length	Type	Series
400-1214	73-0750	3/4" x 7/8"	6' (72")	Rectangle	6
400-1618	73-1001	1" x 1-1/8"	6' (72")	Rectangle	12, 14
400-0019	73-1188	1-3/16"	6' (72")	Square	35
400-0021	73-1313	1-5/16"	6' (72")	Square	44, 55

Domestic Tubes



Part Number	Ref. Number	Size	Length	Type	Series
600-1618	70-1001	1" x 1-1/8"	6' (72")	Rectangle	6
600-2022	70-1250	1-1/4" x 1-3/8"	6' (72")	Rectangle	12, 14
602-3500	70-2125	2-1/8" (.120 Wall)	6' (72")	Round	35
602-4400	70-2500	2-1/2" (.134 Wall)	6' (72")	Round	44, 55


Metric Tubes




Part Number	Series	A Dim	B Dim	Length	Inner / Outer
400-6126	1	27 mm	3 mm	1500 mm	Inner
600-6133	1	33 mm	2.6 mm	1500 mm	Outer
400-6229	2	29 mm	4 mm	1500 mm	Inner
600-6236	2	36 mm	3.2 mm	1500 mm	Outer
400-6336	3	36 mm	3.2 mm	1500 mm	Inner
600-6343	3	43.5 mm	3.4 mm	1500 mm	Outer
400-6436	4	36 mm	4.5 mm	1500 mm	Inner
600-6343	4	43.5 mm	3.4 mm	1500 mm	Outer
400-6545	5	45 mm	4.2 mm	1500 mm	Inner
600-6552	5	51.5 mm	3 mm	1500 mm	Outer
400-6545	6	45 mm	4.2 mm	1500 mm	Inner
600-6654	6	54 mm	4 mm	1500 mm	Outer
400-6745	7	45mm	5.5 mm	1500 mm	Inner
600-6654	7	54 mm	4 mm	1500 mm	Outer
400-6854	8	54 mm	4 mm	1500 mm	Inner
600-6863	8	63 mm	4 mm	1500 mm	Outer
400-6954	9	54 mm	5 mm	1500 mm	Inner
600-6863	9	63 mm	4 mm	1500 mm	Outer

Driveline Shafts & Tubes

Metric Tubes



Lemon Style



Star Style

Part Number	Series	Shaft Style	A Dim	B Dim	Length	Inner / Outer
400-7123	2100	Lemon	23.5 mm	4.0 mm	1500 mm	Inner
600-7130	2100	Lemon	30.0 mm	2.8 mm	1500 mm	Outer
400-7234	2200	Lemon	34.5 mm	4.0 mm	1500 mm	Inner
600-7241	2200	Lemon	41.0 mm	3.0 mm	1500 mm	Outer
400-7234	2300	Lemon	34.5 mm	4.0 mm	1500 mm	Inner
600-7241	2300	Lemon	41.0 mm	3.0 mm	1500 mm	Outer
400-7539	2400	Lemon	39.5 mm	4.5 mm	1500 mm	Inner
600-7548	2400	Lemon	48.0 mm	4.0 mm	1500 mm	Outer
400-7651	2400	Star	51.0 mm		1500 mm	Inner
600-7661	2400	Star	61.0 mm		1500 mm	Outer
400-7951	2500	Star	51.0 mm		1500 mm	Inner
600-7961	2500	Star	61.0 mm		1500 mm	Outer
400-7061	2600	Star	61.0 mm		1500 mm	Inner
600-7071	2600	Star	71.0 mm		1500 mm	Outer


Roll Pins



Part Number	Size
RP8X50	8mm x 50 mm
RP8X60	8mm x 60 mm
RP8X80	8mm x 80 mm
RP10X60	10mm x 60 mm
RP10X65	10mm x 65 mm
RP10X70	10mm x 70 mm
RP10X75	10mm x 75 mm
RP10X80	10mm x 80 mm
RP10X90	10mm x 90 mm
RP12X90	12mm x 90 mm

Driveline Shield & Bearing Kits

Domestic Series Shield Kits



Shield Number	Ref. Number	Series	Groove O.D	Groove Width	Bearing Kit Number
900-0648	69-0648	6	1-13/16"	5/16"	56-1600
900-1248	69-1248	12, 14	2-1/16"	11/32"	56-2000
900-3548	69-2248	35	2-1/16"	11/32"	56-2200
900-4448	69-2648	44, 55	2-5/8"	13/32"	56-0844

Metric Series Shield Kits (Bondioli)

Shield Number	Ref. Number	Series	Groove O.D	Groove Width	Bearing Kit Number
900-0648	69-0648	1	1-19/32" (1-11/32")	5/32"	56-2101
900-0648	69-0648	2	1-7/8" (1-19/32")	5/32"	56-2102
900-0648	69-0648	2100	1-21/32"	5/32"	56-2122
900-1248	69-1248	3, 4	2-3/32" (1-13/32")	5/32"	56-4103
900-1248	69-1248	2200, 2300	2"	5/32"	56-2223
900-3548	69-2248	5	2-15/32" (2-3/32")	5/32"	56-6105
900-3548	69-2248	6, 7	2-11/16" (2-11/32")	5/32"	56-6106
900-3548	69-2248	2400, 2500	2-11/16" (2-11/32")	5/32"	56-2324
900-4448	69-2648	8	2-11/16" (3-3/16")	1/4"	56-8108


* Dimensions in parenthesis () denote bearing groove O.D. of inner tube yoke versus bearing groove O.D. of outer tube yoke.

Quick Disconnect Pin Kits




Part Number	Description
56-1857	Replacement pin kit for bore sizes 1-3/8"-6 SPL & 21 SPL
56-2446	Replacement pin kit for bore size 1-3/4"-20 SPL

Driveline 12 Series Domestic




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-1200	1-1275	1-1/16"	2-9/16"

Quick Disconnect Tractor Yoke



Part Number	Ref. Number	Bore
102-1206	12-1190	1-3/8" x 6 Spl.
102-1221	12-1193	1-3/8" x 21 Spl.


Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-1206	12-2330	1-3/8" x 6 Spl.
100-1221	12-2321	1-3/8" x 21 Spl.


Driveline 12 Series Domestic

Shaft Weld Yoke (With Bearing Groove)




Part Number	Ref Number	Bore
300-1200	12-1340	1" x 1-1/8"

Tube Weld Yoke (With Bearing Groove)




Part Number	Ref Number	Bore	Fits Tube
700-1200	12-1318	1-1/4" x 1-3/8"	
701-1200	12-1334		2" / .083 Wall

Spline Bore Implement Yoke (With 21/64" Pin Hole)




Part Number	Ref Number	Bore
801-1218	12-1181	1-1/8" x 6 Spl.
801-1206	12-1172	1-3/8" x 6 Spl.
801-1221	12-1315	1-3/8" x 21 Spl.

Square Bore Implement Yoke (With Set Screw)



Part Number	Ref Number	Bore
804-1214	12-1170	7/8"
804-1216	12-1163	1"
804-1218	12-1148	1-1/8"
804-1220	12-1321	1-1/4"


Shear Pin Implement Yoke (With 1/4" Pin Hole)



Part Number	Ref Number	Bore
802-1216	12-1319	1"
802-1218	12-1302	1-1/8"
802-1220	12-1330	1-1/4"
802-1222	12-1320	1-3/8"


Driveline 12 Series Domestic

Round Bore Implement Yoke (With Keyway)




Part Number	Ref Number	Bore	Keyway
800-1212	12-1312	3/4"	3/16"
800-1214	12-1113	7/8"	3/16"
800-1215	12-1134	15/16"	1/4"
800-1216	12-1115	1"	1/4"
800-1218	12-1117	1-1/8"	1/4"
800-1219	12-1118	1-3/16"	1/4"
800-1220	12-1176	1-1/4"	1/4"
800-1222	12-1120	1-3/8"	5/16"
800-1224	12-1175	1-1/2"	3/8"

Round Bore Implement Yoke (With Double Keyway)




Part Number	Ref Number	Bore	Keyway
806-1216	16-6111	1"	1/4" & 3/16"
806-1218	16-6112	1-1/8"	1/4" & 5/16"
806-1220	16-6213	1-1/4"	1/4" & 5/16"

Slip Sleeve (With Grease Groove)




Part Number	Ref Number	Bore	Length
500-1400	53-2034	1" x 1-1/8" Rect.	5"
510-0615	N/A	1-5/16" x 20 Spl.	8"

Shaft



Part Number	Ref Number	Size	Length
400-1618	73-1001	1" x 1-1/8"	6'


Tube



Part Number	Ref Number	Size	Length
600-2022	70-1250	1-1/4" x 1-3/8"	6'


Driveline 12 Series Domestic

Yoke & Shaft Assembly




Part Number	Ref Number	Shaft Size	Length
1000-1248	65-2851	1" x 1-1/8"	37.38"

Yoke & Tube Assembly



Part Number	Ref Number	Tube Size	Length
1100-1248	64-2751	1-1/4" x 1-3/8"	37.38"


Safety Shield



Part Number	Ref Number	Bearing Kit	Length
900-1248	69-1248	56-2000	48"

*Does not include bearing kit


Driveline Assembly




Part Number	Ref Number	Description
1400-1248	N/A	48" Driveline assembly Includes: (1) 1000-1248, (1) 1100-1248 (1) 900-1248, (2) 200-1200

* Does not include Implement Yoke and Tractor Yoke

Driveline 14 Series Domestic




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-1400	1-2075	1-1/8"	2-5/8"

Quick Disconnect Tractor Yoke



Part Number	Ref. Number	Bore
102-1406	20-9309	1-3/8" x 6 Spl.
102-1421	20-9324	1-3/8" x 21 Spl.


Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-1406	20-9330	1-3/8" x 6 Spl.
100-1421	20-9321	1-3/8" x 21 Spl.


Driveline 14 Series Domestic

Shaft Weld Yoke (With Bearing Groove)




Part Number	Ref Number	Bore
300-1400	20-9126	1" x 1-1/8"

Tube Weld Yoke (With Bearing Groove)




Part Number	Ref Number	Bore	Fits Tube
700-1400	20-9313	1-1/4" x 1-3/8"	
701-1400	20-9131		2" / .083 Wall

Spline Bore Implement Yoke (With 21/64" Pin Hole)




Part Number	Ref Number	Bore
801-1418	20-9180	1-1/8" x 6 Spl.
801-1420	20-9311	1-1/4" x 6 Spl.
801-1406	20-9132	1-3/8" x 6 Spl.
801-1421	20-9193	1-3/8" x 21 Spl.

Square Bore Implement Yoke (With Set Screw)



Part Number	Ref Number	Bore
804-1414	20-9310	7/8"
804-1416	20-9310	1"
804-1418	20-9183	1-1/8"
804-1419	20-9312	1-3/16"
804-1420	20-9127	1-1/4"



Shear Pin Implement Yoke (With 1/4" Pin Hole)



Part Number	Ref Number	Bore
802-1418	20-9318	1-1/8"
802-1420	20-9317	1-1/4"
802-1422	20-9160	1-3/8"
802-1424	20-9320	1-1/2"

Driveline 14 Series Domestic

Round Bore Implement Yoke (With Keyway)




Part Number	Ref Number	Bore	Keyway
800-1416	20-9115	1"	1/4"
800-1418	20-9117	1-1/8"	1/4"
800-1419	20-9118	1-3/16"	1/4"
800-1420	20-9119	1-1/4"	1/4"
800-1422	20-9120	1-3/8"	5/16"
800-1423	20-9154	1-7/16"	3/8"
800-1424	20-9307	1-1/2"	3/8"

Round Bore Implement Yoke (With Double Keyway)



Part Number	Ref Number	Bore	Keyway
806-1418	20-9216	1-1/8"	1/4" & 3/16"
806-1419	20-9217	1-3/16"	1/4" & 5/16"
806-1420	20-9218	1-1/4"	1/4" & 5/16"

Slip Sleeve (With Grease Groove)



Part Number	Ref Number	Bore	Length
500-1400	53-2034	1" x 1-1/8" Rect.	5"

Shaft



Part Number	Ref Number	Size	Length
400-1618	73-1001	1" x 1-1/8"	6'


Tube



Part Number	Ref Number	Size	Length
600-2022	70-1250	1-1/4" x 1-3/8"	6'


Driveline 14 Series Domestic

Yoke & Shaft Assembly




Part Number	Ref Number	Shaft Size	Length
1000-1448	65-2840	1" x 1-1/8"	35.62"

Yoke, Tube & Sleeve Assembly



Part Number	Ref Number	Fits Shaft Size	Length
1100-1448	64-2740	1" x 1-1/8"	35.12"


Safety Shield



Part Number	Ref Number	Bearing Kit	Length
900-1248	69-1248	56-2000	48"

*Does not include bearing kit


Driveline Assembly




Part Number	Ref Number	Description
1400-1448	N/A	48" Driveline assembly Includes: (1) 1000-1448, (1) 1100-1448 (1) 900-1248, (2) 200-1400

* Does not include Implement Yoke and Tractor Yoke

Driveline 35 Series Domestic




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-3500	22-2275	1-1/4"	3-7/32"

Quick Disconnect Tractor Yoke



Part Number	Ref. Number	Bore
102-3506	22-2312	1-3/8" x 6 Spl.
102-3521	22-2316	1-3/8" x 21 Spl


Safety Slide Lock Tractor Yoke



Part Number	Ref. Number	Bore
101-3506	22-2330	1-3/8" x 6 Spl.
101-3521	22-3521	1-3/8" x 21 Spl.
101-3520	22-1319	1-3/4" x 20 Spl.


Driveline 35 Series Domestic

Shaft Weld Yoke (With Bearing Groove)




Part Number	Ref Number	A Bore	B Bore
300-3500	22-1344	1-3/16" Sq.	
301-3500	N/A		1-5/16" x 20 Spl.
302-3500	N/A		1-11/16" x 20 Spl.

Tube Weld Yoke (With Bearing Groove)




Part Number	Ref Number	Fits Tube
701-3500	22-1325	2-1/8" / .120" Wall
702-3500	22-1307	2-1/8" / .083" Wall
703-3500	22-1343	2-1/4" / .120" Wall
704-3500	N/A	2-1/2" / .120" Wall
705-3500	22-1325	2-1/8" / .120" Wall

Spline Bore Implement Yoke (With 21/64" Pin Hole)



Part Number	Ref Number	Bore
801-3506	22-1134	1-3/8" x 6 Spl.
801-3521	22-1330	1-3/8" x 21 Spl.


Square Bore Implement Yoke (With Set Screw)



Part Number	Ref Number	Bore
804-3516	22-1125	1"
804-3518	22-1124	1-1/8"
804-3519	22-1190	1-3/16"
804-3520	22-1128	1-1/4"
804-3524	22-1130	1-1/2"
804-3526	22-1126	1-5/8"


Driveline 35 Series Domestic

Shear Pin Implement Yoke (With Pin Hole)




Part Number	Ref Number	Bore	Pin Hole
802-3520	22-1145	1-1/4"	1/4"
802-3522	22-1337	1-3/8"	1/2"
802-3524	22-1162	1-1/2"	1/4"

Round Bore Implement Yoke (With Keyway)




Part Number	Ref Number	Bore	Keyway
800-3516	22-1131	1"	1/4"
800-3518	22-1132	1-1/8"	1/4"
800-3519	22-1129	1-3/16"	1/4"
800-3520	22-1133	1-1/4"	1/4"
800-3522	22-1118	1-3/8"	5/16"
800-3523	22-1178	1-7/16"	3/8"
800-3524	22-1120	1-1/2"	3/8"
800-3526	22-1338	1-5/8"	3/8"
800-3528	22-1316	1-3/4"	3/8"

Round Bore Implement Yoke (With Double Keyway)



Part Number	Ref Number	Bore	Keyway
806-3520	22-1218	1-1/4"	1/4" x 5/16"
806-3522	22-1219	1-3/8"	5/16" x 3/8"


Slip Sleeve (With Grease Groove)



Part Number	Ref Number	Bore / Tube Size	Length
500-3500	53-2435	1-3/16" Sq. 2-1/8" x .120 (11GA)	5"
501-3500	53-3500	1-3/16" Sq. 2-1/8" x .083 (14GA)	5"
506-3500	53-2434	1-3/16" Sq. 2-1/4" x .120 (11GA)	5"

Driveline 35 Series Domestic

Shaft




Part Number	Ref Number	Size	Length
400-0019	73-1188	1-3/16" Sq.	6'

Tube




Part Number	Ref Number	Size	Length
602-3500	70-2125	2-1/8" (.120 Wall)	6'

Yoke & Shaft Assembly




Part Number	Ref Number	Shaft Size	Length
1000-3548	65-2639	1-3/16" Sq.	33.19"

Yoke, Tube & Sleeve Assembly



Part Number	Ref Number	Tube Size	Length
1100-3548	64-2551	2-1/8" (.120 Wall)	34.69


Safety Shield



Part Number	Ref Number	Bearing Kit	Length
900-3548	69-2268	56-2200	48"

*Does not include bearing kit


Driveline Assembly




Part Number	Ref Number	Description
1400-3548	58-2251	48" Driveline assembly Includes: (1) 1000-3548, (1) 1100-3548 (1) 900-3548, (2) 200-3500

* Does not include Implement Yoke and Tractor Yoke

Driveline 44 Series Domestic




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-4400	3-0044	1-5/16"	4"

Quick Disconnect Tractor Yoke



Part Number	Ref. Number	Bore
102-4406	44-2220	1-3/8" x 6 Spl.
102-4421	44-2201	1-3/8" x 21 Spl.
102-4420	44-6300	1-3/4" x 20 Spl.


Safety Slide Lock Tractor Yoke



Part Number	Ref. Number	Bore
101-4406	44-4406	1-3/8" x 6 Spl.
101-4421	44-4421	1-3/8" x 21 Spl.
101-4420	44-4420	1-3/4" x 20 Spl.


Driveline 44 Series Domestic

Shaft Weld Yoke (With Bearing Groove)




Part Number	Ref Number	A Bore	B Bore
300-4400	44-2100	1-5/16" Sq.	
302-4400	N/A		1-11/16" x 20 Spl.

Tube Weld Yoke (With Bearing Groove)




Part Number	Ref Number	Fits Tube
701-4400	44-2200	2-1/2" / .120" Wall

Spline Bore Implement Yoke (With 21/64" Pin Hole)




Part Number	Ref Number	Bore
801-4406	44-2206	1-3/8" x 6 Spl.
801-4421	44-2221	1-3/8" x 21 Spl.

Square Bore Implement Yoke (With Set Screw)



Part Number	Ref Number	Bore
804-4418	44-1826	1-1/8"


Round Bore Implement Yoke (With Keyway)



Part Number	Ref Number	Bore	Keyway
800-4420	N/A	1-1/4"	1/4"
800-4422	44-2256	1-3/8"	5/16"
800-4423	44-2360	1-7/16"	3/8"
800-4424	44-2460	1-1/2"	3/8"
800-4426	44-2610	1-5/8"	3/8"
800-4428	44-2820	1-3/4"	3/8"
800-4432	44-3200	2"	1/2"



Driveline 44 Series Domestic

Round Bore Implement Yoke (With Double Keyway)




Part Number	Ref Number	Bore	Keyway
806-4420	44-2045	1-1/4"	5/16" x 1/4"
806-4422	44-2256	1-3/8"	5/16" x 1/4"
806-4424	44-2456	1-1/2"	5/16" x 3/8"

Slip Sleeve (With Grease Groove)



Part Number	Ref Number	Bore / Tube Size	Length
506-3500	53-2434	1-3/16" Sq. 2-1/4" x .120 (11GA)	5"
500-4400	53-2643	1-5/16" Sq. 2-1/2" x .134 (10GA)	5"
53-2644	N/A	1-5/16" Sq. 2-3/4" x .109 (12GA)	5"

Shaft



Part Number	Ref Number	Size	Length
400-0021	73-1313	1-5/16" Sq.	6'


Tube



Part Number	Ref Number	Size	Length
602-4400	70-2500	2-1/2" / .120" Wall	6'


Driveline 44 Series Domestic

Yoke & Shaft Assembly




Part Number	Ref Number	Shaft Size	Length
1000-4448	N/A	1-5/16" Sq.	33.12"

Yoke, Tube & Sleeve Assembly



Part Number	Ref Number	Fits Shaft Size	Length
1100-4448	64-4435	1-5/16" Sq.	35.62"


Safety Shield



Part Number	Ref Number	Bearing Kit	Length
900-4448	69-2648	56-0844	48"

*Does not include bearing kit


Driveline Assembly




Part Number	Ref Number	Description
1400-4448	58-4451	48" Driveline assembly Includes: (1) 1000-4448, (1) 1100-4448 (1) 900-4448, (2) 200-4400

* Does not include Implement Yoke and Tractor Yoke

Driveline 55 Series Domestic




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-5500	3-0045	1-17/32"	4-5/16"

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
102-5506	55-9306	1-3/8" x 6 Spl.
102-5521	55-9321	1-3/8" x 21 Spl.
102-5520	55-9320	1-3/4" x 20 Spl.

Shaft Weld Yoke (With Bearing Groove)



Part Number	Ref Number	A Bore	B Bore
300-5500	55-2130	1-5/16" Sq.	



Tube Weld Yoke (With Bearing Groove)



Part Number	Ref Number	Fits Tube
701-5520	55-3640	2-1/2" / .120" Wall



Driveline 55 Series Domestic

Round Bore Implement Yoke (With Keyway)




Part Number	Ref Number	Bore	Keyway
800-5524	55-2410	1-1/2"	3/8"
800-5526	55-2600	1-5/8"	3/8"
800-5528	55-2800	1-3/4"	3/8"
800-5532	55-3240	2"	1/2"

Slip Sleeve (With Grease Groove)



Part Number	Ref Number	Bore / Tube Size	Length
500-4400	53-2643	1-5/16" Sq. 2-1/2" x .134 (10GA)	5"

Shaft




Part Number	Ref Number	Size	Length
400-0021	73-1313	1-5/16" Sq.	6'

Tube



Part Number	Ref Number	Size / Wall Thickness	Length
602-4400	70-2500	2-1/2" OD .134 (10GA)	6'


Safety Shield




Part Number	Ref Number	Use Bearing Kit	Length
900-4448	69-2648	56-0844	48"

*Does not include bearing kit

Driveline 1 Series Metric (Bondioli & Pavesi)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-6154	BP41201	22mm	54mm

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
102-6118	BP507010151	1-1/8" x 6 Spl.
102-6106	BP507010351	1-3/8" x 6 Spl.
102-6121	BP507013751	1-3/8" x 21 Spl.

Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-6106	BP5720B0376	1-3/8" x 6 Spl.


Implement Yoke Splined (With Clamp Bolt)



Part Number	Ref. Number	Bore
BP509010361	N/A	1-3/8" x 6 Spl.
BP509013753	N/A	1-3/8" x 21 Spl.


Driveline 1 Series Metric (Bondioli & Pavesi)

Shear Pin Implement Yoke (With 1/4" Pin Hole)




Part Number	Ref Number	Bore
802-6110	N/A	1-1/4"

Round Bore Implement Yoke (With Keyway)



Part Number	Ref Number	Size	Keyway
800-6108	BP212018551	1"	1/4"
800-6130	N/A	1-3/16"	1/4"
800-6110	BP212016782	1-1/4"	1/4"

Inner Profile Yoke



Part Number	Ref Number	A Bore
300-6126	BP204016852	26.5mm

Outer Profile Yoke



Part Number	Ref Number	A Bore
700-6133	BP204016851	32.5mm

Inner Tube (59-1/16" Long)



Part Number	Ref Number	A Dim.	B Dim.
400-6126	BP125021500	27mm	3mm


Outer Tube (59-1/16" Long)



Part Number	Ref Number	A Dim.	B Dim.
600-6133	BP125031500	33mm	2.6mm

Driveline 1 Series Metric (Bondioli & Pavesi)


Safety Shield



Part Number	Bearing Kit	Length
900-0648	56-2101	48"


*Does not include bearing kit

Complete Driveline Assembly




Part Number	C to C Length	Total L Length	Tractor	Implement
CS12111	21"	27"	1-3/8" - 6	1-3/8" - 6
CS12911	29"	35"	1-3/8" - 6	1-3/8" - 6

Driveline 2 Series Metric (Bondioli & Pavesi)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-8261	BP41202	15/16"	2-13/32"

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
102-8218	BP507020151	1-1/8" x 6 Spl.
102-8206	BP507020151	1-3/8" x 6 Spl.
102-8221	N/a	1-3/8" x 21 Spl

Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-8206	BP5720C0376	1-3/8" x 6 Spl.


Implement Yoke Splined (With Clamp Bolt)



Part Number	Ref. Number	Bore
BP509020355	N/A	1-3/8" x 6 Spl.
BP509023765	N/A	1-3/8" x 21 Spl.


Driveline 2 Series Metric (Bondioli & Pavesi)

Shear Pin Implement Yoke (With 1/4" Pin Hole)



Part Number	Ref Number	Bore
802-8220	N/A	1-1/4"

Round Bore Implement Yoke (With Keyway)



Part Number	Ref Number	Size	Keyway
800-8225	N/A	53/64"	5/16"
800-8208	BP211026761	1"	5/16"
800-8230	N/A	1-3/16"	3/8"
800-8210	BP211026762	1-1/4"	3/8"
800-8211	N/A	1-3/8"	1/2"

Inner Profile Yoke



Part Number	Ref Number	A Bore
300-6229	BP204026852	29mm

Outer Profile Yoke



Part Number	Ref Number	A Bore
700-6236	BP204026851	36mm

Inner Tube (59-1/16" Long)



Part Number	Ref Number	A Dim.	B Dim.
400-6229	BP125041500	29mm	4mm


Outer Tube (59-1/16" Long)



Part Number	Ref Number	A Dim.	B Dim.
600-6236	BP125051500	36mm	3.2mm

Driveline 2 Series Metric (Bondioli & Pavesi)


Safety Shield



Part Number	Bearing Kit	Length
900-0648	56-2102	48"


*Does not include bearing kit

Complete Driveline Assembly




Part Number	C to C Length	Total L Length	Tractor	Implement
CS23911	39"	47"	1-3/8" - 6	1-3/8" - 6
CS24414	44"	52"	1-3/8" - 6	1" RB 1/4" KW
CS34414	44"	52"	1-3/8" - 6	1-1/4" RB 3/8" PH
CS24314	43"	51"	1-3/8" - 6	1-3/8" RB 1/2" PH

Driveline 3 Series Metric (Bondioli & Pavesi)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-8370	BP41203	1-1/16"	2-3/4"

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
102-8306	BP507030351	1-3/8" x 6 Spl.
102-8321	BP507033751	1-3/8" x 21 Spl.

Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-8306	BP5720B0376	1-3/8" x 6 Spl.


Implement Yoke Splined (With Clamp Bolt)



Part Number	Ref. Number	Bore
BP509030360	N/A	1-3/8" x 6 Spl.


Driveline 3 Series Metric (Bondioli & Pavesi)

Shear Pin Implement Yoke (With 1/4" Pin Hole)




Part Number	Ref Number	Bore
802-8310	N/A	1-1/4"
802-8335	N/A	1-3/8"

Round Bore Implement Yoke (With Keyway)




Part Number	Ref Number	Size	Keyway
800-8325	N/A	63/64"	5/16"
800-8330	N/A	1-3/16"	5/16"
800-8310	BP212038651	1-1/4"	1/4"
800-8311	BP212038751	1-3/8"	5/16"

Inner Profile Yoke



Part Number	Ref Number	A Bore
300-6336	BP204036852	36mm

Outer Profile Yoke



Part Number	Ref Number	A Bore
700-6343	BP125081500	43.5mm

Inner Tube (59-1/16")



Part Number	Ref Number	A / B Dim.	B Dim.
400-6336	BP125051500	36mm	3.2mm


Outer Tube (59-1/16" Long)



Part Number	Ref Number	A / B Dim.	B Dim.
600-6343	BP125081500	43.5mm	3.4mm

Driveline 3 Series Metric (Bondioli & Pavesi)


Safety Shield




Part Number	Bearing Kit	Length
900-1248	56-4103	48"

*Does not include bearing kit

Complete Driveline Assembly




Part Number	C to C Length	Total L Length	Tractor	Implement
CS33911	39"	47"	1-3/8" - 6	1-3/8" - 6
CS33514	35"	43"	1-3/8" - 6	1-3/8" RB 1/2" PH




Part Number	C to C Length	Total L Length	Tractor	Implement
CS34315L	43"	54"	1-3/8" - 6	1-3/8"-6 W/ RP1 Clutch
CS34315H	43"	54"	1-3/8" - 6	1-3/8"-6 W/ RP3 Clutch

RP = Radial Pin Clutch

Driveline 4 Series Metric (Bondioli & Pavesi)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-8474	BP41204	1-1/16"	2-15/16"

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
102-8406	BP507040351	1-3/8" x 6 Spl.
102-8421	BP507043751	1-3/8" x 21 Spl.

Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-8406	BP5720E0376	1-3/8" x 6 Spl.
100-8421	BP5720E3776	1-3/8" x 21 Spl.


Implement Yoke Splined (With Clamp Bolt)



Part Number	Ref. Number	Bore
BP509040362	N/A	1-3/8" x 6 Spl.
BP509043754	N/A	1-3/8" x 21 Spl.
BP509043853	N/A	1-3/4" x 20 Spl.


Driveline 4 Series Metric (Bondioli & Pavesi)

Shear Pin Implement Yoke (With 3/8" Pin Hole)



Part Number	Ref Number	Bore
802-8410	BP211049151	1-1/4"
802-8435	BP211049251	1-3/8"

Round Bore Implement Yoke (With Keyway)



Part Number	Ref Number	Size	Keyway
800-8430	N/A	1-3/16"	5/16"
800-8410	BP212046764	1-1/4"	1/4"
800-8411	BP212048751	1-3/8"	5/16"
800-8424	BP212046765	1-1/2"	3/8"

Inner Profile Yoke



Part Number	Ref Number	A Bore
300-6436	BP204046852	1-13/32"

Outer Profile Yoke



Part Number	Ref Number	A Bore
700-6443	BP204046851	1-11/16"

Inner Tube (59-1/16" Long)



Part Number	Ref Number	A Dim.	B Dim.
400-6436	BP125071500	36mm	4.5mm


Outer Tube (59-1/16" Long)



Part Number	Ref Number	A Dim.	B Dim.
600-6343	BP125081500	43.5mm	3.4mm

Driveline 4 Series Metric (Bondioli & Pavesi)


Safety Shield




Part Number	Bearing Kit	Length
900-1248	56-4103	48"

*Bearing kit not included


Complete Driveline Assembly



Part Number	C to C Length	Total L Length	Tractor	Implement
CS42511	25"	33"	1-3/8" - 6	1-3/8" - 6
CS43811	38"	46"	1-3/8" - 6	1-3/8" - 6
CS44111	41"	48"	1-3/8" - 6	1-3/8" - 6
CS44514	45"	53"	1-3/8" - 6	1-1/4" RB 3/8" PH
CS42414	24"	32"	1-3/8" - 6	1-3/8" RB 1/2" PH
CS42814	28"	36"	1-3/8" - 6	1-3/8" RB 1/2" PH
CS44114	41"	48"	1-3/8" - 6	1-3/8" RB 1/2" PH
CS44314	43"	51"	1-3/8" - 6	1-3/8" RB 1/2" PH
CS44014	40"	48"	1-3/8" - 6	1-1/2" RB 3/8" KW




Part Number	C to C Length	Total L Length	Tractor	Implement
CS42516	25"	33"	1-3/8" - 6	1-3/8" - 6 Spl. FF1 FR.CL
CS43516	35"	45"	1-3/8" - 6	1-3/8" - 6 Spl. FF1 FR.CL




Part Number	C to C Length	Total L Length	Tractor	Implement
CS44315	43"	54"	1-3/8" - 6	1-3/8" - 6 W/ RP3 Clutch
CS45515	55"	66"	1-3/8" - 6	1-3/8" - 6 W/ RP3 Clutch

Driveline 5 Series Metric (Bondioli & Pavesi)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-6580	BP41205	1-3/16"	3-1/8"

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
102-6506	BP507050351	1-3/8" x 6 Spl.
102-6521	BP507053751	1-3/8" x 21 Spl.
102-6520	BP507053851	1-3/4" x 20 Spl.

Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-6506	BP5720G0374	1-3/8" x 6 Spl.
100-6521	BP5720G3773	1-3/8" x 21 Spl.


Implement Yoke Splined (With Clamp Bolt)



Part Number	Ref. Number	Bore
BP203050351	N/A	1-3/8" x 6 Spl.
BP203053751	N/A	1-3/8" x 21 Spl.


Driveline 5 Series Metric (Bondioli & Pavesi)

Shear Pin Implement Yoke (With 3/8" Pin Hole)




Part Number	Ref Number	Bore
802-6535	BP211059251	1-3/8"

Round Bore Implement Yoke (With Keyway)



Part Number	Ref Number	Size	Keyway
800-6510	BP211058651	1-1/4"	1/4"
800-6511	BP211058751	1-3/8"	5/16"
800-6522	BP211056759	1-3/8"	33/64"
800-6524	BP211056756	1-1/2"	3/8"

Inner Profile Yoke



Part Number	Ref Number	A Bore
300-6545	BP125971500	1-25/32"

Outer Profile Yoke



Part Number	Ref Number	A Bore
700-6552	BP125101500	2-1/32"

Inner Tube (59-1/16")



Part Number	Ref Number	A Dim.	B Dim.
400-6545	BP125971500	45mm	3.8mm


Outer Tube (59-1/16" Long)



Part Number	Ref Number	A Dim.	B Dim.
600-6552	BP125101500	51.5mm	3mm

Driveline 5 Series Metric (Bondioli & Pavesi)


Safety Shield




Part Number	Bearing Kit	Length
900-3548	56-6105	48"

*Does not includes bearing kit

Complete Driveline Assembly




Part Number	C to C Length	Total L Length	Tractor	Implement
CS53811	38"	46"	1-3/8" - 6	1-3/8" - 6
CS52511	25"	33"	1-3/8" - 6	1-3/8" - 6
CS53414	34"	42"	1-3/8" - 6	1-3/8" RB 1/2" PH
CS54014	40"	48"	1-3/8" - 6	1-1/2" RB 3/8" PH
CS54024	40"	48"	1-3/8" - 6	1-1/2" RB 3/8" PH




Part Number	C to C Length	Total L Length	Tractor	Implement
CS53516	35"	45"	1-3/8" - 6	1-3/8" - 6 SPL. FF1 FR.CI.
CS53516RB	35"	45"	1-3/8" - 6	1-3/8" - RB W/ FF1 FR.CI.

Driveline 6 Series Metric (Bondioli & Pavesi)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-8692	BP41206	1-3/16"	3-5/8"

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
102-8606	BP507060351	1-3/8" x 6 Spl.
102-8621	BP507063751	1-3/8" x 21 Spl.
102-8620	BP507063851	1-3/4" x 20 Spl.

Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-8606	BP5720H0376	1-3/8" x 6 Spl.
100-8621	BP5720H3776	1-3/8" x 21 Spl.
100-8620	BP5720H3876	1-3/4" x 20 Spl.


Implement Yoke Splined (With Clamp Bolt)



Part Number	Ref. Number	Bore
BP509060361	N/A	1-3/8" x 6 Spl.
BP509063755	N/A	1-3/8" x 21 Spl.
BP509063854	N/A	1-3/4" x 20 Spl.


Driveline 6 Series Metric (Bondioli & Pavesi)

Shear Pin Implement Yoke (With 3/8" Pin Hole)



Part Number	Ref Number	Bore
802-8611	BP211069251	1-3/8"

Round Bore Implement Yoke (With Keyway)




Part Number	Ref Number	Size	Keyway
800-8610	BP211066760	1-1/4"	1/4"
800-8611	BP211068751	1-3/8"	5/16"
800-8624	BP211066767	1-1/2"	3/8"

Inner Profile Yoke



Part Number	Ref Number	A Bore
300-6645	BP204066852	1-25/32"

Outer Profile Yoke




Part Number	Ref Number	A Bore
700-6654	BP204066851	2-1/8"

Inner Tube (59-1/16" Long)



Part Number	Ref Number	A Dim.	B Dim.
400-6545	BP125091500	45mm	4.2mm


Outer Tube (59-1/16" Long)



Part Number	Ref Number	A Dim.	B Dim.
600-6654	BP125121500	54mm	4mm

Driveline 6 Series Metric (Bondioli & Pavesi)


Safety Shield




Part Number	Bearing Kit	Length
900-3548	56-6106	48"

*Does not include bearing kit

Complete Driveline Assembly




Part Number	C to C Length	Total L Length	Tractor	Implement
CS63911	39"	48"	1-3/8" - 6	1-3/8" - 6
CS65011	50"	57"	1-3/8" - 6	1-3/8" - 6
CS64114	41"	48"	1-3/8" - 6	1-1/2" RB 3/8" PH
CS64124	41"	48"	1-3/8" - 21	1-1/2" RB 3/8" PH
CS64414	44"	52"	1-3/8" - 6	1-3/8" RB 1/2" PH




Part Number	C to C Length	Total L Length	Tractor	Implement
CS64416	44"	54"	1-3/8" - 6	1-3/8" - 6 Spl. FF2 FR.CL

Driveline 7 Series Metric (Bondioli & Pavesi)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-6794	BP41207	1-3/8"	3-45/64"

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
102-6706	BP507170351	1-3/8" x 6 Spl.
102-6721	BP507173751	1-3/8" x 21 Spl.
102-6720	BP507173851	1-3/4" x 20 Spl.

Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-6706	BP5720L0376	1-3/8" x 6 Spl.
100-6721	BP5720L3776	1-3/8" x 21 Spl.
100-6720	BP5720L3876	1-3/4" x 20 Spl.


Implement Yoke Splined (With Clamp Bolt)



Part Number	Ref. Number	Bore
BP509073753	N/A	1-3/8" x 21 Spl.
BP509073851	N/A	1-3/4" x 20 Spl.

Driveline 7 Series Metric (Bondioli & Pavesi)

Round Bore Implement Yoke (With Keyway)



Part Number	Ref Number	Size	Keyway
800-6722	BP212178751	1-3/8"	5/16"

Inner Profile Yoke



Part Number	Ref Number	A Bore
300-6745	BP204176852	1-25/32"

Outer Profile Yoke



Part Number	Ref Number	A Bore
700-6754	BP204176851	2-1/8"

Inner Tube (59-1/16")




Part Number	Ref Number	A Dim.	B Dim.
400-6745	BP125111500	45mm	5.5mm

Outer Tube (59-1/16" Long)




Part Number	Ref Number	A Dim.	B Dim.
600-6654	BP125121500	54mm	4mm

Safety Shield




Part Number	Bearing Kit	Length
900-3548	56-6106	48"

Driveline 8 Series Metric (Bondioli & Pavesi)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-6806	BP41208	1-3/8"	4-3/16"

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
102-6806	BP507080351	1-3/8" x 6 Spl.
102-6821	BP509083754	1-3/8" x 21 Spl.
102-6820	BP509083855	1-3/4" x 20 Spl.

Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-6806	BP5720M0376	1-3/8" x 6 Spl.
100-6821	BP5720M0776	1-3/8" x 21 Spl.
100-6820	BP5720M3876	1-3/4" x 20 Spl.


Implement Yoke Splined (With Clamp Bolt)



Part Number	Ref. Number	Bore
BP509080355	N/A	1-3/8" x 6 Spl.
BP509083754	N/A	1-3/8" x 21 Spl.
BP509083855	N/A	1-3/4" x 20 Spl.

Driveline 8 Series Metric (Bondioli & Pavesi)

Round Bore Implement Yoke (With Keyway)



Part Number	Ref Number	Size	Keyway
800-6822	BP212086755	1-3/8"	5/16"
800-6824	BP212086756	1-1/2"	3/8"
800-6828	BP212086753	1-3/4"	3/8"

Inner Profile Yoke



Part Number	Ref Number	A Bore
300-6854	BP204086861	2-1/8"

Outer Profile Yoke



Part Number	Ref Number	A Bore
700-6863	BP204086860	2-31/64"

Inner Tube (59-1/16" Long)




Part Number	Ref Number	A Dim.	B Dim.
400-6854	BP125121500	54mm	4mm

Outer Tube (59-1/16" Long)



Part Number	Ref Number	A Dim.	B Dim.
600-6863	BP125221500	63mm	4mm


Safety Shield



Part Number	Bearing Kit	Length
900-4448	56-8108	48"


*Does not include bearing kit

Complete Driveline Assembly




Part Number	C to C Length	Total L Length	Tractor/ Implement
CS84811	48"	57"	1-3/8" - 6 (Both)

Driveline 9 Series Metric (Bondioli & Pavesi)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-6908	BP41209	1-39/64"	4-1/4"

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
102-6906	BP507190351	1-3/8" x 6 Spl.
102-6921	BP507193751	1-3/8" x 21 Spl.
102-6920	BP507193851	1-3/4" x 20 Spl.

Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
100-6906	BP572090351	1-3/8" x 6 Spl.
100-6921	BP572093751	1-3/8" x 21 Spl.
100-6920	BP572093851	1-3/4" x 20 Spl.


Implement Yoke Splined (With Clamp Bolt)



Part Number	Ref. Number	Bore
BP509190352	N/A	1-3/8" x 21 Spl.
BP509190452	N/A	1-3/4" x 20 Spl.

Driveline 9 Series Metric (Bondioli & Pavesi)

Round Bore Implement Yoke (With Keyway)




Part Number	Ref Number	Size	Keyway
800-6722	BP212178751	1-3/8"	5/16"
800-6924	N/A	1-1/2"	3/8"

Inner Profile Yoke



Part Number	Ref Number	A Bore
300-6954	BP204196852	2-1/8"

Outer Profile Yoke



Part Number	Ref Number	A Bore
700-6963	BP204196851	2-31/64"

Inner Tube (59-1/16" Long)




Part Number	Ref Number	A Dim.	B Dim.
400-6954	BP125131500	54mm	5mm

Outer Tube (59-1/16" Long)




Part Number	Ref Number	A Dim.	B Dim.
600-6863	BP125221500	63mm	4mm

Safety Shield




Part Number	Bearing Kit	Length
900-8654	960-0489	48"

Driveline 10 Series Metric (Bondioli & Pavesi)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
BP41210	N/A	41mm	118mm

Quick Disconnect Tractor Yoke




Part Number	Ref. Number	Bore
BP507100351	N/A	1-3/8" x 6 Spl.
BP507103751	N/A	1-3/8" x 21 Spl.
BP507103851	N/A	1-3/4" x 20 Spl.

Spring-Lok Tractor Yoke



Part Number	Ref. Number	Bore
BP572100351	N/A	1-3/8" x 6 Spl.
BP572103751	N/A	1-3/8" x 21 Spl.
BP572103851	N/A	1-3/4" x 20 Spl.


Implement Yoke Splined (With Clamp Bolt)



Part Number	Ref. Number	Bore
BP509100353	N/A	1-3/8" x 6 Spl.
BP509103753	N/A	1-3/8" x 21 Spl.
BP509103853	N/A	1-3/4" x 20 Spl.

Driveline 10 Series Metric (Bondioli & Pavesi)

Round Bore Implement Yoke (With Keyway)




Part Number	Ref Number	Size	Keyway
BP212108851	N/A	1-3/4"	3/8"
BP212106754	N/A	2"	1/2"

Inner Profile Yoke



Part Number	Ref Number	A Bore
BP204106852	N/A	54mm

Outer Profile Yoke



Part Number	Ref Number	A Bore
BP204106851	N/A	66mm

Inner Tube (59-1/16" Long)




Part Number	Ref Number	A Dim.	B Dim.
BP125141500	N/A	54mm	6mm

Outer Tube (59-1/16" Long)




Part Number	Ref Number	A Dim.	B Dim.
BP125151500	N/A	66mm	5.6mm

Safety Shield




Part Number	Bearing Kit	Length
BP5F010121FF	N/A	48"

Driveline 2100 Series (Walterscheid)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-7155	1-1001	22mm	54.8mm

Quick Disconnect Tractor Yoke



Part Number	Ref. Number	Bore
102-7106	8-2112	1-3/8" x 6 Spl.
102-7121	8-2121	1-3/8" x 21 Spl.


Implement Yoke



Part Number	Ref. Number	Dim. A Bore Size	Hole Size
802-7108	8-2108	1" (25.4mm)	5/16" D.T.
802-7110	8-2110	1-1/4" (31.75mm)	3/8" D.T.


Driveline 2100 Series (Walterscheid)

Inner Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
300-7123	8-2130	59/64" (23.5mm)	400-7123

Outer Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
700-7130	8-2120	1-3/16" (30mm)	600-7130

Inner Tube




Part Number	Ref. Number	Dim. A Dim. B	Length
400-7123	70-2105	59/64" (23.5mm) 9/64" (3.6mm)	1500mm

Outer Tube



Part Number	Ref. Number	Dim. A Dim. B	Length
600-7130	70-2104	1-3/16" (30mm) 7/64" (2.85mm)	1500mm


Driveline Shield



Part Number	Ref. Number	Overall Length	Bearing Kit
900-0648	69-0648	51"	56-2122


*Does not include bearing kit

Driveline Complete




Part Number	C to C Min	C to C Max	Tractor	Implement
W210012100101	48"	75"	1-3/8" - 6	1-3/8" - 6

Driveline 2200 Series (Walterscheid)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-8261	1-0221	23.8mm	61.3mm

Quick Disconnect Tractor Yoke



Part Number	Ref. Number	Bore
102-8206	8-2012	1-3/8" x 6 Spl.
102-8221	8-2021	1-3/8" x 21 Spl.

Implement Yoke




Part Number	Ref. Number	Dim. A Bore Size	Hole Size
800-8208	8-2008	1" (25.4mm)	3/8"-16
800-8210	8-2010	1-1/4" (31.75mm)	3/8"-16

*Keyway on both yokes 1/4"


Driveline 2200 Series (Walterscheid)

Inner Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
300-7234	8-2230	1-11/32" (34.5mm)	400-7234

Outer Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
700-7241	8-2220	1-5/8" (41.0mm))	600-7241

Inner Tube




Part Number	Ref. Number	Dim. A Dim. B	Length
400-7234	70-2205	1-23/64" (34.5mm) 5/32" (3.95mm)	1500mm

Outer Tube



Part Number	Ref. Number	Dim. A Dim. B	Length
600-7241	70-2204	1-5/8" (41.25mm) 7/64" (2.85mm)	1500mm


Driveline Shield



Part Number	Ref. Number	Overall Length	Bearing Kit
900-1248	69-1248	51"	56-2223


*Does not include bearing kit

Driveline Complete




Part Number	C to C Min	C to C Max	Tractor	Implement
W220012100101	48"	75"	1-3/8" - 6	1-3/8" - 6

Driveline 2300 Series (Walterscheid)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-8474	1-0421	27.0mm	74.6mm

Quick Disconnect Tractor Yoke



Part Number	Ref. Number	Bore
102-8406	8-4012	1-3/8" x 6 Spl.
102-8421	8-4021	1-3/8" x 21 Spl.

Implement Yoke




Part Number	Ref. Number	Dim. A Bore Size	Hole Size
800-8410	8-4010	1-1/4" (31.75mm)	3/8"-16
800-8411	8-4011	1-3/8" (34.93mm)	3/8"-16

*Keyway on 800-8410 (1/4"), on 800-8411 (5/16")


Driveline 2300 Series (Walterscheid)

Inner Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
300-7434	8-2330	1-23/64" (34.5mm)	400-7234

Outer Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
700-7441	8-2320	1-5/8" (41.25mm)	600-7241

Inner Tube




Part Number	Ref. Number	Dim. A Dim. B	Length
400-7234	70-2205	1-23/64" (34.5mm) 5/32" (3.95mm)	1500mm

Outer Tube



Part Number	Ref. Number	Dim. A Dim. B	Length
600-7241	70-2204	1-5/8" (41.25mm) 7/64" (2.85mm)	1500mm


Driveline Shield



Part Number	Ref. Number	Overall Length	Bearing Kit
900-1248	69-1248	51"	56-2223


*Does not include bearing kit

Driveline Complete




Part Number	C to C Min	C to C Max	Tractor	Implement
W230012100101	48"	75"	1-3/8" - 6	1-3/8" - 6

Driveline 2400 Series (Walterscheid)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-7676	2-2421	32.0mm	76.0mm

Quick Disconnect Tractor Yoke



Part Number	Ref. Number	Bore
102-7606	8-2412	1-3/8" x 6 Spl.
102-7621	8-2421	1-3/8" x 21 Spl.

Implement Yoke




Part Number	Ref. Number	Dim. A Bore Size	Hole Size
800-7610	8-2410	1-1/4" (31.75mm)	3/8"-16
800-7611	8-2411	1-3/8" (34.93mm)	1/2" D.T.

*Keyway on 800-7610 (1/4"), 800-7611 No Keyway


Driveline 2400 Series (Walterscheid)

Inner Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
300-7639	8-2430	1-9/16" (39.5mm)	400-7539

Outer Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
700-7648	8-2420	1-57/64" (48mm)	600-7548

Inner Tube




Part Number	Ref. Number	Dim. A Dim. B	Length
400-7539	70-2405	1-9/16" (39.5mm) 11/64" (4.5mm)	1500mm

Outer Tube



Part Number	Ref. Number	Dim. A Dim. B	Length
600-7548	70-2404	1-57/64" (48mm) 5/32" (3.8mm)	1500mm


Driveline Shield



Part Number	Ref. Number	Overall Length	Bearing Kit
900-3548	69-2248	51"	56-2324


*Does not include bearing kit

Driveline Complete




Part Number	C to C Min	C to C Max	Tractor	Implement
W240012100201	48"	74"	1-3/8" - 6	1-3/8" - 6
W240012100202	48"	74"	1-3/8" - 21	1-3/8" - 21

Driveline 2500 Series (Walterscheid)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-7989	3-2521	36.0mm	89.0mm

Quick Disconnect Tractor Yoke



Part Number	Ref. Number	Bore
102-7906	8-2512	1-3/8" x 6 Spl.
102-7921	8-2521	1-3/8" x 21 Spl.
102-7920	8-2514	1-3/4" x 20 Spl.

Implement Yoke




Part Number	Ref. Number	Dim. A Bore Size	Hole Size
800-7922	8-2511	1-3/8" (34.93mm)	3/8"-16
800-7924	8-2515	1-1/2" (38.1mm)	3/8"-16

*Keyway on both yokes (3/8")


Driveline 2500 Series (Walterscheid)

Inner Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
300-7951	8-2530	2" (51.0mm)	400-7951

Outer Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
700-7961	8-2520	2-13/32" (61.0mm)	600-7961

Inner Tube




Part Number	Ref. Number	Dim. A	Length
400-7951	70-2505	2" (61.0mm)	1500mm

Outer Tube



Part Number	Ref. Number	Dim. A	Length
600-7961	70-2504	2-13/32" (61.0mm)	1500mm


Driveline Shield



Part Number	Ref. Number	Overall Length	Bearing Kit
900-3548	69-2248	51"	56-2324


*Does not include bearing kit

Driveline Complete




Part Number	C to C Min	C to C Max	Tractor	Implement
W250012100101	48"	74"	1-3/8" - 6	1-3/8" - 6
W250012100202	48"	74"	1-3/8" - 21	1-3/8" - 21
W250012100303	48"	74"	1-3/4" - 20	1-3/4" - 20

Driveline 2600 Series (Walterscheid)




Cross & Bearing Kit




Part Number	Ref. Number	Cup Dia. A	Cup Dia. B
200-7004	W326245	42.0mm	104.0mm

Quick Disconnect Tractor Yoke



Part Number	Ref. Number	Bore
102-7006	W362419	1-3/8" x 6 Spl.
102-7021	W362421	1-3/8" x 21 Spl.
102-7020	W320804	1-3/4" x 20 Spl.


Implement Yoke



Part Number	Ref. Number	Dim. A Bore Size	Keyway
800-7024	N/A	1-1/2" (38.1mm)	3/8"
800-7026	N/A	1-5/8" (41.3mm)	3/8"
800-7028	N/A	1-3/4" (44.5mm)	3/8"
800-7032	N/A	2" (50.8mm)	1/2"


Driveline 2600 Series (Walterscheid)

Inner Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
300-7061	W168279	2-13/32" (61.0mm)	400-7061

Outer Profile Yoke




Part Number	Ref. Number	Dim. A Bore	Use W/ Tube No.
700-7071	W168278	2-51/64" (71.0mm)	600-7071

Inner Tube




Part Number	Ref. Number	Dim. A	Length
400-7061	W370335	61.0mm	1500mm

Outer Tube



Part Number	Ref. Number	Dim. A	Length
600-7071	W397200	71.5mm	1500mm

Driveline Shield




Part Number	Ref. Number	Overall Length	Bearing Kit
900-8654	N/A	53"	960-0435

*Does not include bearing kit


Constant Velocity Drivelines (Walterscheid)

2280 Series




Part Number	Tractor Yoke	Implement Yoke	C to C Min	Cross & Bearing Kit	Shield Kit
WC284811	1-3/8" - 6	1-3/8" - 6	48"	W044439	WSK284C

2380 Series



Part Number	Tractor Yoke	Implement Yoke	C to C Min	Cross & Bearing Kit	Shield Kit
WC384811	1-3/8" - 6	1-3/8" - 6	48"	W044444	WSK384C


2480 Series



Part Number	Tractor Yoke	Implement Yoke	C to C Min	Cross & Bearing Kit	Shield Kit
WC484811	1-3/8" - 6	1-3/8" - 6	48"	W312410	WSK484C
WC484812	1-3/8" - 6	1-3/8" - 21	48"	W312410	WSK484C
WC484821	1-3/8" - 21	1-3/8" - 6	48"	W312410	WSK484C
WC484822	1-3/8" - 21	1-3/8" - 21	48"	W312410	WSK484C

Constant Velocity Drivelines (Walterscheid)

2580 Series



Part Number	Tractor Yoke	Implement Yoke	C to C Min	Cross & Bearing Kit	Shield Kit
WC584811	1-3/8"-6 AS Lock	1-3/8"-6 AS Lock	48"	W312209	WSK584C
WC584812	1-3/8"-6 AS Lock	1-3/8"-21 AS Lock	48"	W312209	WSK584C
WC584813	1-3/8"-6 AS Lock	1-3/4"-20 AS Lock	48"	W312209	WSK584C
WC584819	1-3/8"-6 AS Lock	1-3/4"-6 AS Lock	48"	W312209	WSK584C
WC584821	1-3/8"-21 AS Lock	1-3/8"-6 AS Lock	48"	W312209	WSK584C
WC584822	1-3/8"-21 AS Lock	1-3/8"-21 AS Lock	48"	W312209	WSK584C
WC584823	1-3/8"-21 AS Lock	1-3/4"-20 AS Lock	48"	W312209	WSK584C
WC584829	1-3/8"-21 AS Lock	1-3/4"-6 AS Lock	48"	W312209	WSK584C
WC584831	1-3/4"-20 AS Lock	1-3/8"-6 AS Lock	48"	W312209	WSK584C
WC584832	1-3/4"-20 AS Lock	1-3/8"-21 AS Lock	48"	W312209	WSK584C
WC584833	1-3/4"-20 AS Lock	1-3/4"-20 AS Lock	48"	W312209	WSK584C

Hydraulic Hose

2-Wire (Thin Cover)



Part Number	Size	PSI	Reel Length*
301-4	1/4"	5800	400'
301-6	3/8"	4800	300'
301-8	1/2"	4000	300'
301-10	5/8"	3620	300'
301-12	3/4"	3155	200'
301-16	1"	2400	100'
301-20	1-1/4"	1820	100'
301-24	1-1/2"	1310	100'
301-32	2"	1160	100'

* Reel Lengths May Vary

Hydraulic Pressure Gauges

- 1/4" NPTF Bottom Mount
- 2" Face



Dry Gauges


Part Number	PSI
DG60	0-60
DG100	0-100
DG150	0-150
DG160	0-160
DG200	0-200
DG300	0-300
DG400	0-400
DG1000	0-1000
DG3000	0-3000
DG5000	0-5000

Liquid Filled Gauges

Part Number	PSI
LG30	0-30
LG50	0-50
LG60	0-60
LG100	0-100
LG160	0-160
LG200	0-200
LG300	0-300
LG400	0-400
LG500	0-500
LG600	0-600
LG800	0-800
LG1000	0-1000
LG1500	0-1500
LG2000	0-2000
LG4000	0-4000
LG5000	0-5000
LG10000	0-10000


Hydraulic Hose Fittings

Male NPTF Pipe - Rigid Straight



Part Number	Thread	Hose	A	H	B
10143-2-4	1/8" x 27	1/4"	1.80"	9/16"	1.05"
10143-4-4	1/4" x 18	1/4"	2.01"	9/16"	1.26"
10143-4-5	1/4" x 18	5/16"	1.94"	11/16"	1.19"
10143-4-6	1/4" x 18	3/8"	2.28"	3/4"	1.25"
10143-6-4	3/8" x 18	1/4"	1.86"	11/16"	1.11"
10143-6-5	3/8" x 18	5/16"	1.94"	11/16"	1.19"
10143-6-6	3/8" x 18	3/8"	2.37"	3/4"	1.34"
10143-6-8	3/8" x 18	1/2"	2.59"	7/8"	1.33"
10143-6-10	3/8" x 18	5/8"	2.61"	15/16"	1.17"
10143-8-4	1/2" x 14	1/4"	2.13"	7/8"	1.38"
10143-8-6	1/2" x 14	3/8"	2.39"	7/8"	1.36"
10143-8-8	1/2" x 14	1/2"	2.84"	7/8"	1.58"
10143-8-10	1/2" x 14	5/8"	3.04"	15/16"	1.59"
10143-8-12	1/2" x 14	3/4"	3.04"	1-1/16"	1.60"
10143-12-8	3/4" x 14	1/2"	2.68"	1-1/16"	1.42"
10143-12-10	3/4" x 14	5/8"	2.87"	1-1/16"	1.43"
10143-12-12	3/4" x 14	3/4"	3.09"	1-1/16"	1.65"
10143-12-16	3/4" x 14	1"	3.40"	1-3/8"	1.78"
10143-16-12	1" x 11-1/2	3/4"	3.09"	1-3/8"	1.65"
10143-16-16	1" x 11-1/2	1"	2.59"	1-3/8"	1.97"
10143-20-20	1-1/4" x 11-1/2	1-1/4"	4.08"	1-3/4"	2.39"
10143-24-24	1-1/2" x 11-1/2	1-1/2"	3.50"	2"	2.13"


Male NPTF Pipe - Swivel Straight



Part Number	Thread	Hose	A	W	B
11343-2-4	1/8" x 27	1/4"	2.94"	5/8"	2.19"
11343-4-4	1/4" x 18	1/4"	2.68"	5/8"	1.93"
11343-4-6	1/4" x 18	3/8"	3.01"	5/8"	1.98"
11343-6-4	3/8" x 18	1/4"	2.81"	3/4"	2.06"
11343-6-6	3/8" x 18	3/8"	3.08"	3/4"	2.05"
11343-6-8	3/8" x 18	1/2"	3.30"	3/4"	2.04"
11343-8-6	1/2" x 14	3/8"	3.30"	7/8"	2.27"
11343-8-8	1/2" x 14	1/2"	3.52"	7/8"	2.26"
11343-12-12	3/4" x 14	3/4"	3.93"	1-1/4"	2.49"
11343-16-16	1" x 11-1/2	1"	4.52"	1-1/2"	2.90"


Hydraulic Hose Fittings

Male NPTF Pipe - Swivel 90°




Part Number	Thread	Hose	A	E	W	B
11L43-4-4	1/4" x 18	1/4"	2.23"	1.79"	5/8"	1.48"
11L43-4-6	1/4" x 18	3/8"	2.53"	1.85"	5/8"	1.50"
11L43-6-6	3/8" x 18	3/8"	2.53"	1.94"	3/4"	1.50"
11L43-8-6	1/2" x 14	3/8"	2.66"	2.17"	7/8"	1.63"
11L43-8-8	1/2" x 14	1/2"	2.96"	2.17"	7/8"	1.70"
11L43-12-12	3/4" x 14	3/4"	3.32"	2.46"	1-1/4"	1.88"

Female NPTF Pipe - Rigid



Part Number	Thread	Hose	A	H	B
10243-2-4	1/8" x 27	1/4"	1.68"	5/8"	.93"
10243-4-4	1/4" x 18	1/4"	1.78"	11/16"	1.03"
10243-4-6	1/4" x 18	3/8"	2.05"	3/4"	1.02"
10243-6-4	3/8" x 18	1/4"	2.05"	7/8"	1.30"
10243-6-6	3/8" x 18	3/8"	2.32"	7/8"	1.29"
10243-8-6	1/2" x 14	3/8"	2.40"	1-1/8"	1.37"
10243-8-8	1/2" x 14	1/2"	2.62"	1-1/8"	1.36"
10243-12-12	3/4" x 14	3/4"	2.72"	1-1/4"	1.28"


Female NPSM Pipe - Swivel - (60° Cone)



Part Number	Thread	Hose	A	H	W	B
10743-2-4	1/8" x 27	1/4"	1.69"	9/16"	9/16"	.94"
10743-4-4	1/4" x 18"	1/4"	1.74"	9/16"	11/16"	.99"
10743-6-6	3/8" x 18	3/8"	2.09"	11/16"	7/8"	1.06"
10743-8-8	1/2" x 14	1/2"	2.32"	15/16"	1"	1.06"
10743-12-12	3/4" x 14	3/4"	2.70"	1-1/16"	1-1/4"	1.47"
10743-16-16	1" x 11-1/2"	1"	3.09"	1-3/8"	1-1/2"	1.47"
10743-20-20	1-1/4" x 11-1/2	1-1/4"	3.28"	1-7/8"	1-7/8"	1.59"


Hydraulic Hose Fittings

Male SAE Straight Thread with O-Ring - Rigid



Part Number	Thread	Hose	A	H	B
10543-4-4	1/4"	1/4"	1.64"	9/16"	0.89"
10543-5-4	5/16"	1/4"	1.80"	5/8"	1.05"
10543-6-4	3/8"	1/4"	1.67"	11/16"	0.92"
10543-6-6	3/8"	3/8"	2.10"	11/16"	1.07"
10543-6-8	3/8"	1/2"	2.32"	13/16"	1.06"
10543-8-6	1/2"	3/8"	2.11"	7/8"	1.08"
10543-8-8	1/2"	1/2"	2.46"	7/8"	1.20"
10543-10-6	5/8"	3/8"	2.13"	1"	1.10"
10543-10-8	5/8"	1/2"	2.35"	1"	1.09"
10543-10-10	5/8"	5/8"	2.77"	1"	1.33"
10543-12-8	3/4"	1/2"	2.61"	1-1/4"	1.35"
10543-12-10	3/4"	5/8"	2.80"	1-1/4"	1.36"
10543-12-12	3/4"	3/4"	2.81"	1-1/4"	1.37"
10543-16-12	1"	3/4"	2.81"	1-1/2"	1.37"
10543-16-16	1"	1"	3.37"	1-1/2"	1.75"
10543-20-20	1-1/4"	1-1/4"	3.69"	1-7/8"	2.00"


Male SAE Straight Thread with O-Ring - Swivel



Part Number	Thread	Hose	A	W	B
10G43-5-4	5/16"	1/4"	2.98"	3/4"	2.23"
10G43-6-4	3/8"	1/4"	2.98"	3/4"	2.23"
10G43-6-6	3/8"	3/8"	3.25"	3/4"	2.22"
10G43-8-6	1/2"	3/8"	3.06"	7/8"	2.06"
10G43-8-8	1/2"	1/2"	3.21"	7/8"	1.95"
10G43-10-6	5/8"	3/8"	3.01"	1"	2.01"
10G43-10-8	5/8"	1/2"	3.27"	1"	2.01"
10G43-12-12	3/4"	3/4"	3.78"	1-1/4"	2.34"


Hydraulic Hose Fittings

Male SAE Straight Thread with O-ring - Swivel 90° Elbow



Part Number	Thread	Hose	A	E	W	B
10L43-6-6	3/8"	3/8"	2.53"	2.10"	3/4"	1.50"
10L43-8-6	1/2"	3/8"	2.66"	1.86"	7/8"	1.63"
10L43-8-8	1/2"	1/2"	2.96"	1.87"	7/8"	1.70"
10L43-10-8	5/8"	1/2"	2.96"	1.92"	1"	1.70"
10L43-12-12	3/4"	3/4"	3.22"	2.30"	1-1/4"	1.88"

Male JIC 37° - Rigid




Part Number	Thread	Hose	A	H	B
10343-4-4	1/4"	1/4"	1.99"	9/16"	1.24"
10343-5-4	5/16"	1/4"	1.83"	9/16"	1.08"
10343-5-6	5/16"	3/8"	2.26"	3/4"	1.23"
10343-6-4	3/8"	1/4"	1.84"	11/16"	1.09"
10343-6-6	3/8"	3/8"	2.36"	3/4"	1.33"
10343-8-6	1/2"	3/8"	2.30"	7/8"	1.27"
10343-8-8	1/2"	1/2"	2.68"	7/8"	1.42"
10343-8-10	1/2"	5/8"	2.85"	7/8"	1.41"
10343-10-6	5/8"	3/8"	2.40"	15/16"	1.37"
10343-10-8	5/8"	1/2"	2.62"	15/16"	1.36"
10343-10-10	5/8"	5/8"	3.03"	15/16"	1.59"
10343-12-8	3/4"	1/2"	2.76"	1-1/8"	1.50"
10343-12-10	3/4"	5/8"	3.07"	1-1/8"	1.63"
10343-12-12	3/4"	3/4"	3.19"	1-1/8"	1.75"
10343-14-12	7/8"	3/4"	3.11"	1-1/4"	1.67"
10343-16-12	1"	3/4"	3.04"	1-3/8"	1.60"
10343-16-16	1"	1"	3.63"	1-3/8"	2.01"
10343-20-20	1-1/4"	1-1/4"	3.96"	1-7/8"	2.27"
10343-24-20	1-1/2"	1-1/4"	3.71"	2"	2.02"

Hydraulic Hose Fittings

Female JIC 37° - Swivel


Hydraulic



Part Number	Thread	Hose	A	H	W	B
10643-4-4	1/4"	1/4"	1.94"	9/16"	9/16"	1.19"
10643-4-6	1/4"	3/8"	2.20"	11/16"	9/16"	1.17"
10643-5-4	5/16"	1/4"	2.03"	9/16"	5/8"	1.28"
10643-5-5	5/16"	5/16"	2.08"	11/16"	5/8"	1.33"
10643-5-6	5/16"	3/8"	2.26"	11/16"	5/8"	1.23"
10643-6-4	3/8"	1/4"	2.05"	9/16"	11/16"	1.30"
10643-6-5	3/8"	5/16"	2.10"	11/16"	11/16"	1.35"
10643-6-6	3/8"	3/8"	2.29"	11/16"	11/16"	1.26"
10643-6-8	3/8"	1/2"	2.51"	13/16"	11/16"	1.25"
10643-8-6	1/2"	3/8"	2.49"	11/16"	7/8"	1.46"
10643-8-8	1/2"	1/2"	2.63"	13/16"	7/8"	1.37"
10643-8-10	1/2"	5/8"	2.82"	15/16"	7/8"	1.38"
10643-8-12	1/2"	3/4"	2.83"	1-1/16"	7/8"	1.39"
10643-10-6	5/8"	3/8"	2.51"	7/8"	1"	1.48"
10643-10-8	5/8"	1/2"	2.85"	7/8"	1"	1.59"
10643-10-10	5/8"	5/8"	2.93"	15/16"	1"	1.49"
10643-10-12	5/8"	3/4"	2.93"	1-1/16"	1"	1.49"
10643-12-8	3/4"	1/2"	2.78"	1-1/16"	1-1/4"	1.52"
10643-12-10	3/4"	5/8"	3.10"	1-1/16"	1-1/4"	1.66"
10643-12-12	3/4"	3/4"	3.17"	1-1/16"	1-1/4"	1.73"
10643-12-16	3/4"	1"	3.29"	1-3/8"	1-1/4"	1.67"
10643-14-12	7/8"	3/4"	3.18"	1-1/4"	1-3/8"	1.74"
10643-16-12	1"	3/4"	3.31"	1-1/4"	1-1/2"	1.87"
10643-16-16	1"	1"	3.62"	1-3/8"	1-1/2"	2.00"
10643-20-16	1-1/4"	1"	3.81"	1-5/8"	2"	2.19"
10643-20-20	1-1/4"	1-1/4"	3.94"	1-7/8"	2"	2.25"
10643-24-24	1-1/2"	1-1/2"	3.84"	2-1/8"	2-1/4"	2.47"
10643-32-32	2"	2"	4.73"	2-1/2"	2-7/8"	2.95"


Hydraulic Hose Fittings

Female JIC 37° - Swivel - 45° Elbow - Short Drop



Part Number	Thread	Hose	A	E	W	B
13743-4-4	1/4"	1/4"	1.96"	0.39"	9/16"	1.21"
13743-5-4	5/16"	1/4"	2.19"	0.39"	5/8"	1.44"
13743-6-4	3/8"	1/4"	2.23"	0.39"	11/16"	1.48"
13743-6-6	3/8"	3/8"	2.39"	0.39"	11/16"	1.39"
13743-8-6	1/2"	3/8"	2.74"	0.55"	7/8"	1.74"
13743-8-8	1/2"	1/2"	2.83"	0.55"	7/8"	1.57"
13743-10-8	5/8"	1/2"	2.93"	0.63"	1"	1.67"
13743-10-10	5/8"	5/8"	3.17"	0.63"	1"	1.73"
13743-12-10	3/4"	5/8"	3.62"	0.83"	1-1/4"	2.08"
13743-12-12	3/4"	3/4"	3.63"	0.78"	1-1/4"	2.19"
13743-16-16	1"	1"	4.34"	0.95"	1-1/2"	2.72"
13743-20-20	1-1/4"	1-1/4"	4.59"	1.19"	2"	2.82"
13743-24-24	1-1/2"	1-1/2"	5.50"	1.47"	2-1/4"	4.18"


Female JIC 37° - Swivel - 45° Elbow - Short Drop



Part Number	Thread	Hose	A	E	W	B
1L743-6-6	3/8"	3/8"	2.66"	0.59"	11/16"	1.63"
1L743-8-8	1/2"	1/2"	3.17"	0.72"	7/8"	1.91"
1L43-12-12	3/4"	3/4"	4.23"	1.06"	1-1/4"	2.79"
1L43-16-16	1"	1"	4.51"	1.07"	1-1/2"	2.89"


Hydraulic Hose Fittings

Female JIC 37° - Swivel - 90° Elbow - Short Drop



Part Number	Thread	Hose	A	E	W	B
13943-4-4	1/4"	1/4"	1.78"	0.83"	9/16"	1.03"
13943-4-6	1/4"	3/8"	2.11"	0.83"	9/16"	1.08"
13943-5-4	5/16"	1/4"	1.88"	0.83"	5/8"	1.13"
13943-5-5	5/16"	5/16"	1.96"	0.83"	5/8"	1.21"
13943-6-4	3/8"	1/4"	2.12"	0.85"	11/16"	1.37"
13943-6-6	3/8"	3/8"	2.21"	0.91"	11/16"	1.18"
13943-6-8	3/8"	1/2"	2.51"	0.85"	11/16"	1.25"
13943-8-6	1/2"	3/8"	2.52"	1.09"	7/8"	1.49"
13943-8-8	1/2"	1/2"	2.62"	1.14"	7/8"	1.36"
13943-10-8	5/8"	1/2"	2.74"	1.26"	1"	1.48"
13943-10-10	5/8"	5/8"	2.97"	1.26"	1"	1.69"
13943-12-8	3/4"	1/2"	3.25"	1.83"	1-1/4"	1.99"
13943-12-10	3/4"	5/8"	3.07"	1.89"	1-1/4"	1.63"
13943-12-12	3/4"	3/4"	3.49"	1.89"	1-1/4"	2.05"
13943-16-12	1"	3/4"	3.49"	2.00"	1-1/2"	2.05"
13943-16-16	1"	1"	4.28"	2.20"	1-1/2"	2.66"
13943-20-20	1-1/4"	1-1/4"	4.43"	2.59"	2"	2.74"
13943-24-24	1-1/2"	1-1/2"	5.50"	3.81"	2-1/4"	4.13"


Female JIC 37° - Swivel - 90° Elbow - Medium Drop



Part Number	Thread	Hose	A	E	W	B
1L943-4-4	1/4"	1/4"	1.84"	1.26"	9/16"	1.09"
1L943-6-4	3/8"	1/4"	2.12"	1.50"	11/16"	1.37"
1L943-6-6	3/8"	3/8"	2.29"	1.50"	11/16"	1.26"
1L943-8-6	1/2"	3/8"	2.51"	1.61"	7/8"	1.48"
1L943-8-8	1/2"	1/2"	2.64"	1.61"	7/8"	1.38"
1L943-10-8	5/8"	1/2"	3.25"	1.75"	1"	1.99"
1L943-12-12	3/4"	3/4"	3.49"	2.28"	1-1/4"	2.05"
1L943-16-16	1"	1"	4.44"	2.50"	1-1/2"	2.82"


Hydraulic Hose Fittings

Female JIC 37° - Swivel - 90° Elbow - Long Drop




Part Number	Thread	Hose	A	E	W	B
14143-4-4	1/4"	1/4"	1.96"	1.81"	9/16"	1.21"
14143-5-4	5/16"	1/4"	1.93"	1.80"	5/8"	1.18"
14143-6-6	3/8"	3/8"	2.27"	2.18"	11/16"	1.27"
14143-8-6	1/2"	3/8"	2.56"	2.43"	7/8"	1.56"
14143-8-8	1/2"	1/2"	2.62"	2.52"	7/8"	1.36"
14143-10-8	5/8"	1/2"	2.78"	2.58"	1"	1.52"
14143-10-10	5/8"	5/8"	3.16"	2.58"	1"	1.75"
14143-12-12	3/4"	3/4"	3.49"	3.74"	1-1/4"	2.05"
14143-14-12	7/8"	3/4"	3.38"	3.93"	1-3/8"	1.95"
14143-16-16	1"	1"	3.90"	4.32"	1-1/2"	2.31"
14143-20-20	1-1/4"	1-1/4"	4.39"	5.28"	2"	2.73"

Female SAE 45° - Swivel



Part Number	Thread	Hose	A	H	W	B
10843-6-4	3/8"	1/4"	2.11"	3/4"	3/4"	1.36"
10843-6-6	3/8"	3/8"	2.38"	3/4"	3/4"	1.35"
10843-12-12	3/4"	3/4"	3.17"	1-1/16"	1-1/4"	1.73"


Male Ferulok Flareless - Rigid



Part Number	Thread	Hose	A	H	W	B
11143-4-4	1/4"	1/4"	2.13"	9/16"	9/16"	1.40"
11143-4-6	1/4"	3/8"	2.44"	3/4"	9/16"	1.44"
11143-5-4	5/16"	1/4"	2.13"	9/16"	5/8"	1.40"
11143-5-6	5/16"	3/8"	2.44"	3/4"	5/8"	1.44"
11143-6-6	3/8"	3/8"	2.50"	3/4"	11/16"	1.50"
11143-8-8	1/2"	1/2"	2.93"	7/8"	7/8"	1.68"
11143-10-8	5/8"	1/2"	3.07"	15/16"	1"	1.82"
11143-12-12	3/4"	3/4"	3.39"	1-1/8"	1-1/4"	1.96"
11143-16-16	1"	1"	3.80"	1-3/8"	1-1/2"	2.18"


Hydraulic Hose Fittings

Female Ferulok Flareless - Swivel - (24° Cone)




Part Number	Thread	Hose	A	H	W	B
11243-6-6	3/8"	3/8"	2.51"	11/16"	11/16"	1.48"
11243-8-6	1/2"	3/8"	2.67"	7/8"	7/8"	1.64"
11243-8-8	1/2"	1/2"	2.89"	7/8"	7/8"	1.63"

Male Inverted SAE 45° - Swivel




Part Number	Thread	Hose	A	H	W	B
12843-4-4	1/4"	1/4"	2.32"	9/16"	7/16"	1.57"
12843-4-6	1/4"	3/8"	2.65"	11/16"	7/16"	1.62"
12843-5-4	5/16"	1/4"	2.60"	9/16"	1/2"	1.85"
12843-5-6	5/16"	3/8"	2.74"	11/16"	1/2"	1.71"
12843-6-6	3/8"	3/8"	2.86"	11/16"	5/8"	1.83"
12843-7-6	7/16"	3/8"	2.95"	11/16"	11/16"	1.92"
12843-8-8	1/2"	1/2"	3.11"	13/16"	3/4"	1.85"
12843-10-10	5/8"	5/8"	3.55"	3/4"	7/8"	2.11"

Male Inverted SAE 45° - Swivel - 45° Elbow



Part Number	Thread	Hose	A	E	W	B
16743-4-4	1/4"	1/4"	2.09"	0.63"	7/16"	1.34"
16743-4-6	1/4"	3/8"	2.42"	0.63"	7/16"	1.39"
16743-5-4	5/16"	1/4"	2.34"	0.70"	1/2"	1.59"
16743-5-6	5/16"	3/8"	2.48"	0.70"	1/2"	1.45"
16743-6-6	3/8"	3/8"	2.93"	0.94"	5/8"	1.90"
16743-8-8	1/2"	1/2"	3.23"	1.09"	3/4"	1.97"


Male Inverted SAE 45° - Swivel - 90° Elbow



Part Number	Thread	Hose	A	E	W	B
16943-4-4	1/4"	1/4"	2.16"	1.56"	7/16"	1.41"
16943-4-6	1/4"	3/8"	2.49"	1.56"	7/16"	1.46"
16943-5-4	5/16"	1/4"	2.41"	1.65"	1/2"	1.66"
16943-5-6	5/16"	3/8"	2.59"	1.65"	1/2"	1.56"
16943-6-6	3/8"	3/8"	2.61"	1.69"	5/8"	1.58"
16943-7-6	7/16"	3/8"	2.53"	1.72"	11/16"	1.50"
16943-8-8	1/2"	1/2"	2.81"	1.88"	3/4"	1.55"


Hydraulic Hose Fittings

SAE Code 61 Flange Head



Part Number	Flange	Hose	A	F	B
11543-8-8	1/2"	1/2"	3.48"	1-3/16"	2.22"
11543-10-10	5/8"	5/8"	3.78"	1-11/32"	2.34"
11543-12-8	3/4"	1/2"	2.46"	1-1/2"	1.20"
11543-12-12	3/4"	3/4"	3.54"	1-1/2"	2.10"
11543-16-12	1"	3/4"	2.74"	1-3/4"	1.30"
11543-16-16	1"	1"	4.25"	1-3/4"	2.63"
11543-20-16	1-1/4"	1"	3.19"	2"	1.57"
11543-20-20	1-1/4"	1-1/4"	4.70"	2"	3.01"
11543-24-20	1-1/2"	1-1/4"	3.22"	2-3/8"	1.53"
11543-24-24	1-1/2"	1-1/2"	4.59"	2-3/8"	3.22"
11543-24-32	1-1/2"	2"	5.65"	2-7/8"	3.87"
11543-32-20	2"	1-1/4"	4.29"	2-13/16"	2.60"
11543-32-24	2"	1-1/2"	3.14"	2-7/8"	1.77"
11543-32-32	2"	2"	4.99"	2-13/16"	3.21"


SAE Code 61 Flange Head - 45° Elbow



Part Number	Flange	Hose	A	E	F	B
11743-8-8	1/2"	1/2"	3.28"	0.77"	1-3/16"	2.02"
11743-10-10	5/8"	5/8"	4.63"	0.94"	1-11/32"	3.19"
11743-12-8	3/4"	1/2"	3.32"	0.81"	1-1/2"	2.06"
11743-12-12	3/4"	3/4"	3.85"	1.02"	1-1/2"	2.41"
11743-16-12	1"	3/4"	3.85"	1.02"	1-3/4"	2.41"
11743-16-16	1"	1"	4.76"	1.26"	1-3/4"	3.14"
11743-20-16	1-1/4"	1"	4.76"	1.26"	2"	3.14"
11743-20-20	1-1/4"	1-1/4"	5.61"	1.50"	2"	3.92"
11743-20-24	1-1/4"	1-1/2"	5.45"	1.38"	2"	4.08"
11743-24-20	1-1/2"	1-1/4"	5.55"	1.50"	2-3/8"	3.86"
11743-24-24	1-1/2"	1-1/2"	5.50"	1.43"	2-3/8"	4.13"
11743-32-24	2"	1-1/2"	5.49"	1.42"	2-13/16"	4.12"
11743-32-32	2"	2"	7.23"	1.98"	2-13/16"	5.45"


Hydraulic Hose Fittings

SAE Code 61 Flange Head - 90° Elbow



Part Number	Flange	Hose	A	E	F	B
11943-8-8	1/2"	1/2"	2.93"	1.60"	1-3/16"	1.67"
11943-10-10	5/8"	5/8"	3.71"	2.10"	1-11/32"	2.27"
11943-12-8	3/4"	1/2"	2.93"	1.66"	1-1/2"	1.67"
11943-12-10	3/4"	5/8"	3.71"	2.10"	1-1/2"	2.27"
11943-12-12	3/4"	3/4"	3.51"	2.28"	1-1/2"	2.07"
11943-16-8	1"	1/2"	2.91"	2.03"	1-3/4"	1.65"
11943-16-12	1"	3/4"	3.52"	2.28"	1-3/4"	1.92"
11943-16-16	1"	1"	4.28"	2.78"	1-3/4"	2.66"
11943-20-16	1-1/4"	1"	4.25"	2.76"	2"	2.63"
11943-20-20	1-1/4"	1-1/4"	5.12"	3.54"	2"	3.43"
11943-24-20	1-1/2"	1-1/4"	5.09"	3.54"	2-3/8"	3.40"
11943-20-24	1-1/4"	1-1/2"	4.19"	2.49"	2"	2.82"
11943-24-24	1-1/2"	1-1/2"	5.50"	3.11"	2-3/8"	4.13"
11943-32-24	2"	1-1/2"	5.48"	3.10"	2-13/16"	4.11"
11943-32-32	2"	2"	6.75"	4.48"	2-13/16"	4.97"


Female Seal-Lok - Swivel - Short



Part Number	Thread	Hose	A	C	H	W	B
1JC43-4-4	1/4"	1/4"	1.63"	0.32"	9/16"	11/16"	0.88"
1JC43-4-6	1/4"	3/8"	1.90"	0.32"	11/16"	11/16"	0.87"
1JC43-6-4	3/8"	1/4"	1.67"	0.32"	11/16"	13/16"	0.92"
1JC43-6-5	3/8"	5/16"	1.65"	0.32"	11/16"	13/16"	0.90"
1JC43-6-6	3/8"	3/8"	1.94"	0.32"	11/16"	13/16"	0.91"
1JC43-8-6	1/2"	3/8"	2.00"	0.43"	13/16"	15/16"	0.97"
1JC43-8-8	1/2"	1/2"	2.22"	0.43"	13/16"	15/16"	0.96"
1JC43-10-8	5/8"	1/2"	2.30"	0.53"	15/16"	1-1/8"	1.04"
1JC43-10-10	5/8"	5/8"	2.49"	0.53"	15/16"	1-1/8"	1.05"
1JC43-12-8	3/4"	1/2"	2.48"	0.57"	1-1/8"	1-3/8"	1.22"
1JC43-12-10	3/4"	5/8"	2.67"	0.57"	1-1/8"	1-3/8"	1.23"
1JC43-12-12	3/4"	3/4"	2.68"	0.57"	1-1/8"	1-3/8"	1.24"
1JC43-12-16	3/4"	1"	2.99"	0.57"	1-5/16"	1-3/8"	1.37"
1JC43-16-12	1"	3/4"	2.83"	0.58"	1-3/8"	1-5/8"	1.39"
1JC43-16-16	1"	1"	3.14"	0.58"	1-3/8"	1-5/8"	1.52"
1JC43-20-20	1-1/4"	1-1/4"	3.27"	0.59"	1-7/8"	1-7/8"	1.58"


Hydraulic Hose Fittings

Male Seal-Lok - Rigid - (O-Ring)



Part Number	Thread	Hose	A	H	B
1J043-4-4	1/4"	1/4"	1.73"	5/8"	0.98"
1J043-6-6	3/8"	3/8"	2.08"	3/4"	1.05"
1J043-8-6	1/2"	3/8"	2.20"	7/8"	1.17"
1J043-8-8	1/2"	1/2"	2.42"	7/8"	1.17"
1J043-10-8	5/8"	1/2"	2.61"	1-1/16"	1.35"
1J043-10-10	5/8"	5/8"	2.73"	1-1/16"	1.34"
1J043-12-10	3/4"	5/8"	2.89"	1-1/4"	1.45"
1J043-12-12	3/4"	3/4"	2.90"	1-1/4"	1.46"
1J043-16-12	1"	3/4"	2.93"	1-1/2"	1.49"
1J043-16-16	1"	1"	3.29"	1-1/2"	1.67"
1J043-20-20	1-1/4"	1-1/4"	3.32"	1-3/4"	1.63"


Female Seal-Lok - Swivel - Long



Part Number	Thread	Hose	A	H	W	B
1JS43-4-4	1/4"	1/4"	2.07"	9/16"	11/16"	1.32"
1JS43-4-6	1/4"	3/8"	2.21"	11/16"	11/16"	1.18"
1JS43-6-4	3/8"	1/4"	2.14"	9/16"	13/16"	1.39"
1JS43-6-6	3/8"	3/8"	2.28"	11/16"	13/16"	1.25"
1JS43-6-8	3/8"	1/2"	2.50"	13/16"	13/16"	1.24"
1JS43-8-4	1/2"	1/4"	2.26"	11/16"	15/16"	1.51"
1JS43-8-6	1/2"	3/8"	2.53"	11/16"	15/16"	1.50"
1JS43-8-8	1/2"	1/2"	2.65"	13/16"	15/16"	1.39"
1JS43-8-10	1/2"	5/8"	2.82"	15/16"	15/16"	1.38"
1JS43-10-6	5/8"	3/8"	2.63"	11/16"	1-1/8"	1.62"
1JS43-10-8	5/8"	1/2"	2.89"	13/16"	1-1/8"	1.63"
1JS43-10-10	5/8"	5/8"	3.07"	15/16"	1-1/8"	1.66"
1JS43-10-12	5/8"	3/4"	3.08"	1-1/16"	1-1/8"	1.64"
1JS43-12-8	3/4"	1/2"	2.90"	15/16"	1-3/8"	1.64"
1JS43-12-10	3/4"	5/8"	3.19"	1-1/8"	1-3/8"	1.75"
1JS43-12-12	3/4"	3/4"	3.31"	1-1/8"	1-3/8"	1.87"
1JS43-12-16	3/4"	1"	3.53"	1-5/16"	1-3/8"	1.91"
1JS43-16-12	1"	3/4"	3.37"	1-3/8"	1-5/8"	1.93"
1JS43-16-16	1"	1"	3.62"	1-3/8"	1-5/8"	2.00"
1JS43-16-20	1"	1-1/4"	3.77"	1-3/4"	1-5/8"	2.08"
1JS43-20-16	1-1/4"	1"	3.64"	1-3/8"	1-7/8"	2.02"
1JS43-20-20	1-1/4"	1-1/4"	3.77"	1-3/4"	1-7/8"	2.15"
1JS43-24-20	1-1/2"	1-1/4"	3.88"	1-3/4"	2-1/4"	2.23"
1JS43-24-24	1-1/2"	1-1/2"	3.91"	1-7/8"	2-1/4"	2.54"

Hydraulic Hose Fittings


Female Seal-Lok - Swivel - 45° Elbow



Part Number	Thread	Hose	A	E	W	B
1J743-4-4	1/4"	1/4"	1.97"	0.39"	11/16"	1.22"
1J743-4-6	1/4"	3/8"	2.23"	0.39"	11/16"	1.20"
1J743-6-4	3/8"	1/4"	2.08"	0.43"	13/16"	1.33"
1J743-6-5	3/8"	5/16"	2.37"	0.43"	13/16"	1.62"
1J743-6-6	3/8"	3/8"	2.34"	0.43"	13/16"	1.31"
1J743-6-8	3/8"	1/2"	2.66"	0.43"	13/16"	1.41"
1J743-8-4	1/2"	1/4"	2.56"	0.59"	15/16"	1.81"
1J743-8-6	1/2"	3/8"	2.53"	0.59"	15/16"	1.50"
1J743-8-8	1/2"	1/2"	2.83"	0.59"	15/16"	1.57"
1J743-8-10	1/2"	5/8"	3.09"	0.59"	15/16"	1.65"
1J743-10-8	5/8"	1/2"	2.93"	0.63"	1-1/8"	1.67"
1J743-10-10	5/8"	5/8"	3.17"	0.63"	1-1/8"	1.73"
1J743-10-12	5/8"	3/4"	3.36"	0.65"	1-1/8"	1.93"
1J743-12-8	3/4"	1/2"	3.57"	0.82"	1-3/8"	2.31"
1J743-12-10	3/4"	5/8"	3.62"	0.83"	1-3/8"	2.18"
1J743-12-12	3/4"	3/4"	3.63"	0.83"	1-3/8"	2.19"
1J743-12-16	3/4"	1"	3.67"	0.81"	1-3/8"	2.05"
1J743-16-12	1"	3/4"	4.02"	0.94"	1-5/8"	2.59"
1J743-16-16	1"	1"	4.38"	0.94"	1-5/8"	2.76"
1J743-16-20	1"	1-1/4"	4.59"	0.94"	1-5/8"	2.94"
1J743-20-16	1-1/4"	1"	4.52"	1.00"	1-7/8"	2.93"
1J743-20-20	1-1/4"	1-1/4"	4.78"	1.00"	1-7/8"	3.09"
1J743-24-20	1-1/2"	1-1/4"	4.99"	1.11"	2-1/4"	3.30"
1J743-24-24	1-1/2"	1-1/2"	4.70"	1.07"	2-1/4"	3.33"


Hydraulic Hose Fittings

Female Seal-Lok - Swivel - 90° Elbow - Short Drop



Part Number	Thread	Hose	A	E	W	B
1J943-4-4	1/4"	1/4"	1.78"	0.83"	11/16"	1.03"
1J943-4-6	1/4"	3/8"	2.05"	0.83"	11/16"	1.02"
1J943-6-4	3/8"	1/4"	1.93"	0.91"	13/16"	1.18"
1J943-6-5	3/8"	5/16"	2.25"	0.90"	13/16"	1.50"
1J943-6-6	3/8"	3/8"	2.21"	0.91"	13/16"	1.18"
1J943-6-8	3/8"	1/2"	2.53"	0.90"	13/16"	1.27"
1J943-8-4	1/2"	1/4"	2.28"	1.15"	15/16"	1.53"
1J943-8-6	1/2"	3/8"	2.28"	1.14"	15/16"	1.25"
1J943-8-8	1/2"	1/2"	2.59"	1.14"	15/16"	1.33"
1J943-8-10	1/2"	5/8"	2.81"	1.15"	15/16"	1.37"
1J943-10-8	5/8"	1/2"	2.74"	1.26"	1-1/8"	1.48"
1J943-10-10	5/8"	5/8"	2.97"	1.26"	1-1/8"	1.53"
1J943-10-12	5/8"	3/4"	3.08"	1.27"	1-1/8"	1.64"
1J943-12-8	3/4"	1/2"	3.21"	1.89"	1-3/8"	1.95"
1J943-12-10	3/4"	5/8"	3.49"	1.89"	1-3/8"	2.05"
1J943-12-12	3/4"	3/4"	3.06"	1.89"	1-3/8"	2.05"
1J943-12-16	3/4"	1"	3.88"	1.89"	1-3/8"	2.26"
1J943-16-12	1"	3/4"	4.06"	2.22"	1-5/8"	2.62"
1J943-16-16	1"	1"	4.31"	2.20"	1-5/8"	2.69"
1J943-16-20	1"	1-1/4"	4.56"	2.21"	1-5/8"	2.87"
1J943-20-16	1-1/4"	1"	4.64"	2.54"	1-7/8"	3.02"
1J943-20-20	1-1/4"	1-1/4"	4.88"	2.51"	1-7/8"	3.19"
1J943-24-20	1-1/2"	1-1/4"	4.97"	2.70"	2-1/4"	3.32"
1J943-24-24	1-1/2"	1-1/2"	5.50"	2.68"	2-1/4"	4.13"


Female Seal-Lok - Swivel - 90° Elbow - Long Drop



Part Number	Thread	Hose	A	E	W	B
1J143-4-4	1/4"	1/4"	2.02"	1.81"	11/16"	1.27"
1J143-6-4	3/8"	1/4"	2.26"	2.29"	13/16"	1.51"
1J143-6-6	3/8"	3/8"	2.39"	2.13"	13/16"	1.36"
1J143-8-6	1/2"	3/8"	2.45"	2.52"	15/16"	1.42"
1J143-8-8	1/2"	1/2"	2.59"	2.52"	15/16"	1.33"
1J143-10-8	5/8"	1/2"	2.74"	2.79"	1-1/8"	1.48"
1J143-10-10	5/8"	5/8"	2.97"	2.76"	1-1/8"	1.53"
1J143-10-12	5/8"	3/4"	3.15"	2.76"	1-1/8"	1.73"
1J143-12-12	3/4"	3/4"	3.49"	3.78"	1-3/8"	2.05"
1J143-16-16	1"	1"	4.28"	4.49"	1-5/8"	2.66"
1J143-20-20	1-1/4"	1-1/4"	4.84"	5.09"	1-7/8"	3.15"
1J143-24-20	1-1/2"	1-1/4"	4.77"	5.54"	2-1/4"	3.12"


Hydraulic Tube Fittings

Pipe Nipple NPTF / NPTF



Part Number	End Size		C Hex (In.)	L (In.)
	1 NPTF	2 NPTF		
0101-2-2	1/8"	1/8"	7/16"	1.06
0101-4-2	1/4"	1/8"	5/8"	1.25
0101-4-4	1/4"	1/4"	5/8"	1.45
0101-6-2	3/8"	1/8"	3/4"	1.45
0101-6-4	3/8"	1/4"	3/4"	1.45
0101-6-6	3/8"	3/8"	3/4"	1.45
0101-8-2	1/2"	1/8"	7/8"	1.52
0101-8-4	1/2"	1/4"	7/8"	1.70
0101-8-6	1/2"	3/8"	7/8"	1.70
0101-8-8	1/2"	1/2"	7/8"	1.89
0101-12-4	3/4"	1/4"	1-1/8"	1.78
0101-12-6	3/4"	3/8"	1-1/8"	1.78
0101-12-8	3/4"	1/2"	1-1/8"	1.96
0101-12-12	3/4"	3/4"	1-1/8"	1.96
0101-16-4	1"	1/4"	1-3/8"	1.96
0101-16-6	1"	3/8"	1-3/8"	1.96
0101-16-8	1"	1/2"	1-3/8"	2.09
0101-16-12	1"	3/4"	1-3/8"	2.09
0101-16-16	1"	1"	1-3/8"	2.34
0101-20-16	1-1/4"	1"	1-3/4"	2.45
0101-20-20	1-1/4"	1-1/4"	1-3/4"	2.48
0101-24-20	1-1/2"	1-1/4"	2"	2.55
0101-24-24	1-1/2"	1-1/2"	2"	2.61


Straight Thread Union SAE-ORB / SAE-ORB




Part Number	End Size		C4 Hex (In.)	L1 (In.)
	1 UN/UNF-2A	2 UN/UNF-2A		
0505-4-4	7/16"	7/16"	9/16"	1.27
0505-6-6	9/16"	9/16"	11/16"	1.41
0505-8-8	3/4"	3/4"	7/8"	1.64
0505-10-10	7/8"	7/8"	1"	1.81
0505-12-12	1-1/16"	1-1/16"	1-1/4"	2.13
0505-16-16	1-5/16"	1-5/16"	1-1/2"	2.44
0505-20-20	1-5/8"	1-5/8"	1-7/8"	2.44
0505-24-24	1-7/8"	1-7/8"	2-1/8"	2.44

Hydraulic Tube Fittings

Pipe Coupling NPTF / NPTF



Pipe Thread Reducer NPTF / NPTF




Part Number	End Size		C Hex (In.)	L (In.)	W (In.)	W1 (In.)
	1 NPTF	2 NPTF				
0202-2-2	1/8"	1/8"	5/8"	0.75	0.63	0.63
0202-4-2	1/4"	1/8"	3/4"	0.94	0.75	0.63
0202-4-4	1/4"	1/4"	3/4"	1.13	0.75	0.75
0202-6-2	3/8"	1/8"	7/8"	1.03	0.88	0.63
0202-6-4	3/8"	1/4"	7/8"	1.13	0.88	0.75
0202-6-6	3/8"	3/8"	7/8"	1.13	0.88	0.88
0202-8-2	1/2"	1/8"	1-1/8"	1.06	1.13	0.63
0202-8-4	1/2"	1/4"	1-1/8"	1.38	1.13	0.75
0202-8-6	1/2"	3/8"	1-1/8"	1.50	1.13	0.88
0202-8-8	1/2"	1/2"	1-1/8"	1.50	1.13	1.13
0202-12-4	3/4"	1/4"	1-3/8"	1.55	1.36	0.75
0202-12-8	3/4"	1/2"	1-3/8"	1.88	1.36	1.13
0202-12-12	3/4"	3/4"	1-3/8"	1.53	1.38	1.38
0202-16-8	1"	1/2"	1-5/8"	1.77	1.63	1.13
0202-16-12	1"	3/4"	1-5/8"	1.77	1.63	1.38
0202-16-16	1"	1"	1-5/8"	1.89	1.63	1.63
0202-20-16	1-1/4"	1"	2"	1.93	2.00	1.63
0202-20-20	1-1/4"	1-1/4"	2"	1.93	2.00	2.00
0202-24-20	1-1/2"	1-1/4"	2-3/8"	1.93	2.00	2.38
0202-24-24	1-1/2"	1-1/2"	2-3/8"	1.93	2.38	2.38

Part Number	End Size		C2 Hex (In.)	L2 (In.)
	1 NPTF	2 NPTF		
0102-4-2	1/4"	1/8"	5/8"	0.86
0102-6-2	3/8"	1/8"	3/4"	0.86
0102-6-4	3/8"	1/4"	3/4"	0.86
0102-8-2	1/2"	1/8"	7/8"	1.11
0102-8-4	1/2"	1/4"	7/8"	1.11
0102-8-6	1/2"	3/8"	7/8"	1.11
0102-12-2	3/4"	1/8"	1-1/8"	1.17
0102-12-4	3/4"	1/4"	1-1/8"	1.17
0102-12-6	3/4"	3/8"	1-1/8"	1.17
0102-12-8	3/4"	1/2"	1-1/8"	1.17
0102-16-2	1"	1/8"	1-3/8"	1.36
0102-16-4	1"	1/4"	1-3/8"	1.36
0102-16-6	1"	3/8"	1-3/8"	1.36
0102-16-8	1"	1/2"	1-3/8"	1.36
0102-16-12	1"	3/4"	1-3/8"	1.36
0102-20-4	1-1/4"	1/4"	1-3/4"	1.47
0102-20-6	1-1/4"	3/8"	1-3/4"	1.47
0102-20-8	1-1/4"	1/2"	1-3/4"	1.47
0102-20-12	1-1/4"	3/4"	1-3/4"	1.47
0102-20-16	1-1/4"	1"	1-3/4"	1.47
0102-24-4	1-1/2"	1/4"	2"	1.52
0102-24-6	1-1/2"	3/8"	2"	1.58
0102-24-8	1-1/2"	1/2"	2"	1.58
0102-24-12	1-1/2"	3/4"	2"	1.58
0102-24-16	1-1/2"	1"	2"	1.58
0102-24-20	1-1/2"	1-1/4"	2"	1.58


Hydraulic Tube Fittings

Straight Thread Adaptor SAE-ORB / NPSM Swivel



Part Number	End Size		C2 Hex (In.)	W4 (In.)
	1 UN/UNF-2A	2 NPSM		
0507-4-2	7/16"	1/8"	9/16"	1.21
0507-4-4	7/16"	1/4"	9/16"	1.32
0507-5-4	1/2"	1/4"	5/8"	1.32
0507-6-4	9/16"	1/4"	11/16"	1.35
0507-6-6	9/16"	3/8"	11/16"	1.37
0507-6-8	9/16"	1/2"	3/4"	1.57
0507-8-4	3/4"	1/4"	7/8"	1.43
0507-8-6	3/4"	3/8"	7/8"	1.45
0507-8-8	3/4"	1/2"	7/8"	1.56
0507-8-12	3/4"	3/4"	1"	1.79
0507-10-6	7/8"	3/8"	1"	1.59
0507-10-8	7/8"	1/2"	1"	1.73
0507-10-12	7/8"	3/4"	1-1/4"	1.88
0507-12-8	1-1/16"	1/2"	1-1/4"	1.88
0507-12-12	1-1/16"	3/4"	1-1/4"	1.97
0507-12-16	1-1/16"	1"	1-1/2"	2.12
0507-14-12	1-3/16"	3/4"	1-3/8"	1.97
0507-16-12	1-5/16"	3/4"	1-1/2"	1.90
0507-16-16	1-5/16"	1"	1-1/2"	2.12
0507-20-16	1-5/8"	1"	1-7/8"	2.20
0507-20-20	1-5/8"	1-1/4"	1-7/8"	2.21
0507-24-24	1-7/8"	1-1/2"	2-1/8"	2.39


Male Pipe Adaptor NPTF / NPSM Swivel



Part Number	End Size		C1 Hex (In.)	W (In.)
	1 NPTF	2 NPSM		
0107-2-2	1/8"	1/8"	9/16"	1.09
0107-2-4	1/8"	1/4"	5/8"	1.24
0107-4-2	1/4"	1/8"	11/16"	1.39
0107-4-4	1/4"	1/4"	11/16"	1.43
0107-4-6	1/4"	3/8"	13/16"	1.45
0107-4-8	1/4"	1/2"	15/16"	1.44
0107-6-4	3/8"	1/4"	11/16"	1.49
0107-6-6	3/8"	3/8"	7/8"	1.51
0107-6-8	3/8"	1/2"	15/16"	1.73
0107-8-4	1/2"	1/4"	1"	1.75
0107-8-6	1/2"	3/8"	7/8"	1.7
0107-8-8	1/2"	1/2"	1"	1.91
0107-8-12	1/2"	3/4"	1-1/4"	2.04
0107-12-8	3/4"	1/2"	1-1/8"	1.91
0107-12-12	3/4"	3/4"	1-1/4"	2.04
0107-12-16	3/4"	1"	1-1/2"	2.17
0107-16-12	1"	3/4"	1-3/8"	2.29
0107-16-16	1"	1"	1-1/2"	2.37
0107-16-20	1"	1-1/4"	1-3/4"	2.38
0107-20-16	1-1/4"	1"	1-7/8"	2.46
0107-20-20	1-1/4"	1-1/4"	1-7/8"	2.47
0107-20-24	1-1/4"	1-1/2"	2-1/8"	2.58
0107-24-20	1-1/2"	1-1/4"	2-1/8"	2.51
0107-24-24	1-1/2"	1-1/2"	2-1/8"	2.61


Hydraulic Tube Fittings

Female Pipe Adaptor NPTF / NPSM Swivel



Part Number	End Size		C1 Hex (In.)	W1 (In.)
	1 NPTF	2 NPSM		
0207-2-2	1/8"	1/8"	9/16"	1.02
0207-2-4	1/8"	1/4"	11/16"	1.33
0207-4-2	1/4"	1/8"	9/16"	1.32
0207-4-4	1/4"	1/4"	11/16"	1.43
0207-6-4	3/8"	1/4"	7/8"	1.49
0207-6-6	3/8"	3/8"	7/8"	1.51
0207-6-8	3/8"	1/2"	1"	1.64
0207-8-4	1/2"	1/4"	1"	1.70
0207-8-6	1/2"	3/8"	1"	1.73
0207-8-8	1/2"	1/2"	1"	1.79
0207-12-8	3/4"	1/2"	1-1/4"	1.85
0207-12-12	3/4"	3/4"	1-1/4"	1.97
0207-16-12	1"	3/4"	1-1/2"	2.28
0207-16-16	1"	1"	1-1/2"	2.37
0207-20-20	1-1/4"	1-1/4"	1-7/8"	2.38
0207-24-24	1-1/2"	1-1/2"	2-1/8"	2.42


Straight Thread Elbow SAE-ORB / NPSM Swivel




Part Number	End Size		C2 Hex (In.)	N5 (In.)	W3 (In.)
	1 UN/UNF-2A	2 NPSM			
2507-4-4	7/16"	1/4"	7/16"	1.03	0.97
2507-4-6	7/16"	3/8"	9/16"	1.28	1.23
2507-6-4	9/16"	1/4"	9/16"	1.25	1.06
2507-6-6	9/16"	3/8"	9/16"	1.25	1.10
2507-6-8	9/16"	1/2"	3/4"	1.41	1.29
2507-8-4	3/4"	1/4"	3/4"	1.30	1.09
2507-8-6	3/4"	3/8"	3/4"	1.45	1.19
2507-8-8	3/4"	1/2"	3/4"	1.45	1.33
2507-8-12	3/4"	3/4"	3/4"	1.62	1.65
2507-10-6	7/8"	3/8"	7/8"	1.70	1.26
2507-10-8	7/8"	1/2"	7/8"	1.70	1.40
2507-10-12	7/8"	3/4"	7/8"	1.78	1.62
2507-12-8	1-1/16"	1/2"	1-1/16"	1.94	1.50
2507-12-12	1-1/16"	3/4"	1-1/16"	1.94	1.65
2507-12-16	1-1/16"	1"	1-3/16"	2.08	1.91
2507-16-12	1-5/16"	3/4"	1-3/16"	2.08	1.89
2507-16-16	1-5/16"	1"	1-5/16"	2.05	1.91
2507-20-20	1-5/8"	1-1/4"	1-5/8"	2.25	2.16
2507-24-24	1-7/8"	1-1/2"	1-7/8"	2.39	2.31

Hydraulic Tube Fittings

Male Pipe Elbow NPTF / NPSM Swivel



Female Pipe Elbow NPTF / NPSM Swivel



Part Number	End Size		C1 Hex (In.)	N1 (In.)	W3 (In.)
	1 NPTF	2 NPSM			
2107-2-2	1/8"	1/8"	7/16"	0.72	0.85
2107-2-4	1/8"	1/4"	7/16"	1.00	0.97
2107-4-2	1/4"	1/8"	9/16"	1.02	1.05
2107-4-4	1/4"	1/4"	9/16"	1.09	1.06
2107-4-6	1/4"	3/8"	3/4"	1.09	1.28
2107-6-4	3/8"	1/4"	3/4"	1.22	1.17
2107-6-6	3/8"	3/8"	3/4"	1.22	1.28
2107-6-8	3/8"	1/2"	3/4"	1.22	1.33
2107-8-4	1/2"	1/4"	7/8"	1.69	1.18
2107-8-6	1/2"	3/8"	7/8"	1.47	1.35
2107-8-8	1/2"	1/2"	7/8"	1.47	1.40
2107-8-12	1/2"	3/4"	1-1/16"	1.47	1.65
2107-12-6	3/4"	3/8"	1-1/16"	1.59	1.48
2107-12-8	3/4"	1/2"	1-1/16"	1.59	1.53
2107-12-12	3/4"	3/4"	1-1/16"	1.59	1.65
2107-12-16	3/4"	1"	1-3/16"	2.19	1.72
2107-16-12	1"	3/4"	1-5/16"	1.97	1.82
2107-16-16	1"	1"	1-5/16"	1.97	1.91
2107-16-20	1"	1-1/4"	1-7/16"	2.41	1.87
2107-20-16	1-1/4"	1"	1-5/8"	2.62	1.98
2107-20-20	1-1/4"	1-1/4"	1-5/8"	2.38	2.11
2107-24-24	1-1/2"	1-1/2"	1-7/8"	2.64	2.31

Part Number	End Size		C1 Hex (In.)	N3 (In.)	W3 (In.)
	1 NPTF	2 NPSM			
2207-2-2	1/8"	1/8"	9/16"	0.66	0.95
2207-4-4	1/4"	1/4"	3/4"	0.88	1.17
2207-4-6	1/4"	3/8"	7/8"	0.88	1.26
2207-6-6	3/8"	3/8"	7/8"	1.02	1.26
2207-8-6	1/2"	3/8"	1-1/16"	1.37	1.34
2207-8-8	1/2"	1/2"	1-1/16"	1.23	1.53
2207-12-12	3/4"	3/4"	1-5/16"	1.36	1.82
2207-16-16	1"	1"	1-5/8"	1.62	2.10
2207-20-20	1-1/4"	1-1/4"	1-7/8"	1.70	2.21
2207-24-24	1-1/2"	1-1/2"	2-1/2"	2.08	2.83

4000 Series Quick Couplers

Male Tips



Ball Valve



Poppet

Features:

- Conforms to ISO 5675 requirements
- DC poppet style offers connect under pressure
- Poppet style prevents uncoupled leakage of hyd. Fluid
- Hardened locking ball groove prevents Brinelling
- Shielded and positive valve stop eliminates flow checking
- Protective zinc plating with clear trivalent chromate finish

Body Size	Part Number	Port End	Valve Type	Length	Weight (Lbs.)	Female Coupler	Complete Coupler
1/4"	4010-2P	1/4" NPTF	Poppet	1.48	0.08	4050-2P	4000-2P
3/8"	4010-3P	3/8" NPTF	Poppet	1.60	0.16	4050-3P	4000-3P
1/2"	8010-4	1/2" NPTF	Ball	1.95	0.20	4050-4	4000-4
1/2"	8010-4P	1/2" NPTF	Poppet	1.95	0.20	4050-4P	4000-4P
1/2"	8010-4P-DC	1/2" NPTF	Poppet	1.95	0.20	4050-4P	N/A
1/2"	8010-5	3/4" NPTF	Ball	2.14	0.25	4050-5	4000-5
1/2"	8010-5P	3/4" NPTF	Poppet	2.14	0.25	4050-5P	4000-5P
1/2"	8010-15	3/4" ORB	Ball	1.95	0.20	4050-15	4000-15
1/2"	8010-15P	3/4" ORB	Poppet	1.95	0.20	4050-15P	4000-15P
1/2"	8010-15P-DC	3/4" ORB	Poppet	1.95	0.25	4050-15P	N/A
1/2"	8010-16	7/8" ORB	Ball	1.95	0.25	4050-16	4000-16
1/2"	8010-16P	7/8" ORB	Poppet	1.95	0.25	4050-16P	4000-16P
3/4"	4110-5	3/4" NPTF	Ball	1.81	0.50	4150-5	4100-5
1"	4010-6P	1" NPTF	Poppet	2.79	0.62	4050-6P	4000-6P

Dust Caps For Male Tips

Body Size	Part Number	Box Qty	Weight (Ea.)
1/4"	5209-2M	10	0.02
3/8"	5209-3M	10	0.03
1/2"	5209-4M	10	0.04
3/4"	5209-5M	10	0.05
1"	5209-6M	10	0.06



4000 Series Quick Couplers

Female Couplers



Features:

- Accepts ISO 5675 universal tips
- Basic operation where coupler sleeve is manually retracted to allow connection with male tip
- Critical parts are induction hardened
- Ball and poppet valve options
- Protective zinc plating with clear trivalent chromate finish

Body Size	Part Number	Port End	Valve Type	Length	Weight (Lbs.)	Male Tip	Complete Coupler
1/4"	4050-2P	1/4" NPTF	Poppet	2.18	0.24	4010-2P	4000-2P
3/8"	4050-3P	3/8" NPTF	Poppet	2.31	0.51	4010-3P	4000-3P
1/2"	4050-4	1/2" NPTF	Ball	2.60	0.58	8010-4	4000-4
1/2"	4050-4P	1/2" NPTF	Poppet	2.60	0.58	8010-4P	4000-4P
1/2"	4050-5	3/4" NPTF	Ball	2.69	0.71	8010-5	4000-5
1/2"	4050-5P	3/4" NPTF	Poppet	2.69	0.71	8010-5P	4000-5P
1/2"	4050-15	3/4" ORB	Ball	2.81	0.64	8010-15	4000-15
1/2"	4050-15P	3/4" ORB	Poppet	2.81	0.64	8010-15P	4000-15P
1/2"	4050-16	7/8" ORB	Ball	2.75	0.59	8010-16	4000-16
1/2"	4050-16P	7/8" ORB	Poppet	2.75	0.59	8010-16P	4000-16P
3/4"	4150-5	3/4" NPTF	Ball	3.06	1.00	4110-5	4100-5
1"	4050-6P	1" NPTF	Poppet	3.84	1.89	4010-6P	4000-6P

Dust Plugs For Female Couplers



Body Size	Part Number	Box Qty	Weight (Ea.)
1/4"	5205-2M	10	0.02
3/8"	5205-3M	10	0.03
1/2"	5205-4M	10	0.04
3/4"	5205-5M	10	0.05
1"	5205-6M	10	0.06

Replacement O-Rings 4000 Series Couplers



Body Size	Part Number	Material
1/4"	2-113	Nitrile
3/8"	2-116	Nitrile
1/2"	2-211	Nitrile
3/4"	2-215	Nitrile
1"	2-218	Nitrile

4200 Series Quick Couplers

Female Couplers



Features:

- Accepts ISO 5675 universal tips
- Grooves in sleeve to accommodate bulkhead mounting
- One-handed push-to-connect operation when coupler is clamp mounted
- 1/2" body size couplers are compatible with 5001-4 and 5006-4 breakway clamps
- Critical parts are induction hardened
- Ball and poppet valve options
- Protective zinc plating with clear trivalent chromate finish

Body Size	Part Number	Port End	Valve Type	Length	Weight (Lbs.)	Male Tip	Complete Coupler
3/8"	4250-3P	3/8" NPTF	Poppet	2.31	0.39	4010-3P	4000-3P
1/2"	4250-4	1/2" NPTF	Ball	2.68	0.55	8010-4	4200-4
1/2"	4250-4P	1/2" NPTF	Poppet	2.68	0.55	8010-4P	4200-4P
1/2"	4250-15	3/4" ORB	Ball	2.68	0.55	8010-15	4200-15
1/2"	4250-15P	3/4" ORB	Poppet	2.68	0.55	8010-15P	4200-15P

Dust Plugs For Female Couplers



Body Size	Part Number	Box Qty	Weight (Ea.)
3/8"	5205-3M	10	0.03
1/2"	5205-4M	10	0.04

Replacement O-Rings 4200 Series Couplers



Body Size	Part Number	Material
3/8"	2-116	Nitrile
1/2"	2-211	Nitrile

Clamps For 4200 Series Couplers



Body Size	Part Number	Clamp Type	Weight (Ea.)
1/2"	5001-4	Single	0.66
1/2"	5006-4	Double	0.81

6600 Series Quick Couplers

Female Couplers



Features:

- Accepts ISO 7241-1, Series A compliant male tips
- Poppet valves and a metal perch to maintain valve alignment and prevent flow checking
- Couplers are hardened to be damage resistance
- Standard end configurations include female pipe and straight thread ORB
- Protective zinc plating with clear trivalent chromate finish

Body Size	Part Number	Port End	Valve Type	Length	Weight (Lbs.)	Male Tip
1/4"	6601-2-4	1/8" NPTF	Poppet	1.85	0.27	6602-2-4
1/4"	6601-4-4	1/4" NPTF	Poppet	1.85	0.26	6602-4-4
3/8"	6601-6-6	3/8" NPTF	Poppet	2.18	0.39	6602-6-6
3/8"	6608-6-6	9/16" ORB	Poppet	2.18	0.38	6610-6-6
1/2"	6601-8-10	1/2" NPTF	Poppet	2.75	0.67	6602-8-6
1/2"	6601-12-10	3/4" NPTF	Poppet	2.88	0.71	6602-12-10
1/2"	6608-8-10	1-1/16" ORB	Poppet	2.74	0.67	6610-8-10
1/2"	6608-10-10	1-1/16" ORB	Poppet	2.79	0.64	6610-10-10
1/2"	6608-12-10	1-1/16" ORB	Poppet	3.01	0.77	6610-12-10
3/4"	6601-12-12	3/4" NPTF	Poppet	3.36	1.31	6602-12-12
3/4"	6608-12-12	1-1/16" ORB	Poppet	3.35	1.31	6610-12-12
1"	6601-16-16	1" NPTF	Poppet	4.11	1.93	6602-16-16
1"	6608-16-16	1-1/16" ORB	Poppet	4.11	1.75	6610-16-16

Male Tips



Body Size	Part Number	Port End	Valve Type	Length	Weight (Lbs.)	Female Coupler
1/4"	6602-2-4	1/8" NPTF	Poppet	1.41	0.05	6601-2-4
1/4"	6602-4-4	1/4" NPTF	Poppet	1.41	0.07	6601-4-4
3/8"	6602-6-6	3/8" NPTF	Poppet	1.63	0.11	6601-6-6
3/8"	6610-6-6	9/16" ORB	Poppet	1.63	0.13	6608-6-6
1/2"	6602-8-10	1/2" NPTF	Poppet	2.08	0.21	6601-8-6
1/2"	6602-12-10	3/4" NPTF	Poppet	2.30	0.33	6601-12-10
1/2"	6610-8-10	1-1/16" ORB	Poppet	2.08	0.22	6608-8-10
1/2"	6610-10-10	1-1/16" ORB	Poppet	2.08	0.21	6608-10-10
1/2"	6610-12-10	1-1/16" ORB	Poppet	2.30	0.33	6608-12-10
3/4"	6602-12-12	3/4" NPTF	Poppet	2.55	0.49	6601-12-12
3/4"	6610-12-12	1-1/16" ORB	Poppet	2.55	0.47	6608-12-12
1"	6602-16-16	1" NPTF	Poppet	3.10	0.75	6601-16-16
1"	6610-16-16	1-1/16" ORB	Poppet	3.10	0.72	6608-16-16

8200 Series Quick Couplers



Features:

- Accepts ISO 5675 universal tips
- Connect under system pressure on the coupler side and residual pressure on the male tip side
- Sleeve designed to accommodate bracket mounting
- One-handed push-to-connect operation when coupler is clamp mounted
- 1/2" body size couplers are compatible with 5001-4 and 5006-4 breakaway clamps
- Critical parts are induction hardened
- Protective zinc plating with clear trivalent chromate finish

Body Size	Part Number	Port End	Valve Type	Length	Weight (Lbs.)	Male Tip	Complete Coupler
1/2"	8250-4	1/2" NPSF	Poppet	3.29	0.63	8010-4	8200-4
1/2"	8250-15	3/4" ORB	Poppet	3.29	0.63	8010-15	8200-15
1/2"	8250-16	7/8" ORB	Poppet	3.29	0.63	8010-16	8200-16

Dust Plugs For Female Couplers



Body Size	Part Number	Box Qty	Weight (Ea.)
1/2"	5209-4M	10	0.02

Replacement O-Rings 8200 Series Couplers



Body Size	Part Number	Material
1/2"	2-211	Nitrile

9200 Series Quick Couplers



Part Number	Description	Body Size	Thread Size
9250-4L	Female Body Coupler LH (Yellow)	1/2"	1/2" NPTF
9250-4R	Female Body Coupler RH (Red)	1/2"	1/2" NPTF
8010-4P	Male Tip	1/2"	1/2" NPTF
9006-4	Body Clamp (Double-breakaway)	1/2"	
9507-4-1H	Automatic Dust Cover	1/2"	
9507-4-1	Dust Cover	1/2"	
5209-4	Dust Cap	1/2"	
2-211	Replacement O-Ring	1/2"	



Part Number	Description	Body Size	Thread Size
9500-4	Complete Coupler Kit Includes: (1) 9250-4L, (1) 9250-4R, (1) 9006-4, (1) 9507-4-1H	1/2"	1/2" NPTF

Replacement Parts



Part Number	Description	Body Size
9006-4	Body Clamp (Double-breakaway)	1/2"
9507-4-1H	Automatic Dust Cover	1/2"

FEM Series Couplings (Flush Face)

Female Couplers



Features:

- Flush, non-spill valving
- Hardened steel sleeves and nipple bodies
- Optional locking sleeve
- Blow-out resistant seal
- Connect-under-pressure nipple option
- Protective zinc plating with clear trivalent chromate finish

Body Size	Part Number	Port End	Length	Weight (Lbs.)	Male Tip
1/4"	FEM-251-4FP-NL	1/4" NPSF	1.96	0.25	FEM-252-4FP
1/4"	FEM-251-6FO-NL	9/16" UNF	2.08	0.25	FEM-252-4FP
3/8"	FEM-371-6FP-NL	3/8" NPSF	2.89	0.51	FEM-372-6FP
3/8"	FEM-371-8FO-NL	3/4" UNF	2.89	0.51	FEM-372-8FO
1/2"	FEM-501-8FP-NL	1/2" NPSF	3.04	0.93	FEM-502-8FP
1/2"	FEM-501-8FO-NL	3/4" UNF	2.96	0.93	FEM-502-8FP
1/2"	FEM-501-10FO-NL	7/8" UNF	3.04	0.93	FEM-502-10FO
1/2"	FEM-501-12FO-NL	1-1/16" UNF	3.24	0.93	FEM-502-12FO
5/8"	FEM-621-12FO-NL	1-1/16" UNF	3.70	1.4	FEM-622-12FO
3/4"	FEM-751-12FP-NL	3/4" NPSF	3.95	2.04	FEM-752-12FP
3/4"	FEM-751-12FO-NL	1-1/16" UNF	3.95	2.04	FEM-752-12FO
1"	FEM-1001-16FP-NL	1" NPSF	4.21	2.7	FEM-1002-16FP
1"	FEM-1001-16FO-NL	1-5/16" UNF	4.21	2.7	FEM-1002-16FO

Male Tips



Body Size	Part Number	Port End	Length	Weight (Lbs.)	Female Coupler
1/4"	FEM-252-4FP	1/4" NPSF	1.71	0.17	FEM-251-4FP-NL
3/8"	FEM-372-6FP	3/8" NPSF	2.48	0.32	FEM-371-6FP-NL
3/8"	FEM-372-8FO	3/4" UNF	2.48	0.32	FEM-371-8FO-NL
1/2"	FEM-502-8FP	1/2" NPSF	2.85	0.54	FEM-501-8FP-NL
1/2"	FEM-502-10FO	7/8" UNF	2.85	0.54	FEM-501-10FO-NL
1/2"	FEM-502-12FO	1-1/16" UN	3.05	0.54	FEM-501-12FO-NL
5/8"	FEM-622-12FO	1-1/16" UN	3.09	0.76	FEM-621-12FO-NL
3/4"	FEM-752-12FP	3/4" NPSF	3.38	1.12	FEM-751-12FP-NL
3/4"	FEM-752-12FO	1-1/16" UN	3.38	1.12	FEM-751-12FO-NL
1"	FEM-1002-16FP	1" NPSF	3.85	1.72	FEM-1001-16FP-NL
1"	FEM-1002-16FO	1-5/16" UN	3.85	1.72	FEM-1001-16FO-NL

Pioneer Ag Coupler Adaptors



Part Number	Adapts This Male Tip	To This Female Body
4060-4	Pioneer Style	John Deere Old Style
4065-4	John Deere Old Style	Pioneer Style
4065-4L	John Deere Old Style	John Deere 50 Series, Ford/ISO, Pioneer 9250
4067-4	John Deere Old Style	International Harvester Old Style
4068-4	John Deere Old Style	JI Case Old Style
4070-4	Pioneer Style	International Harvester Old Style
4075-4	International Harvester Old Style	Pioneer Style
4075-4L	International Harvester Old Style	John Deere 50 Series, Ford/ISO, Pioneer 9250
4076-4	International Harvester Old Style	John Deere Old Style
4080-4	Pioneer Style	JI Case Old Style
4085-4	JI Case Old Style	Pioneer Style

Original Equipment Manufacturers Adaptors



Part Number	Description	O.E.M. Part Number	Port End
SM-502-8FP	Allis Chalmers Old Style Male Tip	247336	1/2" NPTF
5080-4	JI Case Old Style Male Tip	A160884	1/2" NPTF
8010-4P	Ford	D3NNB964A	1/2" NPTF
5060-4	John Deere Male Tip	RE11447	1/2" NPTF
5060-15	John Deere Male Tip	AR30210 (Old) AR93819 (New)	3/4" ORB
4056-4	John Deere Female Tip	N/A	1/2" NPTF
4056-15	John Deere Female Tip	AR47331 (Old) RE15361 (New)	3/4" ORB
5070-4	IH Male Tip	1272770	1/2" NPTF
5070-16	IH Male Tip	544787R91	7/8" ORB
5077-4	IH Male Tip	395151R1	1/2" NPTF
5077-16	IH Male Tip	395149R1	7/8" ORB
4057-4	IH Female Body	544787R1	1/2" NPTF

Quick Coupling Clamps



Part Number	Description
5001-4	Single breakaway clamp



Part Number	Description
5006-4	Double breakaway clamp



Part Number	Description
9006-4	Double breakaway clamp

Tie Rod Hydraulic Cylinders



Pressure Ratings:
2" - 4" Bore = 2500 PSI
5" Bore = 2000 PSI

A= Extended Rod

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)
HTR-2004	2"	4"	1-1/8"	14-1/4"	18-1/4"	1"	3/8" NPT & 3/8" SAE	7800	16.00
HTR-2006	2"	6"		16-1/4"	22-1/4"			7800	17.00
HTR-2008	2"	8"		18-1/4"	26-1/4"			7800	19.00
HTR-2008A	2"	8"		20-1/4"	28-1/4"			7800	20.00
HTR-2010	2"	10"		20-1/4"	30-1/4"			7800	20.00
HTR-2012	2"	12"		22-1/4"	34-1/4"			7800	22.00
HTR-2014	2"	14"		24-1/4"	38-1/4"			7800	24.00
HTR-2016	2"	16"		26-1/4"	42-1/4"			7800	25.00
HTR-2018	2"	18"		28-1/4"	46-1/4"			7000	27.00
HTR-2020	2"	20"		30-1/4"	50-1/4"			5900	28.00
HTR-2024	2"	24"		34-1/4"	58-1/4"			4400	31.00
HTR-2030	2"	30"		40-1/4"	70-1/4"			3000	36.00
HTR-2036	2"	36"		46-1/4"	82-1/4"			2200	41.00
HTR-2504	2-1/2"	4"	1-1/8"	14-1/4"	18-1/4"	1"	3/8" NPT & 3/8" SAE	12200	19.00
HTR-2506	2-1/2"	6"		16-1/4"	22-1/4"			12200	21.00
HTR-2508	2-1/2"	8"		18-1/4"	26-1/4"			12200	22.00
HTR-2508A	2-1/2"	8"		20-1/4"	28-1/4"			12200	23.00
HTR-2510	2-1/2"	10"		20-1/4"	30-1/4"			12200	24.00
HTR-2512	2-1/2"	12"		22-1/4"	34-1/4"			12200	26.00
HTR-2514	2-1/2"	14"		24-1/4"	38-1/4"			10300	28.00
HTR-2516	2-1/2"	16"		26-1/4"	42-1/4"			8400	29.00
HTR-2518	2-1/2"	18"	1-1/4"	28-1/4"	46-1/4"	1"	3/8" NPT & 3/8" SAE	10700	32.00
HTR-2520	2-1/2"	20"		30-1/4"	50-1/4"			9100	34.00
HTR-2524	2-1/2"	24"		34-1/4"	58-1/4"			6700	38.00
HTR-2530	2-1/2"	30"		40-1/4"	70-1/4"			4600	43.00
HTR-2536	2-1/2"	36"		46-1/4"	82-1/4"			3400	49.00
HTR-3004	3"	4"	1-1/4"	14-1/4"	18-1/4"	1"	1/2" NPT & 1/2" SAE	17600	24.00
HTR-3006	3"	6"		16-1/4"	22-1/4"			17600	26.00
HTR-3008	3"	8"		18-1/4"	26-1/4"			17600	28.00
HTR-3008A	3"	8"		20-1/4"	28-1/4"			17600	29.00
HTR-3010	3"	10"		20-1/4"	30-1/4"			17600	30.00
HTR-3012	3"	12"		22-1/4"	34-1/4"			17600	33.00
HTR-3014	3"	14"		24-1/4"	38-1/4"			15700	35.00
HTR-3016	3"	16"		26-1/4"	42-1/4"			12800	37.00
HTR-3016A	3"	16"	1-1/2"	31-1/2"	47-1/2"	1-1/4"	1/2" SAE	17600	42.00
HTR-3018	3"	18"		28-1/4"	46-1/4"	1"		17600	42.00
HTR-3020	3"	20"		30-1/4"	50-1/4"			17600	44.00
HTR-3024	3"	24"		34-1/4"	58-1/4"			14000	49.00
HTR-3030	3"	30"		40-1/4"	70-1/4"			9600	57.00
HTR-3036	3"	36"		46-1/4"	82-1/4"			7000	65.00

Column Load = Maximum Pushing Load

Phone: (800) 321-5247 Fax: (559) 237-2048

www.agwestparts.com

Tie Rod Cylinders

Tie Rod Hydraulic Cylinders



Pressure Ratings:

2" - 4" Bore = 2500 PSI


5" Bore = 2000 PSI

A= Extended Rod

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)		
HTR-3504	3-1/2"	4"	1-1/4"	14-1/4"	18-1/4"	1"	1/2" NPT & 1/2" SAE	24000	29.00		
HTR-3506	3-1/2"	6"		16-1/4"	22-1/4"			24000	32.00		
HTR-3508	3-1/2"	8"		18-1/4"	26-1/4"			24000	34.00		
HTR-3508A	3-1/2"	8"		20-1/4"	28-1/4"			24000	35.00		
HTR-3510	3-1/2"	10"		20-1/4"	30-1/4"			24000	37.00		
HTR-3512	3-1/2"	12"		22-1/4"	34-1/4"			19600	39.00		
HTR-3514	3-1/2"	14"		24-1/4"	38-1/4"			15700	42.00		
HTR-3516	3-1/2"	16"		26-1/4"	42-1/4"			12800	44.00		
HTR-3516A	3-1/2"	16"	1-1/2"	31-1/2"	47-1/2"	1-1/4"	1/2" SAE	21100	50.00		
HTR-3518	3-1/2"	18"	1-1/4"	28-1/4"	46-1/4"	1"		10700	47.00		
HTR-3520	3-1/2"	20"		30-1/4"	50-1/4"			9100	49.00		
HTR-3524	3-1/2"	24"	1-1/2"	34-1/4"	58-1/4"			14000	58.00		
HTR-3530	3-1/2"	30"		40-1/4"	70-1/4"			9600	66.00		
HTR-3536	3-1/2"	36"		46-1/4"	82-1/4"			7000	74.00		
HTR-4004	4"	4"	1-1/4"	14-1/4"	18-1/4"			1"	1/2" NPT & 1/2" SAE	31400	33.00
HTR-4006	4"	6"		16-1/4"	22-1/4"					31200	36.00
HTR-4008	4"	8"		18-1/4"	26-1/4"		25400			38.00	
HTR-4008A	4"	8"		20-1/4"	28-1/4"	22200	39.00				
HTR-4010	4"	10"		20-1/4"	30-1/4"	25100	41.00				
HTR-4012	4"	12"		22-1/4"	34-1/4"	19600	44.00				
HTR-4014	4"	14"		24-1/4"	38-1/4"	15700	46.00				
HTR-4016	4"	16"		26-1/4"	42-1/4"	12800	49.00				
HTR-4016A	4"	16"	2"	31-1/2"	47-1/2"	1-1/4"	31400	63.00			
HTR-4018	4"	18"	1-1/2"	28-1/4"	46-1/4"	1"	1/2" SAE	22300		55.00	
HTR-4020	4"	20"		30-1/4"	50-1/4"			18800		58.00	
HTR-4024	4"	24"		34-1/4"	58-1/4"			14000		64.00	
HTR-4024-2	4"	24"	2"	34-1/4"	58-1/4"			31400	73.00		
HTR-4030	4"	30"		40-1/4"	70-1/4"			30500	84.00		
HTR-4036	4"	36"		46-1/4"	82-1/4"			22200	95.00		
HTR-5004	5"	4"	1-1/2"	16-1/4"	20-1/4"			1"	1/2" NPT	49000	53.46
HTR-5006	5"	6"		18-1/4"	24-1/4"					49000	56.76
HTR-5008	5"	8"		20-1/4"	28-1/4"	49000	61.16				
HTR-5010	5"	10"		22-1/4"	32-1/4"	49000	63.36				
HTR-5012	5"	12"	2"	24-1/4"	36-1/4"	49000	73.04				
HTR-5014	5"	14"		26-1/4"	40-1/4"	49000	77.00				
HTR-5016	5"	16"		28-1/4"	44-1/4"	49000	81.18				
HTR-5018	5"	18"		30-1/4"	48-1/4"	49000	85.14				
HTR-5020	5"	20"		32-1/4"	52-1/4"	49000	89.10				
HTR-5024	5"	24"		36-1/4"	60-1/4"	49000	97.24				
HTR-5030	5"	30"		42-1/4"	72-1/4"	49000	109.56				

Column Load = Maximum Pushing Load

Tie Rod Hydraulic Cylinders



Bore Size	Inside Dia.	Outside Dia.	A	B	C	D	E	F	G	H	I	J
2"	2.00	2.37	10.25	2.00	1.01	2.00	3.75	2.50	1.12	2.06	2.12	2.62
2-1/2"	2.50	2.87	10.25	2.00	1.01	2.25	3.75	2.50	1.12	2.06	2.12	2.62
3"	3.00	3.37	10.25	2.00	1.01	2.25	3.75	2.50	1.12	2.06	2.12	2.62
3-1/2"	3.50	3.87	10.25	2.25	1.01	2.25	3.62	2.50	1.12	2.06	2.12	2.62
4"	4.00	4.37	10.25	2.25	1.01	2.25	3.56	2.62	1.12	2.06	2.12	2.62
5"	5.00	5.37	10.25	2.25	1.00	2.25	3.56	2.50	1.12	2.06	2.12	2.62

Tie Rod Cylinder Seal Kits

- Seal kits fit Custom brand cylinders made by Hydrolico. HTR Series cylinders



Part Number	Bore Size	Rod Size
CHTR-20X112KIT	2"	1-1/8"
CHTR-25X112KIT	2-1/2"	1-1/8"
CHTR-25X125KIT	2-1/2"	1-1/4"
CHTR-30X125KIT	3"	1-1/4"
CHTR-30X150KIT	3"	1-1/2"
CHTR-35X125KIT	3-1/2"	1-1/4"
CHTR-35X150KIT	3-1/2"	1-1/2"
CHTR-40X125KIT	4"	1-1/4"
CHTR-40X150KIT	4"	1-1/2"
CHTR-40X200KIT	4"	2"
CHTR-50X150KIT	5"	1-1/2"
CHTR-50X200KIT	5"	2"

Welded Hydraulic Cylinders



Pressure Ratings:

1-1/2" - 5" Bore = 3000 PSI

Welded Cylinders

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)
HCW-1504	1-1/2"	4"	1"	12-1/4"	16-1/4"	3/4"	1/4" SAE	5300	8.00
HCW-1506	1-1/2"	6"		14-1/4"	20-1/4"			5300	9.00
HCW-1508	1-1/2"	8"		16-1/4"	24-1/4"			5300	11.00
HCW-1510	1-1/2"	10"		18-1/4"	28-1/4"			5300	12.00
HCW-1512	1-1/2"	12"		20-1/4"	32-1/4"			5300	13.00
HCW-1514	1-1/2"	14"		22-1/4"	36-1/4"			5300	14.00
HCW-1516	1-1/2"	16"		24-1/4"	40-1/4"			5300	15.00
HCW-1518	1-1/2"	18"		26-1/4"	44-1/4"			4800	17.00
HCW-1520	1-1/2"	20"		28-1/4"	48-1/4"			4000	18.00
HCW-1524	1-1/2"	24"		32-1/4"	56-1/4"			2900	20.00
HCW-2004	2"	4"	1-1/4"	14-1/4"	18-1/4"	1"	3/8" SAE	9400	14.00
HCW-2006	2"	6"		16-1/4"	22-1/4"			9400	16.00
HCW-2008	2"	8"		20-1/4"	28-1/4"			9400	18.00
HCW-2010	2"	10"		20-1/4"	30-1/4"			9400	19.00
HCW-2012	2"	12"		22-1/4"	34-1/4"			9400	21.00
HCW-2014	2"	14"		24-1/4"	38-1/4"			9400	23.00
HCW-2016	2"	16"		26-1/4"	42-1/4"			9400	25.00
HCW-2018	2"	18"		28-1/4"	46-1/4"			9400	26.00
HCW-2020	2"	20"		30-1/4"	50-1/4"			9100	28.00
HCW-2024	2"	24"		34-1/4"	58-1/4"			6700	31.00
HCW-2028	2"	28"		38-1/4"	66-1/4"			5200	35.00
HCW-2030	2"	30"		40-1/4"	70-1/4"			4600	36.00
HCW-2032	2"	32"		42-1/4"	74-1/4"			4100	38.00
HCW-2034	2"	34"		44-1/4"	78-1/4"			3700	40.00
HCW-2036	2"	36"		46-1/4"	82-1/4"			3400	42.00
HCW-2040	2"	40"		50-1/4"	90-1/4"			2800	45.00
HCW-2048	2"	48"		58-1/4"	106-1/4"			2000	52.00
HCW-2504	2-1/2"	4"	1-1/2"	14-1/4"	18-1/4"	1"	1/2" SAE	14700	18.00
HCW-2506	2-1/2"	6"		16-1/4"	22-1/4"			14700	20.00
HCW-2508	2-1/2"	8"		20-1/4"	28-1/4"			14700	24.00
HCW-2510	2-1/2"	10"		20-1/4"	30-1/4"			14700	25.00
HCW-2512	2-1/2"	12"		22-1/4"	34-1/4"			14700	27.00
HCW-2514	2-1/2"	14"		24-1/4"	38-1/4"			14700	29.00
HCW-2516	2-1/2"	16"		26-1/4"	42-1/4"			14700	32.00
HCW-2518	2-1/2"	18"		28-1/4"	46-1/4"			14700	34.00
HCW-2520	2-1/2"	20"		30-1/4"	50-1/4"			14700	36.00
HCW-2524	2-1/2"	24"		34-1/4"	58-1/4"			14000	40.00
HCW-2528	2-1/2"	28"		38-1/4"	66-1/4"			10800	45.00
HCW-2530	2-1/2"	30"		40-1/4"	70-1/4"			9600	47.00

Column Load = Maximum Pushing Load

Welded Hydraulic Cylinders



Pressure Ratings:
1-1/2" - 5" Bore = 3000 PSI

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)
HCW-2532	2-1/2"	32"	1-1/2"	42-1/4"	74-1/4"	1"	1/2" SAE	8600	49.00
HCW-2534	2-1/2"	34"		44-1/4"	78-1/4"			7700	52.00
HCW-2536	2-1/2"	36"		46-1/4"	82-1/4"			7000	54.00
HCW-2540	2-1/2"	40"		50-1/4"	90-1/4"			5800	58.00
HCW-2548	2-1/2"	48"		58-1/4"	106-1/4"			4200	67.00
HCW-3004	3"	4"	1-1/2"	14-1/4"	18-1/4"	1"	1/2" SAE	21200	22.00
HCW-3006	3"	6"		16-1/4"	22-1/4"			21200	24.00
HCW-3008	3"	8"		20-1/4"	28-1/4"			21200	27.00
HCW-3010	3"	10"		20-1/4"	30-1/4"			21200	29.00
HCW-3012	3"	12"		22-1/4"	34-1/4"			21200	31.00
HCW-3014	3"	14"		24-1/4"	38-1/4"			21200	34.00
HCW-3016	3"	16"		26-1/4"	42-1/4"			21200	36.00
HCW-3018	3"	18"		28-1/4"	46-1/4"			21200	39.00
HCW-3020	3"	20"		30-1/4"	50-1/4"			18800	41.00
HCW-3024	3"	24"		34-1/4"	58-1/4"			14000	46.00
HCW-3028	3"	28"		38-1/4"	66-1/4"			10800	51.00
HCW-3030	3"	30"		40-1/4"	70-1/4"			9600	53.00
HCW-3032	3"	32"		42-1/4"	74-1/4"			8600	56.00
HCW-3034	3"	34"		44-1/4"	78-1/4"			7700	58.00
HCW-3036	3"	36"		46-1/4"	82-1/4"			7000	61.00
HCW-3040	3"	40"		50-1/4"	90-1/4"			5800	66.00
HCW-3048	3"	48"		58-1/4"	106-1/4"			4200	76.00
HCW-3504	3-1/2"	4"	1-3/4"	14-1/4"	18-1/4"	1"	1/2" SAE	28800	27.00
HCW-3506	3-1/2"	6"		16-1/4"	22-1/4"			28800	30.00
HCW-3508	3-1/2"	8"		20-1/4"	28-1/4"			28800	35.00
HCW-3510	3-1/2"	10"		20-1/4"	30-1/4"			28800	36.00
HCW-3512	3-1/2"	12"		22-1/4"	34-1/4"			28800	39.00
HCW-3514	3-1/2"	14"		24-1/4"	38-1/4"			28800	42.00
HCW-3516	3-1/2"	16"		26-1/4"	42-1/4"			28800	46.00
HCW-3518	3-1/2"	18"		28-1/4"	46-1/4"			28800	49.00
HCW-3520	3-1/2"	20"		30-1/4"	50-1/4"			28800	52.00
HCW-3524	3-1/2"	24"		34-1/4"	58-1/4"			26000	58.00
HCW-3528	3-1/2"	28"		38-1/4"	66-1/4"			20100	64.00
HCW-3530	3-1/2"	30"		40-1/4"	70-1/4"			17900	67.00
HCW-3532	3-1/2"	32"		42-1/4"	74-1/4"			16000	70.00
HCW-3534	3-1/2"	34"		44-1/4"	78-1/4"			14400	73.00
HCW-3536	3-1/2"	36"		46-1/4"	82-1/4"			13000	76.00
HCW-3540	3-1/2"	40"		50-1/4"	90-1/4"			10800	82.00
HCW-3548	3-1/2"	48"		58-1/4"	106-1/4"			7800	94.00

Column Load = Maximum Pushing Load

Welded Cylinders

Phone: (800) 321-5247 Fax: (559) 237-2048

www.agwestparts.com

Welded Hydraulic Cylinders



Pressure Ratings:


1-1/2" - 5" Bore = 3000 PSI

Welded Cylinders

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)
HCW-4004	4"	4"	2"	14-1/4"	18-1/4"	1"	1/2" SAE	37600	33.00
HCW-4006	4"	6"		16-1/4"	22-1/4"			37600	37.00
HCW-4008	4"	8"		20-1/4"	28-1/4"			37600	42.00
HCW-4010	4"	10"		20-1/4"	30-1/4"			37600	44.00
HCW-4012	4"	12"		22-1/4"	34-1/4"			37600	48.00
HCW-4014	4"	14"		24-1/4"	38-1/4"			37600	52.00
HCW-4016	4"	16"		26-1/4"	42-1/4"			37600	55.00
HCW-4018	4"	18"		28-1/4"	46-1/4"			37600	59.00
HCW-4020	4"	20"		30-1/4"	50-1/4"			37600	63.00
HCW-4024	4"	24"		34-1/4"	58-1/4"			37600	70.00
HCW-4028	4"	28"		38-1/4"	66-1/4"			34300	77.00
HCW-4030	4"	30"		40-1/4"	70-1/4"			30500	81.00
HCW-4032	4"	32"		42-1/4"	74-1/4"			27300	85.00
HCW-4034	4"	34"		44-1/4"	78-1/4"			24600	89.00
HCW-4036	4"	36"		46-1/4"	82-1/4"			22200	92.00
HCW-4040	4"	40"		50-1/4"	90-1/4"			18500	100.00
HCW-4048	4"	48"		58-1/4"	106-1/4"			13300	114.00
HCW-5004	5"	4"	2-1/2"	17"	21"	1-1/2"	3/4" SAE	58900	64.00
HCW-5006	5"	6"		19"	25"			58900	69.00
HCW-5008	5"	8"		21"	29"			58900	74.00
HCW-5010	5"	10"		23"	33"			58900	79.00
HCW-5012	5"	12"		25"	37"			58900	84.00
HCW-5014	5"	14"		27"	41"			58900	89.00
HCW-5016	5"	16"		29"	45"			58900	95.00
HCW-5018	5"	18"		31"	49"			58900	100.00
HCW-5020	5"	20"		33"	53"			58900	105.00
HCW-5024	5"	24"		37"	61"			58900	115.00
HCW-5028	5"	28"		41"	69"			58900	125.00
HCW-5030	5"	30"		43"	73"			58900	130.00
HCW-5032	5"	32"		45"	77"			58900	135.00
HCW-5034	5"	34"		47"	81"			56100	141.00
HCW-5036	5"	36"		49"	85"			50900	146.00
HCW-5040	5"	40"		53"	93"			42500	156.00
HCW-5048	5"	48"		61"	109"			30900	176.00

Column Load = Maximum Pushing Load

Welded Hydraulic Cylinders



Bore Size	Inside Dia.	Outside Dia.	A	B	C	D	E	F	G	H	J	K
1-1/2"	1.50	2.00	8.25	1.62	0.87	1.37	2.25	1.37	1.50	0.76	0.93	1.87
2"	2.00	2.50	10.25	2.12	1.12	2.12	3.12	2.12	2.00	1.01	1.00	1.25
2-1/2"	2.50	3.00	10.25	2.12	1.12	2.12	3.12	2.12	2.00	1.01	0.81	2.18
3"	3.00	3.50	10.25	2.12	1.12	2.12	3.12	2.12	2.00	1.01	0.81	2.18
3-1/2"	3.50	4.00	10.25	2.37	1.12	2.00	3.12	2.12	2.00	1.01	0.93	2.18
4"	4.00	4.50	10.25	2.37	1.12	1.75	3.12	2.00	2.00	1.01	1.06	2.18
5"	5.00	5.50	13.00	3.12	1.62	2.25	3.62	2.25	3.00	1.51	1.37	2.75

Welded Cylinder Seal Kits

- Seal kits fit Custom brand cylinders made by Hydrolico. HCW & HBU Series cylinders



Part Number	Bore Size	Rod Size
CHCW-15X100KIT	1-1/2"	1"
CHCW-20X125KIT	2"	1-1/4"
CHCW-25X150KIT	2-1/2"	1-1/2"
CHCW-30X150KIT	3"	1-1/2"
CHCW-35X175KIT	3-1/2"	1-3/4"
CHCW-40X200KIT	4"	2"
CHCW-50X250KIT	5"	2-1/2"

Welded Bushing Hydraulic Cylinders



Pressure Ratings:

1-1/2" - 5" Bore = 3000 PSI

Welded Bushing Cylinders

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)
HBU-1504	1-1/2"	4"	1"	12"	16"	3/4"	1/4" SAE	5300	8.00
HBU-1506	1-1/2"	6"		14"	20"			5300	9.00
HBU-1508	1-1/2"	8"		16"	24"			5300	11.00
HBU-1510	1-1/2"	10"		18"	28"			5300	12.00
HBU-1512	1-1/2"	12"		20"	32"			5300	13.00
HBU-1514	1-1/2"	14"		22"	36"			5300	14.00
HBU-1516	1-1/2"	16"		24"	40"			5300	15.00
HBU-1518	1-1/2"	18"		26"	44"			4800	17.00
HBU-1520	1-1/2"	20"		28"	48"			4000	18.00
HBU-1524	1-1/2"	24"		32"	56"			3000	20.00
HBU-2004	2"	4"	1-1/4"	12"	16"	1"	3/8" SAE	9400	14.00
HBU-2006	2"	6"		14"	20"			9400	16.00
HBU-2008	2"	8"		16"	24"			9400	18.00
HBU-2010	2"	10"		18"	28"			9400	19.00
HBU-2012	2"	12"		20"	32"			9400	21.00
HBU-2014	2"	14"		22"	36"			9400	23.00
HBU-2016	2"	16"		24"	40"			9400	25.00
HBU-2018	2"	18"		26"	44"			9400	26.00
HBU-2020	2"	20"		28"	48"			9400	28.00
HBU-2024	2"	24"		32"	56"			7300	31.00
HBU-2028	2"	28"		36"	64"			5600	35.00
HBU-2030	2"	30"		38"	68"			4900	36.00
HBU-2032	2"	32"		40"	72"			4400	38.00
HBU-2036	2"	36"		44"	80"			3500	42.00
HBU-2040	2"	40"		48"	88"			2900	45.00
HBU-2048	2"	48"		56"	104"			2100	52.00
HBU-2504	2-1/2"	4"	1-1/2"	12"	16"	1"	1/2" SAE	14700	18.00
HBU-2506	2-1/2"	6"		14"	20"			14700	20.00
HBU-2508	2-1/2"	8"		16"	24"			14700	24.00
HBU-2510	2-1/2"	10"		18"	28"			14700	25.00
HBU-2512	2-1/2"	12"		20"	32"			14700	27.00
HBU-2514	2-1/2"	14"		22"	36"			14700	29.00
HBU-2516	2-1/2"	16"		24"	40"			14700	32.00
HBU-2518	2-1/2"	18"		26"	44"			14700	34.00
HBU-2520	2-1/2"	20"		28"	48"			14700	36.00
HBU-2524	2-1/2"	24"		32"	56"			14700	40.00
HBU-2528	2-1/2"	28"		36"	64"			11600	45.00
HBU-2530	2-1/2"	30"		38"	68"			10300	47.00

Column Load = Maximum Pushing Load

Welded Bushing Hydraulic Cylinders



Pressure Ratings:
1-1/2" - 5" Bore = 3000 PSI

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)
HBU-2532	2-1/2"	32"	1-1/2"	40"	72"	1"	1/2" SAE	9200	47.00
HBU-2536	2-1/2"	36"		44"	80"			7400	51.00
HBU-2540	2-1/2"	40"		48"	88"			6100	56.00
HBU-2548	2-1/2"	48"		56"	104"			4400	65.00
HBU-3004	3"	4"	1-1/2"	12"	16"	1"	1/2" SAE	21200	19.00
HBU-3006	3"	6"		14"	20"			21200	22.00
HBU-3008	3"	8"		16"	24"			21200	24.00
HBU-3010	3"	10"		18"	28"			21200	27.00
HBU-3012	3"	12"		20"	32"			21200	29.00
HBU-3014	3"	14"		22"	36"			21200	32.00
HBU-3016	3"	16"		24"	40"			21200	34.00
HBU-3018	3"	18"		26"	44"			21200	36.00
HBU-3020	3"	20"		28"	48"			15200	39.00
HBU-3024	3"	24"		32"	56"			15200	44.00
HBU-3028	3"	28"		36"	64"			11600	49.00
HBU-3030	3"	30"		38"	68"			10300	51.00
HBU-3032	3"	32"		40"	72"			9200	54.00
HBU-3036	3"	36"		44"	80"			7400	59.00
HBU-3040	3"	40"		48"	88"			6100	63.00
HBU-3048	3"	48"		56"	104"			4400	73.00
HBU-3504	3-1/2"	4"	1-3/4"	14"	18"	1"	1/2" SAE	28800	27.00
HBU-3506	3-1/2"	6"		16"	22"			28800	30.00
HBU-3508	3-1/2"	8"		18"	26"			28800	33.00
HBU-3510	3-1/2"	10"		20"	30"			28800	36.00
HBU-3512	3-1/2"	12"		22"	34"			28800	39.00
HBU-3514	3-1/2"	14"		24"	38"			28800	42.00
HBU-3516	3-1/2"	16"		26"	42"			28800	45.00
HBU-3518	3-1/2"	18"		28"	46"			28800	48.00
HBU-3520	3-1/2"	20"		30"	50"			28800	51.00
HBU-3524	3-1/2"	24"		34"	58"			26200	57.00
HBU-3528	3-1/2"	28"		38"	66"			20200	64.00
HBU-3530	3-1/2"	30"		40"	70"			18000	67.00
HBU-3532	3-1/2"	32"		42"	74"			16100	70.00
HBU-3536	3-1/2"	36"		46"	82"			13100	76.00
HBU-3540	3-1/2"	40"		50"	90"			10900	82.00
HBU-3548	3-1/2"	48"		58"	106"			7800	94.00

Column Load = Maximum Pushing Load

Welded Bushing Cylinders

Phone: (800) 321-5247 Fax: (559) 237-2048

www.agwestparts.com

Welded Bushing Hydraulic Cylinders



Pressure Ratings:


1-1/2" - 5" Bore = 3000 PSI

Welded Bushing Cylinders

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)
HBU-4004	4"	4"	2"	14"	18"	1-1/2"	1/2" SAE	37600	33.00
HBU-4006	4"	6"		16"	22"			37600	37.00
HBU-4008	4"	8"		18"	26"			37600	42.00
HBU-4010	4"	10"		20"	30"			37600	44.00
HBU-4012	4"	12"		22"	34"			37600	48.00
HBU-4014	4"	14"		24"	38"			37600	52.00
HBU-4016	4"	16"		26"	42"			37600	55.00
HBU-4018	4"	18"		28"	46"			37600	59.00
HBU-4020	4"	20"		30"	50"			37600	63.00
HBU-4024	4"	24"		34"	58"			37600	70.00
HBU-4028	4"	28"		38"	66"			34600	77.00
HBU-4030	4"	30"		40"	70"			30700	81.00
HBU-4032	4"	32"		42"	74"			27500	85.00
HBU-4036	4"	36"		46"	82"			22400	92.00
HBU-4040	4"	40"		50"	90"			18600	100.00
HBU-4048	4"	48"		58"	106"			13400	114.00
HBU-5004	5"	4"	2-1/2"	16"	20"	1-3/4"	3/4" SAE	58900	65.00
HBU-5006	5"	6"		18"	24"			58900	70.00
HBU-5008	5"	8"		20"	28"			58900	75.00
HBU-5010	5"	10"		22"	32"			58900	80.00
HBU-5012	5"	12"		24"	36"			58900	85.00
HBU-5014	5"	14"		26"	40"			58900	90.00
HBU-5016	5"	16"		28"	44"			58900	96.00
HBU-5018	5"	18"		30"	48"			58900	101.00
HBU-5020	5"	20"		32"	52"			58900	106.00
HBU-5024	5"	24"		36"	60"			58900	116.00
HBU-5028	5"	28"		40"	68"			58900	126.00
HBU-5030	5"	30"		42"	72"			58900	131.00
HBU-5032	5"	32"		44"	76"			58900	137.00
HBU-5036	5"	36"		48"	84"			52100	147.00
HBU-5040	5"	40"		52"	92"			43400	157.00
HBU-5048	5"	48"		60"	108"			31500	178.00

Column Load = Maximum Pushing Load

Welded Bushing Hydraulic Cylinders



Bore Size	Inside Dia.	Outside Dia.	A	B	C	D	E	F	G	H	Rod Dia.	Port SAE
1-1/2"	1.50	2.00	8.00	1.25	0.76	2.62	2.25	2.00	1.06	1.87	1.00	1/4"
2"	2.00	2.50	8.00	1.50	1.01	2.25	2.75	2.25	1.00	2.06	1.25	3/8"
2-1/2"	2.50	3.00	8.00	1.50	1.01	2.25	3.25	2.25	0.81	2.18	1.50	1/2"
3"	3.00	3.50	8.00	1.50	1.01	2.25	3.75	2.25	0.81	2.18	1.50	1/2"
3-1/2"	3.50	4.00	10.00	2.00	1.26	4.00	4.25	2.25	0.81	2.18	1.75	1/2"
4"	4.00	4.50	10.00	2.25	1.51	3.75	4.75	2.50	0.81	2.18	2.00	1/2"
5"	5.00	5.50	12.00	3.00	1.76	3.50	5.75	3.25	1.25	2.75	2.50	3/4"

Welded Bushing Cylinder Seal Kits

- Seal kits fit Custom brand cylinders made by Hydrolico.
HCW & HBU Series cylinders



Part Number	Bore Size	Rod Size
CHCW-15X100KIT	1-1/2"	1"
CHCW-20X125KIT	2"	1-1/4"
CHCW-25X150KIT	2-1/2"	1-1/2"
CHCW-30X150KIT	3"	1-1/2"
CHCW-35X175KIT	3-1/2"	1-3/4"
CHCW-40X200KIT	4"	2"
CHCW-50X250KIT	5"	2-1/2"

Welded Adjustable Hydraulic Cylinders



Pressure Ratings:

1-1/2" - 4" Bore = 3000 PSI

Welded Adjustable Cylinders

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)
TCL-1504	1-1/2"	4"	1"	14-1/4"	18-1/4"	3/4"	3/8" SAE	5300	10.00
TCL-1506	1-1/2"	6"		16-1/4"	22-1/4"			5300	11.00
TCL-1508	1-1/2"	8"		18-1/4"	26-1/4"			5300	12.00
TCL-1508A	1-1/2"	8"		20-1/4"	28-1/4"			5300	13.00
TCL-1510	1-1/2"	10"		20-1/4"	30-1/4"			5300	13.00
TCL-1512	1-1/2"	12"		22-1/4"	34-1/4"			5300	15.00
TCL-1514	1-1/2"	14"		24-1/4"	38-1/4"			5300	16.00
TCL-1516	1-1/2"	16"		26-1/4"	42-1/4"			5200	17.00
TCL-1518	1-1/2"	18"		28-1/4"	46-1/4"			4400	18.00
TCL-1520	1-1/2"	20"		30-1/4"	50-1/4"			3700	20.00
TCL-1524	1-1/2"	24"		34-1/4"	58-1/4"			2700	22.00
TCL-2004	2"	4"	1-1/8"	14-1/4"	18-1/4"	1"	1/2" SAE	9400	16.00
TCL-2006	2"	6"		16-1/4"	22-1/4"			9400	17.00
TCL-2008	2"	8"		18-1/4"	26-1/4"			9400	19.00
TCL-2008A	2"	8"		20-1/4"	28-1/4"			9400	20.00
TCL-2010	2"	10"		20-1/4"	30-1/4"			9400	20.00
TCL-2012	2"	12"		22-1/4"	34-1/4"			9400	22.00
TCL-2014	2"	14"		24-1/4"	38-1/4"			9400	24.00
TCL-2016	2"	16"		26-1/4"	42-1/4"			8400	25.00
TCL-2018	2"	18"		28-1/4"	46-1/4"			7000	27.00
TCL-2020	2"	20"		30-1/4"	50-1/4"			5900	28.00
TCL-2024	2"	24"		34-1/4"	58-1/4"			4400	31.00
TCL-2028	2"	28"		38-1/4"	66-1/4"			3400	35.00
TCL-2030	2"	30"		40-1/4"	70-1/4"			3000	36.00
TCL-2032	2"	32"		42-1/4"	74-1/4"			2700	38.00
TCL-2034	2"	34"		44-1/4"	78-1/4"			2400	39.00
TCL-2036	2"	36"		46-1/4"	82-1/4"			2200	41.00
TCL-2504	2-1/2"	4"	1-1/2"	14-1/4"	18-1/4"	1"	1/2" SAE	14700	19.00
TCL-2506	2-1/2"	6"		16-1/4"	22-1/4"			14700	21.00
TCL-2508	2-1/2"	8"		18-1/4"	26-1/4"			14700	23.00
TCL-2508A	2-1/2"	8"		20-1/4"	28-1/4"			14700	23.00
TCL-2510	2-1/2"	10"		20-1/4"	30-1/4"			14700	24.00
TCL-2512	2-1/2"	12"		22-1/4"	34-1/4"			14700	26.00
TCL-2514	2-1/2"	14"		24-1/4"	38-1/4"			14700	28.00
TCL-2516	2-1/2"	16"		26-1/4"	42-1/4"			12800	30.00
TCL-2518	2-1/2"	18"		28-1/4"	46-1/4"			10700	32.00
TCL-2520	2-1/2"	20"		30-1/4"	50-1/4"			9100	34.00
TCL-2524	2-1/2"	24"		34-1/4"	58-1/4"			6700	38.00
TCL-2528	2-1/2"	28"		38-1/4"	66-1/4"			5200	42.00
TCL-2530	2-1/2"	30"		40-1/4"	70-1/4"			4600	44.00

Column Load = Maximum Pushing Load

Welded Adjustable Hydraulic Cylinders



Pressure Ratings:
1-1/2" - 4" Bore = 3000 PSI

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)
TCL-2532	2-1/2"	32"	1-1/4"	42-1/4"	74-1/4"	1"	1/2" SAE	4100	46.00
TCL-2534	2-1/2"	34"		44-1/4"	78-1/4"			3700	48.00
TCL-2536	2-1/2"	36"		46-1/4"	82-1/4"			3400	49.00
TCL-3004	3"	4"	1-1/2"	14-1/4"	18-1/4"	1"	1/2" SAE	21200	24.00
TCL-3006	3"	6"		16-1/4"	22-1/4"			21200	26.00
TCL-3008	3"	8"		18-1/4"	26-1/4"			21200	29.00
TCL-3008A	3"	8"		20-1/4"	28-1/4"			21200	29.00
TCL-3010	3"	10"		20-1/4"	30-1/4"			21200	31.00
TCL-3012	3"	12"		22-1/4"	34-1/4"			21200	34.00
TCL-3014	3"	14"		24-1/4"	38-1/4"			21200	36.00
TCL-3016	3"	16"		26-1/4"	42-1/4"			21200	39.00
TCL-3018	3"	18"		28-1/4"	46-1/4"			21200	41.00
TCL-3020	3"	20"		30-1/4"	50-1/4"			18800	43.00
TCL-3024	3"	24"		34-1/4"	58-1/4"			14000	48.00
TCL-3028	3"	28"		38-1/4"	66-1/4"			10800	53.00
TCL-3030	3"	30"		40-1/4"	70-1/4"			9600	56.00
TCL-3032	3"	32"		42-1/4"	74-1/4"			8600	58.00
TCL-3034	3"	34"		44-1/4"	78-1/4"			7700	61.00
TCL-3036	3"	36"		46-1/4"	82-1/4"			7000	63.00
TCL-3504	3-1/2"	4"	1-3/4"	14-1/4"	18-1/4"	1"	1/2" SAE	28800	29.00
TCL-3506	3-1/2"	6"		16-1/4"	22-1/4"			28800	32.00
TCL-3508	3-1/2"	8"		18-1/4"	26-1/4"			28800	35.00
TCL-3508A	3-1/2"	8"		20-1/4"	28-1/4"			28800	36.00
TCL-3510	3-1/2"	10"		20-1/4"	30-1/4"			28800	38.00
TCL-3512	3-1/2"	12"		22-1/4"	34-1/4"			28800	41.00
TCL-3514	3-1/2"	14"		24-1/4"	38-1/4"			28800	44.00
TCL-3516	3-1/2"	16"		26-1/4"	42-1/4"			28800	47.00
TCL-3518	3-1/2"	18"		28-1/4"	46-1/4"			28800	50.00
TCL-3520	3-1/2"	20"		30-1/4"	50-1/4"			28800	53.00
TCL-3524	3-1/2"	24"		34-1/4"	58-1/4"			26000	59.00
TCL-3528	3-1/2"	28"		38-1/4"	66-1/4"			20100	65.00
TCL-3530	3-1/2"	30"		40-1/4"	70-1/4"			17900	68.00
TCL-3532	3-1/2"	32"		42-1/4"	74-1/4"			16000	71.00
TCL-3534	3-1/2"	34"		44-1/4"	78-1/4"			14400	75.00
TCL-3536	3-1/2"	36"		46-1/4"	82-1/4"			13000	78.00

Column Load = Maximum Pushing Load

Welded Adjustable Cylinders

Phone: (800) 321-5247 Fax: (559) 237-2048

www.agwestparts.com

Welded Adjustable Hydraulic Cylinders




Pressure Ratings:

1-1/2" - 5" Bore = 3000 PSI

Part Number	Bore	Stroke	Rod Diameter	Pin Ctr Retracted	Pin Ctr Extended	Pin Size	Ports	Column Load (Lbs)	Weight (Lbs)
TCL-4004	4"	4"	2"	14-1/4"	18-1/4"	1"	1/2" SAE	37600	35.00
TCL-4006	4"	6"		16-1/4"	22-1/4"			37600	38.00
TCL-4008	4"	8"		18-1/4"	26-1/4"			37600	42.00
TCL-4008A	4"	8"		20-1/4"	28-1/4"			37600	43.00
TCL-4010	4"	10"		20-1/4"	30-1/4"			37600	46.00
TCL-4012	4"	12"		22-1/4"	34-1/4"			37600	49.00
TCL-4014	4"	14"		24-1/4"	38-1/4"			37600	53.00
TCL-4016	4"	16"		26-1/4"	42-1/4"			37600	57.00
TCL-4018	4"	18"		28-1/4"	46-1/4"			37600	60.00
TCL-4020	4"	20"		30-1/4"	50-1/4"			37600	64.00
TCL-4024	4"	24"		34-1/4"	58-1/4"			37600	71.00
TCL-4028	4"	28"		38-1/4"	66-1/4"			34300	79.00
TCL-4030	4"	30"		40-1/4"	70-1/4"			30500	83.00
TCL-4032	4"	32"		42-1/4"	74-1/4"			27300	86.00
TCL-4034	4"	34"		44-1/4"	78-1/4"			24600	90.00
TCL-4036	4"	36"		46-1/4"	82-1/4"			22200	94.00

Column Load = Maximum Pushing Load

Welded Adjustable Hydraulic Cylinders



Bore Size	Inside Dia.	Outside Dia.	A	B	C	D	E	F	G	H	I	J	K	L
1-1/2"	1.50	2.00	10.25	1.50	0.76	1.62	4.50	1.87	0.87	1.75	2.00	1.62	0.93	1.87
2"	2.00	2.50	10.25	2.00	1.01	2.12	3.62	2.25	1.12	2.12	2.62	2.12	0.81	2.06
2-1/2"	2.50	3.00	10.25	2.00	1.01	2.12	3.62	2.25	1.12	2.12	2.62	2.12	0.81	2.06
3"	3.00	3.50	10.25	2.00	1.01	1.87	3.62	2.25	1.12	2.62	2.62	2.12	0.87	2.18
3-1/2"	3.50	4.00	10.25	2.00	1.01	1.87	3.62	2.50	1.12	2.62	2.75	2.12	0.93	2.18
4"	4.00	4.50	10.25	2.25	1.01	1.75	3.62	2.50	1.12	2.62	2.75	2.12	1.00	2.18

Welded Adjustable Cylinder Seal Kits

- Seal kits fit Custom brand cylinders made by Hydrolico.
TCL Series cylinders



Part Number	Bore Size	Rod Size
CTCL-15X100KIT	1-1/2"	1"
CTCL-20X112KIT	2"	1-1/8"
CTCL-25X125KIT	2-1/2"	1-1/4"
CTCL-30X150KIT	3"	1-1/2"
CTCL-35X175KIT	3-1/2"	1-3/4"
CTCL-40X200KIT	4"	2"

Hydraulic Cylinder Seal Kits

Hercules Cylinder Kits



Tie-Rod Cylinders



Part Number	Bore Size	Rod Size
HTR-20X112KIT	2"	1-1/8"
HTR-25X112KIT	2-1/2"	1-1/8"
HTR-25X125KIT-A	2-1/2"	1-1/4"
HTR-30X125KIT	3"	1-1/4"
HTR-30X137KIT-A	3"	1-3/8"
HTR-30X150KIT	3"	1-1/2"
HTR-35X125KIT	3-1/2"	1-1/4"
HTR-35X137KIT-A	3-1/2"	1-3/8"
HTR-35X150KIT	3-1/2"	1-1/2"
HTR-40X125KIT	4"	1-1/4"
HTR-40X150KIT	4"	1-1/2"
HTR-40X175KIT	4"	1-3/4"
HTR-40X200KIT	4"	2"
HTR-50X150KIT	5"	1-1/2"
HTR-50X200KIT	5"	2"

Welded Cylinders



Part Number	Bore Size	Rod Size
HCW-20X125KIT	2"	1-1/4"
HCW-25X150KIT	2-1/2"	1-1/2"
HCW-30X150KIT	3"	1-1/2"
HCW-35X175KIT	3-1/2"	1-3/4"
HCW-40X200KIT	4"	2"
HCW-50X250KIT	5"	2-1/2"

Cross Cylinder Kits



Part Number	Bore Size	Rod Size
1C4244	2"	1-1/16"
1C4433	2-1/2"	1-1/16"
1C4982	2-1/2"	1-1/4"
1C4434	3"	1-1/16"
1C4147	3"	1-1/8"
1C4629	3"	1-1/4"
1C4630	3"	1-1/2"
1C4429	3-1/2"	1-1/4"
1C4631	3-1/2"	1-1/2"
1C4637	4"	1-1/4"
1C4638	4"	1-1/2"
1C4642	4"	2"
1C4654	5"	1-1/2"
1C4655	5"	2"

Cylinder Rod Clevis



Part Number	Thread Size	Pin
1D1003-2	1"	1"
1D1003-3	1-1/16"	1"
1D1003-4	1-1/8"	1"
1D1003-5	1-1/4"	1"
1D1013-12	1-1/4"	1-1/4"
1D1013-7	1-1/2"	1"
1D1014-12	1-1/2"	1-1/4"

Cylinder Pins



Part Number	Description
1D1551-16300	1" x 3" Cylinder Pin
1D1551-16400	1" x 4" Cylinder Pin
1D1551-20300	1-1/4" x 3" Cylinder Pin

Cylinder Rod Stops



Fits Shaft Sizes 1-1/8" - 1-3/8" - 1-1/2"

Part Number	Description
W98	Complete Set Set Includes 1 of Each Segment: 7/8", 1", 1-1/4", 1-1/2"
W98-78	7/8" Segment
W98-1	1" Segment
W98-125	1-1/4" Segment
W98-150	1-1/2" Segment

Fits Shaft Sizes 1-3/4" - 1-7/8" - 2"

Part Number	Description
W97	Complete Set Set Includes 1 of Each Segment: 1", 1-1/2", 2", 4-1/4"
W97-1	1" Segment
W97-150	1-1/2" Segment
W97-2	2" Segment
W97-425	4-1/2" Segment

Hydraulic Motors

Low Speed High Torque Motors

BM1 Series: Small volume, gerolor gear set



2-Bolt Flange - 1" shaft w/ woodruff key

Part Number	Displacement (CC)	Port Size	Charlynn Part No.	Danfoss Part No.	Weight (Lbs.)
313-0390	50	1/2" NPT	101-1025	151-2081	11.20
313-0400	50	7/8" SAE	101-1033	151-2001	11.20
313-0392	80	1/2" NPT	101-1026	151-2082	11.50
313-0402	80	7/8" SAE	101-1034	151-2002	11.50
313-0393	100	1/2" NPT	101-1027	151-2083	11.80
313-0403	100	7/8" SAE	101-1035	151-2003	11.80
313-0399	125	1/2" NPT	101-1706	151-2084	12.10
313-0409	125	7/8" SAE	101-1702	151-2004	12.10
313-0394	160	1/2" NPT	101-1028	151-2085	12.50
313-0404	160	7/8" SAE	101-1036	151-2005	12.50
313-0395	200	1/2" NPT	101-1029	151-2086	12.80
313-0405	200	7/8" SAE	101-1037	151-2006	12.80
313-0396	250	1/2" NPT	101-1030	151-2087	13.30
313-0406	250	7/8" SAE	101-1038	151-2007	13.30
313-0398	315	1/2" NPT	101-1031	151-2088	14.00
313-0408	315	7/8" SAE	101-1039	151-2008	14.00
313-0397	400	1/2" NPT	101-1032	151-2089	14.70
313-0407	400	7/8" SAE	101-1040	151-2009	14.70

4-Bolt Flange - 1" shaft w/ woodruff key

Part Number	Displacement (CC)	Port Size	Charlynn Part No.	Danfoss Part No.	Weight (Lbs.)
313-0420	50	1/2" NPT	101-1001	151-2121	11.20
313-0500	50	7/8" SAE	101-1009	151-2041	11.20
313-0422	80	1/2" NPT	101-1002	151-2122	11.50
313-0502	80	7/8" SAE	101-1010	151-2042	11.50
313-0423	100	1/2" NPT	101-1003	151-2123	11.80
313-0503	100	7/8" SAE	101-1011	151-2043	11.80
313-0429	125	1/2" NPT	101-1755	151-2124	12.10
313-0509	125	7/8" SAE	101-1751	151-2044	12.10
313-0424	160	1/2" NPT	101-1004	151-2125	12.50
313-0504	160	7/8" SAE	101-1012	151-2045	12.50
313-0425	200	1/2" NPT	101-1005	151-2126	12.80
313-0505	200	7/8" SAE	101-1013	151-2046	12.80
313-0426	250	1/2" NPT	101-1006	151-2127	13.30
313-0506	250	7/8" SAE	101-1014	151-2047	13.30
313-0428	315	1/2" NPT	101-1007	151-2128	14.00
313-0508	315	7/8" SAE	101-1015	151-2048	14.00
313-0427	400	1/2" NPT	101-1008	151-2129	14.70
313-0507	400	7/8" SAE	101-1016	151-2049	14.70

Low Speed High Torque Motors

BM5 Series: Large volume, High Pressure

Mounting Flange: SAE-A - Magneto

Shaft: 1" w/ 1/4" woodruff key



Part Number	Displacement (CC)	Port Size	Charlynn Part No.	Weight (Lbs.)
351-0211	80	7/8" SAE	104-1022	20.50
351-0212	100	7/8" SAE	104-1023	21.00
351-0213	125	7/8" SAE	104-1024	21.50
351-0214	160	7/8" SAE	104-1025	22.00
351-0215	200	7/8" SAE	104-1026	23.00
351-0216	250	7/8" SAE	104-1027	25.00
351-0217	305	7/8" SAE	104-1028	25.00
351-0218	400	7/8" SAE	104-1228	26.00
351-0210	500	7/8" SAE	104-1420	27.00

Prince Hydraulic PTO Pumps

- Slips onto tractor PTO shaft (No gearbox required)
- 2000 PSI maximum pressure
- Barbed adaptor for hose included
- Female pipe adaptor for 3/4" NPT included



Part Number	HP @ 2000 PSI	2000 PSI		Shaft	Weight (Lbs.)
		RPM	GPM		
HC-PTO-1A	32	540	21	1-3/8"-6	40.00
HC-PTO-3A	34	1000	22.5	1-3/8"-21	36.00

Hydraulic Valves



- 5000 PSI maximum pressure
- 15 GPM nominal rate
- SAE 8 ports along side
- SAE 10 port on end
- Double Acting, spring return, open center
- Relief set at 2500 PSI
- Handles included



Part Number	Description
623100110	1 Spool Valve
623100120	2 Spool Valve
623100130	3 Spool Valve
623100140	4 Spool Valve
623100150	5 Spool Valve
623100160	6 Spool Valve
623105500	7 Spool Valve

Ball Valves

- Carbon steel zinc plated



Part Number	Max PSI	Port Size
BKH-14-NPT-1125	7250	1/4" NPT
BKH-38-NPT-1125		3/8" NPT
BKH-12-NPT-1125		1/2" NPT
BKH-34-NPT-1125	5880	3/4" NPT
BKH-1-NPT-1125	5145	1" NPT
BKH-114-NPT-1125		1-1/4" NPT
BKH-112-NPT-1125		1-1/2" NPT

Check Valves

- Free flow in one direction and blocked in the other
- Zinc clear plated
- Metal to metal seat



Part Number	Ports NPT	Max PSI / Max GPM
HSP-1000-2-5	1/4"	6000 / 6
HSP-1000-3-5	3/8"	6000 / 9.5
HSP-1000-4-5	1/2"	5000 / 18
HSP-1000-6-5	3/4"	5000 / 30
HSP-1000-8-5	1"	5000 / 35
HSP-1000-10-5	1-1/4"	3000 / 60
HSP-1000-12-5	1-1/2"	3000 / 90
HSP-1000-16-5	2"	3000 / 145

Case IH



Sections

Part Number	Application	OEM #	Size	Description	Rivet/ Bolt Used
S20-4013	All Mowers & Windrowers	049213	3 x 3-1/4	RTSCR	1/2 OH
S20-4564	All Mowers & Windrowers	049254	3 x 3-1/4	HTSCR	9/16 OH
S20-4464	All with Tiger Tooth Sickles	TT049254	3 x 3-1/4	HTTCR	5/8 OH
S20-4462	All Hart-Carter Combines	179736C3	3 x 2-1/2	HTSCR	5/8 CS
	Floating Bar				
S20-4322	All Hart-Carter Combines	SS277444	3 x 2-1/2	H7TSCR	5/8 CS
	Floating Bar				
S20-1144	All Mowers & Windrowers, MC	MB333	3 x 2-1/2	RSM	1/2 OH
S20-5244	All Mowers & Windrowers, MC	826723C1	3 x 3-1/4	RUS	1/2 OH
S20-3412	All Mowers & Windrowers, MC	MC333	3 x 3-1/4	RTS	1/2 OH
S20-1145	All Mowers & Windrowers, MC	826724C1	3 x 3-1/4	XHSM	9/16 OH
S20-5107	All Mowers & Windrowers, MC	826722C2	3 x 3-1/4	XHUS	9/16 OH
S20-2758	All Mowers & Windrowers, MC	457605R2	3 x 3-1/4	XHSMCR	9/16 OH
S20-6332	All Mowers & Windrowers, MC	457606R2	3 x 3-1/4	RUSCR	1/2 OH
S20-6339	All Mowers & Windrowers, MC	457607R3	3 x 3-1/4	XHUSCR	9/16 OH
S20-3276	Combines 820, 1010 Header	826720C2	3 x 3-1/4	XHTS	9/16 OH
	NH to 86615988				
S20-3325	Mowers, M/C, Combines 1010 & 1020 Headers	112074A1	3 x 3-1/4	XH7TS	9/16 OH
S20-3482	Combines 1010, 1020 Headers, 2010-2020	826720C2	3 x 3-1/4	XH7TS, 3 Hole	9/16 OH
S20-4268	Mowers, Windrowers, M/C, Combines 820,1010,1020 Head	SS596321R3	3 x 3-1/4	XH7TSCR	9/16 OH
S20-4681	Combine 810 Rigid Header	634794R2	3 x 2-31/32	HTSCR	9/16 OH
S20-4309	Double Drive Sickle Overlap	SSTS635161	3 x 3-1/4	XH7TSCR	9/16 OH
S20-4371	Double Drive Sickle Overlap	TS635161	3 x 3-1/4	XHTSCR	9/16 OH
S20-4210	End Section RH	700705462		HTSCR	9/16 OH
S20-4211	End Section LH	700705463		HTSCR	9/16 OH
S20-4277*	All Mower, M/C, Windrowers	596321R3	3 x 3-1/4	XHTSCR	5/8 OH
S20-0297*	Smooth. 1 used on Head End				

*Half Section

Case IH

Tiger Jaws & 1-1/2 IH System Sections



Part Number	Replaces Number	Size	Description	Application	Rivet Used
S20-4639	TJ7000	3 x 3-1/4	H TJ CR	Combines w/ Tiger Jaws	TJ55BN
S20-4317	SSTJ7000	3 x 3-1/4	H 7TJ CR	Combines w/ Tiger Jaws	TJ55BN
S20-3120	1970390C2	3 x 3	H 7TT	Combine 1020 w/ 1-1/2 Cut	TJ55BN

Universal End Sections



Part Number	Description
S20-4403	H7TSCR (RH)
S20-4445	H7TSCR (LH)
S20-4210	H7TSCR (RH)
S20-4211	H7TSCR (LH)
S20-6640	H7TSCR (RH)

Overlap Section Kit



Part Number	Description
S20-4003	Overlap Section Kit Contains: (5) S20-4371 XHTSCR Sections (3 RH & 2 LH) Bottom Ctsk Sections (10) B55-0059 Ctsk Bolts & Nuts


Case IH

Section Bolts



Part Number	Size	Description	Package Qty
B55-0065D	12-24 x 11/16	Section Bolt w/ Nut	50
B55-0085D	12-24 x 1	Head Bolt w/ Nut	15
B55-0095D	12-24 x 1-1/2	Head Bolt w/ Nut	12
B55-0059D	12-24 x 1/2	Overlap Bolt w/ Low Profile Nut (Allen Head)	10
B55-0056D	12-24 x 9/16	Section Bolt (Allen Head)	20
B55-0057D	12-24 x 5/8	Section Bolt (Allen Head)	20
B55-0058D	12-24 x 1	Head Bolt (Allen Head)	10
N83-0289D	12-24	Nut	20
(Used On All Of The Above Bolt Except B55-0050D)			

Section Rivets



Part Number	Size	Description	Package Qty
R36-0480D	5/8 x 1/4	Oval Head	1#
R36-0521D	5-1/2 x 1/2	Oval Head	1#
R36-0461D	5-1/2 x 9/16	Oval Head	1#
R36-0462D	5-1/2 x 5/8	Oval Head	1#
R36-0522D	5-1/2 x 15/16	Oval Head	1/2#
R36-0465D	5-1/2 x 1	Oval Head	1/2#
R36-0467D	5-1/2 x 1-1/4	Oval Head	1/2#
R36-0464D	5-1/2 x 1/2	Counter Sunk	1#
R36-0463D	5-1/2 x 5/8	Counter Sunk	1#
R36-0466D	5-1/2 x 1	Counter Sunk	1/2#
R36-0468D	5-1/2 x 1-1/4	Counter Sunk	1/2#

Case IH Sickles



Mower Conditioner 555

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4594	-	451955HD	9'	38	H15-0880	451948HD	RTSCR	S20-4013
S35-4060	-	6566178HD	9'	38	H15-0880	451948HD	HTSCR	S20-4564

Windrowers 950, 955, 1050, 1150, 1155

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2359	6566178HD	9'	38	H15-0880	451948HD	HTSCR	S20-4564
S35-4305	-	373530	14'	57	H15-0341	379370	RTSCR	S20-4013

Windrowers 1075, 1085, 1275

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4625	-	F36860, F37195, 6193627	12'	49	H15-0623	F36865, F37193, 6193577	RTSCR	S20-4013
S35-4626	-	F36861, F37000, 6193635	14'	57	H15-0623	F36865, F37193, 6193577	RTSCR	S20-4013

Mower Series 100 Balanced Head, 1100, 1300 Pin Type

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3668	-	462381R93	7'	28	H15-0281	56692C91	XHSM	S20-1145
S35-3667	S35-1281	462380R93	7'	28	H15-0281	56692C91	XHUS	S20-5107
-	S35-1032	SS128129C92	7'	28	H15-0281	56692C91	XH7TS	S20-3325
S35-3939	-	1281292C92	7'	28	H15-0281	56692C91	XHTS	S20-3276
S35-3940	S35-1103	1281291C92	9'	35	H15-0281	56692C91	XHTS	S20-3276
S35-3672	-	463182R93	9'	35	H15-0281	56692C91	XHSM	S20-1145
S35-3669	S35-1714	463159R93	9'	35	H15-0281	56692C91	XHUS	S20-5107
S35-3012	S35-1033	SS1281291C92	9'	35	H15-0281	56692C91	XH7TS	S20-3325

All Mower Models Except Series 100 Balanced Head (Old Ball Head)

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3629	-	1958206C1	6'	24	H15-0257	MA999	XHUS	S20-5107
S35-3630	S35-1282	1958207C1	7'	28	H15-0257	MA999	XHUS	S20-5107
S35-3631	S35-1031	SS1958207C1	7'	28	H15-0257	MA999	XH7TS	S20-3325
S35-3543	-	1958203C1	7'	28	H15-0257	MA999	XHSM	S20-1145
S35-3304	-	463294R91	9'	36	H15-0257	MA999	XHUS	S20-5107
S35-3623	-	1958207C1	7'	28	H15-0257	MA999	RUS	S20-5244
S35-3537	-	1958206C1	6'	24	H15-0257	MA999	RSM	
S35-1097	-	SS463294R51	9'	36	H15-0257	MA999	XH7TS	S20-3325

Case IH Sickles



Mower Conditioner 990

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3132	-	542816R91-92	7'	28	H15-0131	540607R11	XHUS	S20-5107
S35-3133	S35-1715	540605R91-92	9'	36	H15-0131	540607R11	XHUS	S20-5107

Windrowers 75 Pull Type

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4069	-	824874C91	18'	72	Headless	-	RUSCR	S20-6332
S35-4070	-	824875C91	21'	84	Headless	-	RUSCR	S20-6332
-	S35-2287	825820C91	18'	72	Headless	-	XHTSCR	S20-4277
-	S35-2288	825821C91	21'	84	Headless	-	XHTSCR	S20-4277

Mower 1190

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3293	-	101987C95	7'	29	H15-0283	824594C91	XHUS	S20-5107
S35-3292	S35-1716	101988C95	9'	37	H15-0283	824594C91	XHUS	S20-5107
-	S35-2360	TT101988C95	9'	37	H15-0590	TT824594C91	H7TJCR	S20-4317

Windrowers 230, 4000, 5000 All w/ Single Auger/Draper Header, 210

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4288	-	827813C92	12.5'	49	H15-0283	824594C91	XHUSCR	S20-6339
S35-4289	S35-2717	827814C92	14.5'	57	H15-0283	824594C91	XHUSCR	S20-6339
S35-4184	S35-2295	831607C94	14.5'	57	H15-0283	824594C91	XHTSCR	S20-4277
-	S35-2378	824705C94	14.5'	57	H15-0590	TT824594C91	H7TJCR	S20-4317
S35-4290	-	827815C92	16.5'	64	H15-0283	824594C91	XHUSCR	S20-6339
-	S35-2296	128148C92	16.5'	64	H15-0283	824594C91	XHTSCR	S20-4277
S35-4291	-	827816C92	19.5'	76	H15-0283	824594C91	XHUSCR	S20-6339
-	S35-2297	1281481C92	19.5'	76	H15-0283	824594C91	XHTSCR	S20-4277

Windrowers 4000, 5000, 5500, All w/ Dual Auger Header

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2379	TT832051C93	12'	49	H15-0590	TT824594C91	H7TJCR	S20-4317
-	S35-2587	827701C92	14'	56	H15-0283	824594C91	XHTSCR	S20-4277

Windrowers 721, 725, 730, 736, 742, 750, 6000, 6500

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4025	-	1337024C1	21'	83	Headless	-	XHTSCR	S20-4277
S35-4026	-	1969140C1	25'	99	Headless	-	XHTSCR	S20-4277
S35-4027	-	1969141C1	30'	119	Headless	-	XHTSCR	S20-4277

Case IH Sickles



Windrowers 6500, 7000 w/ Single Drive Auger Header								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2262	33704	18'	71	Headless	-	XH7TSCR	S20-4398
-	S35-2253	443074	21'	83	Headless	-	XH7TSCR	S20-4398
-	S35-2254	43076	4'	16	Headless	-	XH7TSCR	S20-4398
-	S35-2255	43077	9'	36	Headless	-	XH7TSCR	S20-4398

Windrowers 8820 Single Auger Header								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4390	-	700709577	7' LH	25	H15-0390	6821078	HTSCR	S20-4564
S35-4391	-	700709578	7' RH	25	H15-0301	6821136	HTSCR	S20-4564
S35-4388	-	700709579	8' LH	29	H15-0390	6821078	HTSCR	S20-4564
S35-4389	-	700709580	8' RH	29	H15-0301	6821136	HTSCR	S20-4564

Mower/Conditioner 8380, 8840, 8870, SC414DLX, SC416DLX								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2001	SS700114590	7' LH	28	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2003	SS700709581	7' LH	28	Headless	-	XH7TSCR	S20-4268
-	S35-2002	SS700114591	7' RH	28	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2004	SS700709582	7' RH	28	Headless	-	XH7TSCR	S20-4268
-	S35-2067	700715165	7' LH	28	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2113	700709581	7' LH	28	Headless	-	XHTSCR	S20-4277
-	S35-2068	700715166	7' RH	28	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2114	700709582	7' RH	28	Headless	-	XHTSCR	S20-4277
-	S35-2014	SS700114592	8' LH	32	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2017	SS700709585	8' LH	32	Headless	-	XH7TSCR	S20-4268
-	S35-2015	SS700114593	8' RH	32	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2016	SS700709586	8' RH	32	Headless	-	XH7TSCR	S20-4268
-	S35-2069	700715167	8' LH	32	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2111	700114894	8' LH	32	Headless	-	XHTSCR	S20-4277
-	S35-2070	700715168	8' RH	32	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2112	700715168	8' RH	32	Headless	-	XHTSCR	S20-4277
-	S35-2305	SS700715778	9' LH	36	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2306	SS700715778	9' LH	36	Headless	-	XH7TSCR	S20-4268
-	S35-2309	SS700715779	9' RH	37	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2310	SS700715779	9' RH	37	Headless	-	XH7TSCR	S20-4268
-	S35-2307	700715778	9' LH	36	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2308	700715778	9' LH	36	Headless	-	XHTSCR	S20-4277
-	S35-2311	700715779	9' RH	37	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2312	700715779	9' RH	37	Headless	-	XHTSCR	S20-4277

Case IH Sickles



Mower, Mower/Conditioner 1490, 1590

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2293	143806C92	12'	49	H15-0292	ZA502562	XHUSCR	S20-6339
-	S35-2294	143807C92	14'	57	H15-0292	ZA502562	XHUSCR	S20-6339

Mower/Conditioner 8340

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2071	700118673	9'	37	H15-0066	700111003	XHTSCR	S20-4277

Mower/Conditioner 8360, 8370, 8830, SC412, SC414 Center Pivot

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2072	700110730	12'	48	H15-0066	700111003	XHTSCR	S20-4277
-	S35-2073	700110731	14'	56	H15-0066	700111003	XHTSCR	S20-4277

810 Floating Bar Old Style Riveted Head, Generation I Hart-Carter

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4858	-	179761C91	13'	52	H15-0846	179765C1	HTSCR	S20-4462
S35-4855	-	179762C92	15'	60	H15-0846	179765C1	HTSCR	S20-4462
S35-4974	-	180254C91	16'	64	H15-0846	179765C1	HTSCR	S20-4462
S35-4856	-	179763C92	18'	72	H15-0846	179765C1	HTSCR	S20-4462
S35-4857	-	179764C91	20'	80	H15-0846	179765C1	HTSCR	S20-4462

810 Floating Bar New Style Bolted Head, Generation II Hart-Carter

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4016	-	180467C91	13'	52	-	180497C1	HTSCR	S20-4462
S35-4017	-	180468C91	15'	60	-	180497C1	HTSCR	S20-4462
S35-4018	-	180469C91	16'	64	-	180497C1	HTSCR	S20-4462
S35-4019	-	180470C91	18'	72	-	180497C1	HTSCR	S20-4462

810 Floating Bar Wobble Head, Generation III Hart-Carter

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4020	-	180471C91	20'	80	-	180497C1	HTSCR	S20-4462
S35-4230	-	180853C91	13'	53	H15-0194	180859C91	HTSCR	S20-4462
S35-4231	-	180854C91	15'	61	H15-0194	180859C91	HTSCR	S20-4462
S35-4233	-	180856C91	18'	73	H15-0194	180859C91	HTSCR	S20-4462
S35-4234	-	180857C91	20'	81	H15-0194	180859C91	HTSCR	S20-4462
S35-4236	-	180858C91	24'	97	H15-0194	180859C91	HTSCR	S20-4462

Combine 820 Header

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2115	197463C91	15'	58	H15-0295	197230C91	XHTS	S20-3276
-	S35-2117	197466C91	20'	78	H15-0295	197230C91	XHTS	S20-3276

Case IH Sickle Heads & Bearings



Part Number	Replaces Number	Description	Application
H15-0846	179765C1	Sickle Head	810 Combines Floating Bar Old Style Gen. I
H15-0194	180859C91	Sickle Head	Combines Floating Bars, 810 Header Gen. III
H15-0679	TT540607C91	Sickle Head	Mowers/Cond. 990 w/ Tiger Tooth Sickle
H15-0590	TT824594C91	Sickle Head	Mowers/Cond. & Windrowers 1190,4000,5000
H15-0257	MA999	Sickle Head	Mowers All Except Balanced Head Series 100
H15-0281	462378R11	Sickle Head	Mowers w/ Balanced Head Series 100
H15-0131	540607C91	Sickle Head	Mower/Cond. 990
B82-0367B	458971R1	Bronze Bushing	Mowers w/ Head 462378R11,540607R11
H15-0294	178466C91	Sickle Head	Combines 810 Header Not Floating Bar
H15-0295	197230C91	Sickle Head	Combine 820 Header, Riveted Sickles Only
H15-0431	N/A	ST Head	IH 820 Silver Tiger
H15-0283	824594C91	Sickle Head	Mower/Cond. & Windrower 1190,230,4000,5000
H15-0292	ZA502562	Sickle Head	Mower/Cond. 1490, 1590
H15-0090	1316161C91	Sickle Head	Combine 1010 & 1020 w/ 3" System
H15-0432	N/a	ST Head	IH 1020 Silver Tiger
H15-0066	700111003	Head	8340, 8360, 8370, 8830 Single Drive
H15-0063	700114594	Head	8380 & 8840 Double Drive
P34-0641B	458973R4	Hean Pin	Mowers - Balanced Head 100 Series
H15-0640	TJ197230C91	Sickle Head	IH 820 1-1/2" Cut & Tiger Jaw Sickles
H15-0050	N/A	Sickle Head	IH 1010, 1020, 1-1/2" Cut & Tiger Jaw Sickles
B15-0659B	KP12A	Head Bearing & Snap Rings	Fits H15-0294, H15-0295, H15-0194, H15-0640

Case IH Hold Clips



Part Number	Replaces Number	Style	Description	Application
C45-0054	232125	Steel	Clip Lo-Arch	810 Flex Combines
C45-0052	N/A	Steel	Clip Hi-Arch	810 Flex Combines
C45-0031	MA812	Cast	Clip Lo-Arch	Used Over Sections
C45-0030	XA1000	Cast	Clip Hi-Arch	Used Over Knife Head
C45-0692	613842R1	Steel	Clip Lo-Arch	Bolted Sickles
C45-0693	595648R1	Steel	Clip Hi-Arch	Bolted Sickles
C45-0020	XL1000	Cast	Clip Lo-Arch	Mowers
C45-0502	N/A	Steel	Clip Lo-Arch	Windrowers
C45-0503	N/A	Steel	Clip Hi-Arch	Windrowers

Case IH Forged Guards



Part Number	Replaces Number	Description	Application
FQ270	613838R1, FS65-2, BU270, G81-0035	Two-Prong w/ Wear Bar & Cross Bar	820, 1010, & 1020 Platforms
FQ299	1307299C2, BU299, G81-0037	Two-Prong w/ Wear Bar No Cross Bar	820, 1010, & 1020 Platforms
FQ250	FS86-2, BU250, G81-0120	Two-Prong Stub Guard	Mower/Cond. & Windrowers
FQ260	823025C1, FT77-2, HA260, G81-0085	Two-Prong	Windrowers
FQ265	633098R1, FC69-2, BU265, G81-0055	Two-Prong	Combines w/ Rigid Bars
FQ231	179775C1, FC89-2, HA231, G81-0125	Two-Prong	Combines w/ Floating Bars
FQ245	700700845, FS66, BU245 G81-0042	Two-Prong	Windrowers
FQ270	613838R2, BU270, G81-0151	Two-Prong	Mowers 100, 110, 115, M/C 1190, 1290, 1490, 1590
FQ215	86615982, BU215, G81-0095	Two-Prong w/ Cross Bar	2010, 2020, Single & Double Drive Heads
FQ245	87421451, BU245, G81-0040	Two-Prong w/ Cross Bar	1052, 2042, 2052, 2062, 2142, 2152, 2162
DM700	T27293, G81-0803	Single Prong	All Mowers

Hesston Sections



Part Number	Replaces Number	Size	Description	Application	Rivet Used
S20-4013	049213	3" x 3-1/4"	RTSCR	All Windrowers	1/2 OH
S20-4277	700705300	3" x 3-1/4"	XHTSCR	& Mower Cond.	5/8 OH
S20-4268	SS700705300	3" x 3-1/4"	XH7TSCR		5/8 OH
S20-3325	SS700705299	3" x 3-1/4"	XH7TS		5/8 OH
S20-3745	700702966	3" x 3-1/4"	H TS		9/16 OH
S20-6332	048009	3" x 3-1/4"	RUSCR		1/2 OH
S20-2758	049262	3" x 3-1/4"	HSMCR		9/16 OH
S20-2521	048868	1/2 Section	RSMCR		1/2 OH

Hesston Tiger Tooth Sections



Part Number	Replaces Number	Size	Description	Application	Bolt Used
S20-4464	TT049254	3" x 3-1/4"	HTTCR	Mower Cond. & Windrowers	B55-0065D
S20-4317	SSTJ7000	3" x 3-1/4"	H7TTCR	Mower Cond. & Windrowers	B55-0065D

Hesston Universal End Sections



Part Number	Description
S20-4403	H7TSCR (RH) 10/Box
S20-4445	H7TSCR (LH) 10/Box
S20-4210	HTSCR (RH) 10/Box
S20-4211	HTSCR (LH) 10/Box
S20-6640	HUSCR (RH) 10/Box

Hesston

Overlap Section Kits




Part Number	Description	Application	Kit Contains
S20-4382	Overlap Section Kit	6665 & 6666 Headers	(2) S20-4382 - (748152) (3) S20-4382 - (748210) (10) B55-0059 - Ctsk Bolt/Nut
S20-4003	Overlap Section Kit	1170 & 8400	(5) S20-4341 (3) RH & LH Bottom Ctsk (10) B55-0059 - Ctsk Bolt/Nut
S20-4007	Overlap Kit	Fits Several	(5) Sections (1) Wear Bar (11) Bolts

Section Bolts



Part Number	Size	Description	Package Qty
B55-0065D	12-24 x 11/16	Section Bolt w/ Nut	50
B55-0085D	12-24 x 1	Head Bolt w/ Nut	15
B55-0095D	12-24 x 1-1/2	Head Bolt w/ Nut	12
B55-0059D	12-24 x 1/2	Overlap Bolt w/ Nut	10
N83-0289D	12-24	Nut	20
N83-0295D	12-24	Low Profil Nut	20

Hesston Sickles



Part Number	Size	Description	Package Qty
R36-0521D	5-1/2 x 1/2	Oval Head	1#
R36-0461D	5-1/2 x 9/16	Oval Head	1#
R36-0462D	5-1/2 x 5/8	Oval Head	1#
R36-0522D	5-1/2 x 15/16	Oval Head	1/2#
R36-0465D	5-1/2 x 1	Oval Head	1/2#
R36-0467D	5-1/2 x 1-1/4	Oval Head	1/2#
R36-0464D	5-1/2 x 1/2	Counter Sunk	1#
R36-0463D	5-1/2 x 5/8	Counter Sunk	1#
R36-0466D	5-1/2 x 1	Counter Sunk	1/2#
R36-0468D	5-1/2 x 1-1/4	Counter Sunk	1/2#

Hesston Sickles



Mower Conditioners PT-7, PT-10, 1010, 1011, 1012

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4593	-	6193510HD	7'	30	H15-0880	451948HD	RTSCR	S20-4013
S35-4060	S35-2359	6566178HD	9'	38	H15-0880	451948HD	HTSCR	S20-4564
S35-4594	-	491955HD	9'	38	H15-0880	451948HD	RTSCR	S20-4013
-	S35-2369	SSTT451955	9'	39	H15-0881	TT451948HD	H7TJCR	S20-4317

Mower Conditioners PT-12

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4325	-	429498	12'	49	H15-0387	433102	RTSCR	S20-4013

Windrowers 600, 620

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4325	-	429498	12'	49	H15-0387	433102	RTSCR	S20-4013
S35-4326	-	441527	14'	57	H15-0387	433102	RTSCR	S20-4013

Mower Conitioners 1070, 1071, 1085, 1090, 1091, 1095-1098

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4317	-	6584031	7'	28	H15-0316	700711999	HTSCR	S20-4564
S35-4318	-	6582522	9'	37	H15-0316	700711999	HTSCR	S20-4564
-	S35-2728	SS6582522	9'	37	H15-0316	700711999	XH7TSCR	S20-4268
-	S35-2377	SSTT6582522	9'	37	H15-0316	700711999	H7TJCR	S20-4317

Hesston Sickles



Windrowers 200, 220, 240, 260, 280, 300, 500

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4305	-	373530	14'	57	H15-0341	379370	RTSCR	S20-4013
-	S35-2291	373530S	14'	57	Headless	-	RTSCR	S20-4013
S35-4452	-	373530HS	14'	57	Headless	-	HTSCR	S20-4564

Windrowers 520,620,1014HS,6200,6400,6465,6550,6600,6610 11-Hole Head

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4625	-	6193627	12'	49	H15-0623	6193577	RTSCR	S20-4013
S35-4881	-	6272959	12'	49	H15-0623	6193577	HTSCR	S20-4564
-	S35-2375	SSTT6497101	12'	50	H15-0732	TT6497416	H7TJCR	S20-4317
S35-4626	-	6193635	14'	57	H15-0623	6193577	RTSCR	S20-4013
S35-4879	-	6272967	14'	57	H15-0623	6193577	HTSCR	S20-4564
-	S35-2376	SSTT6497119	14'	58	H15-0732	TT6497416	H7TJCR	S20-4317

Windrowers 520,620,1014HS,6200,6400,6450,6550,6600,6610 21-Hole Head

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2101	6497101	12'	49	H15-0151	6497416	HTSCR	S20-4564
-	S35-2375	SSTT6497101	12'	50	H15-0732	TT6497416	H7TJCR	S20-4317
S35-4154	-	6497119	14'	57	H15-0151	6497416	HTSCR	S20-4564
-	S35-2730	SS6497119	14'	57	H15-0151	6497416	XH7TSCR	S20-4268
-	S35-2376	SSTT6497119	14'	58	H15-0732	TT6497416	H7TJCR	S20-4317
-	S35-2731	6497374	16'	65	H15-0151	6497416	HTSCR	S20-4564
-	S35-2291	6206031	14'	57	Headless	-	RTSCR	S20-4013
S35-4452	S35-2452	6497465	14'	57	Headless	-	HTSCR	S20-4564

Windrowers 1014+2 Hydro Swing, 6450, 6455, 6550, 6555, 6566, 6650, 6655, 6660, 6665, 8100, Auger Header, 21' Draper Header

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4390	-	6832174	7' LH	25	H15-0390	6821078	HTSCR	S20-4564
-	S35-2285	SS6832174	7' LH	25	H15-0390	6821078	XH7TSCR	S20-4268
S35-4391	-	6832224	7' RH	25	H15-0301	6821136	HTSCR	S20-4564
-	S35-2286	SS6832224	7' RH	25	H15-0301	6821136	XH7TSCR	S20-4268
S35-4388	-	6832182	8' LH	29	H15-0390	6821078	HTSCR	S20-4564
-	S35-2325	SS6832182	8' LH	29	H15-0390	6821078	XH7TSCR	S20-4268
S35-4389	-	6832232	8' RH	29	H15-0301	6821136	HTSCR	S20-4564
-	S35-2326	SS68332232	8' RH	29	H15-0301	6821136	XH7TSCR	S20-4268
-	S35-2272	SS700705854	9' LH	33	H15-0390	6821078	XH7TSCR	S20-4268
-	S35-2273	SS700705861	9' RH	33	H15-0301	6821136	XH7TSCR	S20-4268
-	S35-2274	SS700705856	10.5'LH	39	H15-0390	6821078	XH7TSCR	S20-4268
-	S35-2275	SS700705862	10.5'RH	39	H15-0301	6821136	XH7TSCR	S20-4268

Hesston Sickles



Cutting Parts

Mower Conditioners 1170, 1270, 1275

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2001	SS700114590	7' LH	28	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2003	SS700709581	7' LH	28	Headless	-	XH7TSCR	S20-4268
-	S35-2002	SS700114591	7' RH	28	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2004	SS700709582	7' RH	28	Headless	-	XH7TSCR	S20-4268
-	S35-2067	700715165	7' LH	28	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2113	700709581	7' LH	28	Headless	-	XHTSCR	S20-4277
-	S35-2068	700715166	7' RH	28	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2114	700709582	7' RH	28	Headless	-	XHTSCR	S20-4277
-	S35-2014	SS700114592	8' LH	32	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2017	SS700709585	8' LH	32	Headless	-	XH7TSCR	S20-4268
-	S35-2015	SS700114593	8' RH	32	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2016	SS700709586	8' RH	32	Headless	-	XH7TSCR	S20-4268
-	S35-2069	700715167	8' LH	32	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2111	700114894	8' LH	32	Headless	-	XHTSCR	S20-4277
-	S35-2070	700715168	8' RH	32	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2112	700715168	8' RH	32	Headless	-	XHTSCR	S20-4277
-	S35-2305	SS700715778	9' LH	36	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2306	SS700715778	9' LH	36	Headless	-	XH7TSCR	S20-4268
-	S35-2309	SS700715779	9' RH	37	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2310	SS700715779	9' RH	37	Headless	-	XH7TSCR	S20-4268
-	S35-2307	700715778	9' LH	36	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2308	700715778	9' LH	36	Headless	-	XHTSCR	S20-4277
-	S35-2311	700715779	9' RH	37	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2312	700715779	9' RH	37	Headless	-	XHTSCR	S20-4277

Mower Conditioner 1130

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2071	700118673	9'	9'	37	H15-0066	XHTSCR	S20-4277

Mower Conditioner 1110, 1120, 1150, 1151, 1152

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2080	700000573	7'	27	H15-0390	6821078	HTSCR	S20-4564
-	S35-2081	SS700111430	9'	35	H15-0390	6821078	XH7TSCR	S20-4268
-	S35-2082	S700109341	12'	46	H15-0390	6821078	XH7TSCR	S20-4268

Hesston Sickles



Windrowers 8020, 8400, 8450, 8600 w/ 625 Auger Headers

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2001	SS700114590	7' LH	28	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2003	SS700709581	7' LH	28	Headless	-	XH7TSCR	S20-4268
-	S35-2002	SS700114591	7' RH	28	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2004	SS700709582	7' RH	28	Headless	-	XH7TSCR	S20-4268
-	S35-2067	700715165	7' LH	28	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2113	700709581	7' LH	28	Headless	-	XHTSCR	S20-4277
-	S35-2068	700715166	7' RH	28	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2114	700709582	7' RH	28	Headless	-	XHTSCR	S20-4277
-	S35-2014	SS700114592	8' LH	32	H15-0063	700114594	XHTSCR	S20-4268
-	S35-2017	SS700709585	8' LH	32	Headless	-	XH7TSCR	S20-4268
-	S35-2015	SS700114593	8' RH	32	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2016	SS700709586	8' RH	32	Headless	-	XH7TSCR	S20-4268
-	S35-2069	700715167	8' LH	32	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2111	700114894	8' LH	32	Headless	-	XHTSCR	S20-4277
-	S35-2070	700715168	8' RH	32	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2112	700715168	8' RH	32	Headless	-	XHTSCR	S20-4277
-	S35-2305	SS700715778	9' LH	36	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2306	SS700715778	9' LH	36	Headless	-	XH7TSCR	S20-4268
-	S35-2309	SS700715779	9' RH	37	H15-0063	700114594	XH7TSCR	S20-4268
-	S35-2310	SS700715779	9' RH	37	Headless	-	XH7TSCR	S20-4268
-	S35-2307	700715778	9' LH	36	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2308	700715778	9' LH	36	Headless	-	XHTSCR	S20-4277
-	S35-2311	700715779	9' RH	37	H15-0063	700114594	XHTSCR	S20-4277
-	S35-2312	700715779	9' RH	37	Headless	-	XHTSCR	S20-4277

Windrowers 1160, 1260, 1265, 8200 Center Pivot w/ 425 Header

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2072	700709622	12'	48	H15-0066	700111003	XHTSCR	S20-4277
-	S35-2073	700709623	14'	56	H15-0066	700111003	XHTSCR	S20-4277

Hesston Sickle Heads & Bearings



Part Number	Replaces Number	Description	Application
H15-0880	451948HD	HD Sickle Head	Mower/Cond. PT-7, PT-10
H15-0623	6193577	Sickle Head 11 H.	Mower/Cond. 1014HS, 520, 620, 6400, 6450, 6550, 6600
H15-0151	6497416	Sickle Head 21H	Windrowers 520, 620, 6400
H15-0390	6821078	Sickle Head LH	Windrowers 6450, 6550, 6650, 1110, 1120, 1150 M/C
H15-0301	6821136	Sickle Head RH	Windrowers 6450, 6550, 6650, 1110, 1120, 1150 M/C
H15-0316	700711999	Sickle Head 11 H.	M/C 1070, 1071, 1090, 1091, 1085, 1095, 6450, 6600
H15-0881	TT451948HD	HD Sickle Head	M/C PT-7, PT-10, & 1010 Tiger Tooth Sickles
H15-0732	TT6497416	Sickle Head 21H	Windrowers 520, 620, 6400, 6450, 6550
H15-0066	700111003	Head	Single Drive 1130, 1160, 8200
H15-0063	700114594	Head LH & RH	Double Drive 1170, 8400, 8450, 8020, 8600

Hesston Hold Clips



Part Number	Style	Description	Application
C45-0692	Steel	Clip (Lo-Arch)	All Mower/Cond. & Windrowers
C45-0693	Steel	Clip (Hi-Arch)	All Mower/Cond. & Windrowers
C45-0500	Steel	Clip (Lo-Arch)	Mower/Cond. Use with FQ260 Guard
C45-0501	Steel	Clip (Hi-Arch)	Mower/Cond. Use with FQ260 Guard
C45-0502	Steel	Clip (Lo-Arch)	Mower/Cond. Use with FQ250 Guard
C45-0503	Steel	Clip (Hi-Arch)	Mower/Cond. Use with FQ250 Guard

Hesston Forged Guards



Part Number	Replaces Number	Description	Application
FQ250	049312, FS86-2, BU250, G81-0120	Two Prong (Stub Guard)	M/C & Windrowers All w/ Stub Guards
FQ260	049270, FT77-2, BU260 G81-0085	Two Prong (Tie Guard)	All Windrowers
FQ245	049239, FS66-2, BU245 G81-0040	Two Prong	All Hesston M/C & Windrowers

John Deere Sections



Cutting Parts

Part Number	Replaces Number	Size	Description	Application	Rivet/ Bolt Used
S20-5110	Z7029H	3" x 3-3/16"	RUS	All Mowers, MC	9/16 OH
S20-1142	E76372, Z6541H	3" x 3-3/16"	XHSM	& Windrowers	9/16 OH
S20-5246	E76373, Z7030H	3" x 3-3/16"	XHUS		9/16 OH
S20-6344	E76371, H21530H	3" x 3-3/16"	XHUSCR		9/16 OH
S20-4777	E45996, E76370	3" x 3-3/16"	HTSCR		9/16 OH
S20-4286	SE45996, SE76370	3" x 3-3/16"	H7TSCR		9/16 OH
S20-3996	BKE45996, E76370	3" x 3-3/16"	HTS		9/16 OH
S20-3407	SBKE45996, E76370	3" x 3-3/16"	H7TS		9/16 OH
S20-6344	H21530H	3" x 3-3/16"	XHUSCR		9/16 OH
S20-4130	E71947	3" x 3-3/16"	HTSCR (Top CS)	Windrower, 300	5/8 CS
S20-4131	E71948	3" x 3-3/16"	HTSCR (Btm CS)	Twin Drive Header	5/8 CS
S20-4328	SSE71947	3" x 3-3/16"	H7TSCR (Top CS)		5/8 CS
S20-4329	SSE71948	3" x 3-3/16"	H7TSCR (Btm CS)		5/8 CS
S20-5236	W30344, W36402	3" x 3-1/4"	RUS	Windrower 580,	9/16 OH
S20-6492	W30344CR	3" x 3-1/4"	RUSCR	590, 2360	9/16 OH
S20-4969	W35888	3" x 3-1/4"	RTSCR		9/16 OH
S20-3283	34390	3" x 3-1/4"	XHTS		5/8 OH
S20-4170	34390CR	3" x 3-1/4"	XHTSCR		5/8 OH
S20-4398	SS34390CR	3" x 3-1/4"	XH7TSCR		5/8 OH
S20-4399	SS34390CR-CSK	3" x 3-7/32"	XHTSCR	Windrower 2360	5/8 OH
S20-4097	W35888	3" x 3-1/4"	XHTSCR	Windrower 2360	5/8 OH
S20-4641	E130477	3" x 3-1/4"	HTSCR	X-HI Shoulder	5/8 x 1/4 OH
S20-4420	H160250	3" x 3-1/4"	H7TSCR	55, 65, 95, 105,	5/8 OH
S20-4267	SSH84415	3" x 3-1/4"	H7TSCR	200, 900 Combine	5/8 OH
S20-4719	H84415	3" x 3-1/4"	HTSCR		5/8 OH
S20-4451	H136807	3" x 3-1/4"	HTSCR		B55-0065D
S20-4452	SSH136807	3" x 3-1/4"	H7TSCR		B55-0065D
S20-4531	H163131	3" x 4"	XH7TSCR	600 & 900 Draper	B55-0075D
S20-4532	H153329	3" x 4"	XHTSCR	Heads	B55-0075D
S20-4537	H163132	1/2	XH7TSCR		B55-0075D
S20-4536	H161242	1/2	XHTSCR		B55-0075D

John Deere Sections

Tiger Tooth / Tiger Jaws Sections



Part Number	Replaces Number	Size	Description	Application	Rivet Used
S20-4697	TTE45996	3" x 3"	HTTCR	Mower & Mower/Cond.	B55-0065D
S20-4414	SSTTE45996	3" x 3-1/8"	H7TTCR	Mower & Mower/Cond.	B55-0065D
S20-4415	SSTTE71947	3" x 3-1/8"	H7TTCR(TopCS)	Windrower Overlap Section	5/8 CS
S20-4416	SSTTE71948	3" x 3-1/8"	H7TTCR(BtmCS)	Windrower Overlap Section	5/8 CS
S20-4639	TJ7000	3" x 3-1/4"	HTJCR	Combine w/ Tiger Jaws	B55-0065D
S20-4317	SSTJ7000	3" x 3-1/4"	HTJCR	Combine w/ Tiger Jaws	B55-0065D
S20-3120	1970390C2	3 x 3	H 7TT	All Combines 3" & 1-1/2"	B55-0065D
				Windrowers, Mowers	

Universal End Sections

Part Number	Description
S20-4403	H7TSCR (RH)
S20-4445	H7TSCR (LH)
S20-4210	H7TSCR (RH)
S20-4211	H7TSCR (LH)
S20-6640	H7TSCR (RH)



Overlap Section Kits

For Double Drives-
Mower & Mower Conditioner
300 Twin Drive Headers

Part Number	Description
S20-4002	Overlap Section Kit Contains: (1) S20-4131 (3) S20-4130 (8) B55-0059 Ctsk Bolts & Nuts

For Double Drives-
300, 1600, 890, 4890 Mowers


Part Number	Description
S20-4006	Overlap Section Kit Contains: (6) Sections (10) Ctsk Bolts & Nuts

John Deere Section Bolts



Part Number	Size	Description	Package Qty
B55-0065D	12-24 x 11/16	Section Bolt w/ Nut	50
B55-0085D	12-24 x 1	Head Bolt w/ Nut	15
B55-0095D	12-24 x 1-1/2	Head Bolt w/ Nut	12
B55-0059D	12-24 x 1/2	Overlap Bolt w/ Low Profile Nut (Allen Head)	10
N83-0289D	12-24	Nut, Universal For All Above Nuts	20
N83-0295D	12-24	Nut, Low Profile	20

John Deere Section Rivets



Part Number	Size	Description	Package Qty
R36-0480D	5/8 x 1/4	Oval Head	1#
R36-0521D	5-1/2 x 1/2	Oval Head	1#
R36-0461D	5-1/2 x 9/16	Oval Head	1#
R36-0462D	5-1/2 x 5/8	Oval Head	1#
R36-0522D	5-1/2 x 15/16	Oval Head	1/2#
R36-0465D	5-1/2 x 1	Oval Head	1/2#
R36-0467D	5-1/2 x 1-1/4	Oval Head	1/2#
R36-0464D	5-1/2 x 1/2	Counter Sunk	1#
R36-0463D	5-1/2 x 5/8	Counter Sunk	1#
R36-0466D	5-1/2 x 1	Counter Sunk	1/2#
R36-0468D	5-1/2 x 1-1/4	Counter Sunk	1/2#

John Deere Sickles



Mowers 2, 5, 7B, 7D, 8, 8W, 9, 9W, 11, 20A, 37, 38, 39, 39N, 51

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3725	-	AZ958H	7'	28	H15-0282	AZ955H	XHSM	S20-1142
S35-3548	S35-1288	AZ1299H	7'	28	H15-0282	AZ955H	XHUS	S20-5246
S35-4242	-	AZ3104H	7'	28	H15-0282	AZ955H	XHUSCR	S20-6344
S35-3587	-	AZ3987H	9'	36	H15-0282	AZ955H	XHSM	S20-1142
S35-3588	-	AZ3988H	9'	36	H15-0282	AZ955H	XHUS	S20-5246

Mowers 47, 50, 250, 350, 450, 3700 W/ Needle Style Bearing Head

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3004	-	AE48592	7'	28	H15-0335	AE35450	XHUS	S20-5246
S35-3001	-	AE48593	7'	28	H15-0335	AE35450	XHSM	S20-1142
-	S35-2455	SSAE48593	7'	28	H15-0335	AE35450	H7TSCR	S20-4286
S35-3003	S35-1709	AE48594	9'	36	H15-0335	AE35450	XHUS	S20-5246
S35-3002	-	AE48595	9'	36	H15-0335	AE35450	XHSM	S20-1142
S35-3005	-	AE48594	9'	36	H15-0335	AE35450	HTS	S20-3996

Mower Conditioners 480, 483, 485, 780, 800 Both w/ 78 Draper Header 1209, 2280, 2320, 2420 All Three w/ 240 Auger Header Tie Rod Style

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4354	-	AE27602	9'	37	H15-0202	AE24247	HTSCR	S20-4777
S35-4353	-	AE27623	9'	37	H15-0202	AE24247	XHUSCR	S20-6344

Windrowers 780, 800, 830, 880, 1214, 2250, 2270 Using Platforms 78, 88, 120, 183, 188, 220, 278, 288 Tie Rod Head Style

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4350	-	AE28067	12'	49	H15-0202	AE24247	HTSCR	S20-4777
S35-4351	-	AE28073	14'	57	H15-0202	AE24247	HTSCR	S20-4777
S35-4751	-	AE23898	15'	59	H15-0202	AE24247	HTSCR	S20-4777
S35-4752	-	AE23782	18'	71	H15-0202	AE24247	HTSCR	S20-4777

Windrowers 1207, 1209, 1217, 1219

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4873	-	AE34769, AE41758, AE48664	9'	37	H15-0362	AE48125	HTSCR	S20-4777
S35-4868	S35-2936	AE41703 AE48662	9'	37	H15-0362	AE48125	XHUSCR	S20-6344

John Deere Sickles



Windrowers 4890 Double Drive, 4895, 4995 Self-Propelled Using 890, 895, 896 Auger Platforms

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2330	AE51995	14' LH	29	H15-0417	AE54468	H7TSCR	S20-4268
-	S35-2332	AE51996	14' RH	29	H15-0417	AE54468	H7TSCR	S20-4268
-	S35-2331	AE51795	16' LH	33	H15-0417	AE54468	H7TSCR	S20-4268
-	S35-2334	AE51796	16' RH	33	H15-0417	AE54468	H7TSCR	S20-4268
-	S35-2333	AE51997	18' LH	37	H15-0417	AE54468	H7TSCR	S20-4268
-	S35-2335	AE51998	18' RH	37	H15-0417	AE54468	H7TSCR	S20-4268

Windrowers 2280, 2320, 2420 Using 230, 240 Auger Platform

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2012	SSAE34769	9'	37	H15-0786	AE48125	H7TSCR	S20-4268
-	S35-2380	SSTTAE34769	9'	38	H15-0788	TTAE48125	H7TTCR	S20-4415
S35-4873	-	AE34769	9'	37	H15-0362	AE48125	HTSCR	S20-4777
S35-4868	S35-2936	AE41703	9'	37	H15-0362	AE48125	XHUSCR	S20-6344
S35-4133	S35-2290	AE35791	12'	49	H15-0362	AE48125	HTSCR	S20-4777
S35-4131	S35-2711	AE35809	14'	57	H15-0362	AE48125	HTSCR	S20-4777
S35-4132	-	AE35846	16'	65	H15-0362	AE48125	HTSCR	S20-4777
-	S35-2460	SSAE35846	16'	65	H15-0786	AE48125	H7TSCR	S20-4286
S35-4852	-	AE31931	18'	71	H15-0362	AE48125	HTSCR	S20-4777
-	S35-2461	SSAE31931	18'	71	H15-0786	AE48125	H7TSCR	S20-4286
S35-4853	-	AE28115	21'	83	H15-0362	AE48125	HTSCR	S20-4777
-	S35-2462	SSAE28115	21'	83	H15-0786	AE48125	H7TSCR	S20-4286
-	S35-2381	SSTTAE35791	12'	50	H15-0788	TTAE48125	H7TTCR	S20-4414
-	S35-2382	SSTTAE35809	14'	58	H15-0788	TTAE48125	H7TTCR	S20-4414

Windrower 580, 590 Pull-Type, 2360 Using 160 Draper Header

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2023	AW25029	18'	71	Headless	-	HTSCR	S20-4097
-	S35-2024	AW25030	21'	21'	Headless	-	HTSCR	S20-4097
-	S35-2025	AW25057	25'	99	Headless	-	HTSCR	S20-4097
-	S35-2026	AW25058	30'	119	Headless	-	HTSCR	S20-4097
-	S35-2262	SSAW20651	18'	71	Headless	-	XH7TSCR	S20-4398
-	S35-2253	SSAW20652	21'	83	Headless	-	XH7TSCR	S20-4398
-	S35-2254	SSAW20653	4'	16	Headless	-	XH7TSCR	S20-4398
-	S35-2255	SSAW24760	9'	36	Headless	-	XH7TSCR	S20-4398

John Deere Sickles



Mower Contitioners 1525, 3430, 3830 All Using 300 Twin Knife Head, 1600, 1600A Both Using 300 Auger Platform

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4138	-	AE43511	14' RH	28	H15-0363	AE48126	HTSCR	S20-4777
-	S35-2300	SSAE43511	14' RH	28	H15-0787	AE48126	H7TSCR	S20-4286
S35-4139	-	AE43520	14' LH	29	H15-0362	AE48125	HTSCR	S20-4777
-	S35-2301	SSAE43520	14' LH	29	H15-0786	AE48125	H7TSCR	S20-4286
S35-4140	-	AE43510	16' RH	32	H15-0363	AE48126	HTSCR	S20-4777
-	S35-2021	SSAE43510	16' RH	32	H15-0787	AE48126	H7TSCR	S20-4286
S35-4141	-	AE43519	16' LH	33	H15-0362	AE48125	HTSCR	S20-4777
-	S35-2020	SSAE43519	16' LH	33	H15-0786	AE48125	H7TSCR	S20-4286
-	S35-2391	SSTTAE43511	14' RH	28	H15-0789	TTAE48125	H7TTCR	S20-4414
-	S35-2390	SSTTAE43520	14' LH	30	H15-0788	TTAE48125	H7TTCR	S20-4414
-	S35-2393	SSTTAE43510	16' RH	32	H15-0789	TTAE48125	H7TTCR	S20-4414
-	S35-2392	SSTTAE43519	16' LH	34	H15-0788	TTAE48125	H7TTCR	S20-4414

Mower Conditioners 710, 720, 820

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2270	SSAE49203	9'9"	39	H15-0406	AE49854	H7TSCR	S20-4286

Combines 3300, 4400, 4420, 6600, 6620, 7700, 7720, 8820 Using 200 Series Series Rigid Headers or 213-230 Flexhead Platform, 9400, 9500, 9600 Using 900 Series Rigid Headers

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2536	AH121076	13'	50	H15-004	AH121075	H7TSCR	S20-4267
-	S35-2538	AH128721	16'	62	H15-004	AH121075	H7TSCR	S20-4267
-	S35-2540	AH121081	20'	78	H15-004	AH121075	H7TSCR	S20-4267
-	S35-2541	AH121083	22'	86	H15-004	AH121075	H7TSCR	S20-4267
-	S35-2542	AH121085	24'	94	H15-004	AH121075	H7TSCR	S20-4267
-	S35-2108	AH121221	25'	100	H15-004	AH121075	H7TSCR	S20-4267

John Deere Sickle Heads & Bearings



Part Number	Replaces Number	Description	Application
H15-0282	H28076H	Sickle Head	Mowers 5,8,9,11,37,38,39,39N
H15-0335	AE48583	Sickle Head	Mowers 47,50,250,350,450,3700 w/ Needle Bearing
H15-0202	AE24247	Sickle Head	Mower/Cond. & Windrower 480,483,485,780,800, 830, 880, 1209, 1214, 2250, 2270
H15-0417	AE54468	Sickle Head	890 & 4890 Double Drive Windrowers
H15-0786	AE48125	Sickle Head LH Bolted Sickles	M/C 1207,1209,1217,1219 Windrower 230,240, 1380, 2280, 2320, & 2420
H15-0362	AE48125	Sickle Head LH Riveted Sickles	M/C 1207,1209,1217,1219 Windrower 230,240, 1380, 2280, 2320, & 2420
H15-0787	AE48126	Sickle Head RH Bolted Sickles	M/C 300 Twin Knife Windrower 2280, 2320, & 2420 300 Twin Knife Hdr.
H15-0363	AE48126	Sickle Head RH Riveted Sickles	M/C 300 Twin Knife Windrower 2280, 2320, & 2420 300 Twin Knife Hdr.
H15-0681B	AE781137	Needle Bearing & Seal	H15-0786, H15-0362, H15-0335, H15-0363 H15-0788, H15-0789, H15-0787
H15-0395	AH75308	Sickle Head	Combine 3300, 4400, 6600, 6601, 6602, 7700
H15-0004	AH89498	Sickle Head	Combine 3300, 4400, 6600, 6601, 6602, 7700
H15-0952	TJAH89498HD	Sickle Head	Combine 200 Series & 900 Series
H15-0659B	KP12A	Head Bearing Kit	Combine 200 & 900 Tiger Jaw
H15-0430	N/A	Silver Tiger Head	Combine 200 & 900 w/ Silver Tiger System
H15-0788	TTAE48125	TT Sickle Head LH	M/C 1207, 1207, 1217, 1219, Windrower 230, 240, 1380, 2280, 2320, 2420
H15-0789	TTAE48125	TT Sickle Head RH	M/C 2280, 2320, 2420

John Deere Hold Down Clips



Part Number	Style	Description	Application
C45-0031	Cast	Clip (Lo-Arch)	All Mower/Cond. & Windrowers
C45-0042	Steel	Clip (Lo-Arch)	All Mowers
C45-0693	Steel	Clip (Hi-Arch)	All Combines, Mowers
C45-0692	Steel	Clip (Lo-Arch)	All Combines, Mowers

John Deere Forged Guards



Part Number	Replaces Number	Description	Application
DM700	AZ3441H, AZ2131H, G81-0803	Single Prong	All Mowers
FQ222	E72428, FS96, BU222, G81-0147	Double Prong	Mower/Cond 300 Series
FQ220	E48093, E33940, E82559, FS82-2, HA220, G81-0100	Double Prong	All Mowers, Cond. 480 Series Wndwr 215, 780, 800, 880 Forage Harv. 34, 35, 38
FQ221	E52667, E48093, E62000, FS84-2, HA221, G81-0113	Double Prong	All Mowers, Mower/Cond.
FQ235	FS73-2, HA235, BU235, G81-0070	Double Prong	Model 580,590,140&160 Auger
FQ240	H145791, BU240, G81-0021	Double Prong	All Combines
FQ254	E59625, E52547, E57752, BU254, G81-0101	Double Prong	M/C 1207, 1209, 1214, 1217, 1219, 1380, 1600, 1424, 1525, Mowers 350 & 450

Massey Sections



Part Number	Replaces Number	Size	Description	Application	Rivet/Bolt Used
S20-5236	L1262	3" x 3-1/4"	RUS	Mowers 30, 31, 32,	5/8 OH
S20-5743	130356M1	3" x 3-1/4"	XHUS	51,52,71,135,238,	5/8 OH
S20-6710	669807M1	3" x 3-1/4"	XHUSCR	MH5,6,40,41,60	5/8 OH
S20-5107	103636NM1	3" x 3-1/4"	XHUS	Mower/Cond.	5/8 OH
S20-1145	1038969M1	3" x 3-1/4"	XHSM	Haytender 81,725,	5/8 OH
S20-4277	683936M1	3" x 3-1/4"	XHTSCR	& 925 (Badger)	5/8 OH
S20-6339	683937M1	3" x 3-1/4"	XHUSCR		5/8 OH
S20-2758	683938M1	3" x 3-1/4"	XHSMCR		5/8 OH
S20-6492	1041472M1	3" x 3-1/4"	RUSCR	Windrowers 655,	5/8 OH
S20-4969	1046779M1	3" x 3-1/4"	RTSCR	35,675,775,875	5/8 OH
S20-4968	1046776M1	3" x 3-1/4"	HTSCR		5/8 OH
S20-4264	SS1046776M1	3" x 3-1/4"	H7TSCR		5/8 OH
S20-3283	1071707M1	3" x 3-1/4"	XHTS	Windrowers	5/8 OH
S20-4097	1055090M1	3" x 3-1/4"	HTSCR(HiShlder)	Windrowers 785,885	5/8 OH
S20-4269	SS261431M1H	3" x 3-1/4"	H7TSCR	All Combines	5/8 OH
S20-4462	1053209M1	3" x 2-1/2"	HTSCR	Comb. Fl. Bar Wob Hd.	5/8 CS
S20-4322	SS277444	3" x 2-1/2"	H7TSCR	All Combines Fl. Bar	5/8 CS
S20-4638	TJ6000	3" x 3-1/4"	HTJCR	Comb. w/ Tiger Jaws	TJ55BN
S20-4316	SSTJ6000	3" x 3-1/4"	H7TSCR	Tiger Jaw Combines	TJ55BN

Massey Universal End Sections

Part Number	Description
S20-4403	H7TSCR (RH)
S20-4445	H7TSCR (LH)
S20-4210	HTSCR (LH)
S20-4211	HTSCR (RH)
S20-6640	HUSCR (RH)




Massey Section Bolts



Part Number	Size	Description	Package Qty
B55-0065D	12-24 x 11/16	Section Bolt w/ Nut	50
B55-0085D	12-24 x 1	Head Bolt w/ Nut	15
B55-0095D	12-24 x 1-1/2	Head Bolt w/ Nut	12
N83-0289D	12-24	Nut	20
(Used On All Of The Above Bolt Except B55-0050D)			

Massey Section Rivets



Part Number	Size	Description	Package Qty
R36-0521D	5-1/2 x 1/2	Oval Head	1#
R36-0461D	5-1/2 x 9/16	Oval Head	1#
R36-0462D	5-1/2 x 5/8	Oval Head	1#
R36-0522D	5-1/2 x 15/16	Oval Head	1/2#
R36-0465D	5-1/2 x 1	Oval Head	1/2#
R36-0467D	5-1/2 x 1-1/4	Oval Head	1/2#
R36-0464D	5-1/2 x 1/2	Counter Sunk	1#
R36-0463D	5-1/2 x 5/8	Counter Sunk	1#
R36-0466D	5-1/2 x 1	Counter Sunk	1/2#
R36-0468D	5-1/2 x 1-1/4	Counter Sunk	1/2#

Massey Sickles



Mowers Dyna-Balance 30, 31, 51, 71, 135 FEO Series (Cast Gear Box)								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3695	-	669791M93	7'	28	H15-0302	667200M95	XHUSCR	S20-6710
Mowers Dyna-Balance 41, 51, 135 (Welded Gear Box)								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3887	-	581177M92	7'	28	H15-0975	581387M1	XHUSCR	S20-6710
Mower Conditioners 725, 925, Badger Northland BN1000, BN1005								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3010	-	683583M91	9'	39	Headless	-	XHUSCR	S20-6339
Mower Conditioner 81 Haytender								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3620	-	1038699M91	9'	35	Headless	-	XHUS	S20-5107
Windrower 35 Pull-Type								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4048	-	1042904M91	18'	72	Headless	-	RTSCR	S20-4969
S35-4049	-	1041471M91	21'	84	Headless	-	RTSCR	S20-4969
S35-4741	-	1041471M91	21'	84	Headless	-	HTSCR	S20-4968
S35-4928	-	1050779M91	25'	100	Headless	-	HTSCR	S20-4968
Windrower W/ Draper Head 655, 675, 775, 785, NH1090, WF6200								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4737	-	1046769M91	15'	59	-	1043844M91	HTSCR	S20-4968
S35-4876	-	1043836M91	15'	59	-	1043844M91	RUSCR	S20-5236
S35-4058	-	1046770M91	18'	71	-	1043844M91	RTSCR	S20-4969
S35-4877	-	1043837M91	18'	71	-	1043844M91	RUSCR	S20-5236
S35-4059	-	1046771M91	21'	83	-	1043844M91	RTSCR	S20-4969
S35-4878	-	1043838M91	21'	83	-	1043844M91	RUSCR	S20-5236
Mower Conditioners 34, 36, 44								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4373	-	146469M91	12'	47	H15-0205	144306M91	HTSCR	S20-4676
S35-4374	-	146470M91	14'	55	H15-0205	144306M91	HTSCR	S20-4676
S35-4375	-	146471M91	16'	63	H15-0205	144306M91	HTSCR	S20-4676
S35-4205	-	146253M91	18'	71	H15-0205	144306M91	HTSCR	S20-4676

Massey Sickles



Windrowers 775, 785, 885, Using Draper Header Mac Don 7000

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2262	SS1057967M91	18'	71	Headless	-	XH7TSCR	S20-4398
-	S35-2253	SS1057508M91	21'	83	Headless	-	XH7TSCR	S20-4398
-	S35-2254	N/A	4'	16	Headless	-	XH7TSCR	S20-4398
-	S35-2255	N/A	9'	36	Headless	-	XH7TSCR	S20-4398
-	S35-2023	1057967M91	18'	71	Headless	-	XHTS	S20-3283
-	S35-2024	1057508M91	21'	83	Headless	-	XHTS	S20-3283
-	S35-2025	1056739M91	25'	99	Headless	-	XHTS	S20-3283
-	S35-2026	1057912M91	30'	119	Headless	-	XHTS	S20-3283

Windrowers 885 Using Auger Header Single Drive Mac Don 7000

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2027	1057934M91	12'	49	Headless	-	XHTSCR	S20-4170
-	S35-2258	SS1057934M91	12'	49	Headless	-	XH7TSCR	S20-4398
-	S35-2028	1056866M91	14'	57	Headless	-	XHTSCR	S20-4170
-	S35-2259	SS1056866M91	14'	57	Headless	-	XH7TSCR	S20-4398
-	S35-2029	1057538M91	16'	65	Headless	-	XHTSCR	S20-4170
-	S35-2260	SS1057538M91	16'	65	Headless	-	XH7TSCR	S20-4398

Windrowers 885 Using Auger Header Double Drive Mac Don 7000 & 9000

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2031	N/A	7' LH	29	Headless	-	XHTSCR	S20-4170
-	S35-2032	N/A	7' RH	29	Headless	-	XHTSCR	S20-4170
-	S35-2240	N/A	7' LH	29	Headless	-	XH7TSCR	S20-4398
-	S35-2241	N/A	7' RH	29	Headless	-	XH7TSCR	S20-4398
-	S35-2033	N/A	8' LH	33	Headless	-	XHTSCR	S20-4170
-	S35-2034	N/A	8' RH	33	Headless	-	XHTSCR	S20-4170
-	S35-2242	N/A	8' LH	33	Headless	-	XH7TSCR	S20-4398
-	S35-2243	N/A	8' RH	33	Headless	-	XH7TSCR	S20-4398

Windrowers 613, 625

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4103	-	1043842M91	21'	83	Headless	-	RUSCR	S20-6492
S35-4104	-	1065051M91	25'	99	Headless	-	RUSCR	S20-6492
S35-4105	-	1065052M91	30'	119	Headless	-	RUSCR	S20-6492
-	S35-2253	SS1069665M91	21'	83	Headless	-	XH7TSCR	S20-4398
-	S35-2254	SS1065051M91	4'	16	Headless	-	XH7TSCR	S20-4398
-	S35-2255	SS1065052M91	9'	36	Headless	-	XH7TSCR	S20-4398
-	S35-2256	SS1069665M91	15'	60	Headless	-	XH7TSCR	S20-4398

Massey Sickle Heads



Part Number	Replaces Number	Description	Application
H15-0975	581387M1	Sickle Head Assy.	Mowers 41, 135 (With Welded Gear Box)
H15-0870	1043844M91	Sickle Head	Windrowers 655 Hydro & 775, 785 Draper Header
H15-0132	34388	Sickle Head LH	Windrowers 885 Auger Header, Single & Double Dr.
H15-0133	34895	Sickle Head RH	Windrowers
B15-0681B	N/A	Needle Bearing	Windrowers 885 For H15-0132, H15-0133
B82-0063B	143015M1	Head Bushing	Windrowers 34, 36, 44, For H15-0205
B82-0437B	1041478M91	Head Bushing	Windrowers 655, 775, 785 For H15-0870

Massey Hold Down Clips



Part Number	Style	Description	Application
C45-0031	Cast	Clip (Lo-Arch)	Mowers 30, 31, 32, 51, 52, 71, 72, 135
C45-0030	Cast	Clip (Hi-Arch)	PEO-A20, PEO-B20, PEO-21, PEO-A21, MH41, 60

Massey Forged Guards



Part Number	Replaces Number	Description	Application
DM700	679837M1, G81-0181	Single Prong	Mowers
FQ280	1036339M1, G81-0065, FS72-2	Double Prong	Mower/Conditioners
FQ215	683476M1, G81-0098, FS81-2	Double Prong	Windrowers
FQ235	1041468M1, G81-0070, FS73-2	Double Prong	Windrowers
FQ255	143240M1, G81-0105, FS83-2	Double Prong	Windrowers
FQ240	228392M2, G81-0020, FC62-2	Double Prong	Rigid Combines
FQ231	G81-0125, FC89-2, HA231	Double Prong	Combines

New Holland Sections



Part Number	Application	OEM #	Size	Description	Rivet/ Bolt Used
S20-1145	NH Mowers & Conditioners	26622	3" x 3-1/4"	XHSM	5/8 OH
S20-5107	NH Mowers & Conditioners	29875	3" x 3-1/4"	XHUS	5/8 OH
S20-6339	NH Mowers & Conditioners	706226	3" x 3-1/4"	XHUSCR	5/8 OH
S20-4277	NH Mowers & Conditioners	604921H	3" x 3-1/4"	XHTSCR	5/8 OH
S20-4268	NH Mowers & Conditioners	SS604921H	3" x 3-1/4"	XH7TSCR	5/8 OH
S20-3325	NH Mowers & Conditioners	SS9622744	3" x 3-1/4"	XH7TS	5/8 OH
S20-3276	NH Mowers & Conditioners	9622744	3" x 3-1/4"	XHTS	5/8 OH
S20-5244	NH Mowers & Conditioners	67630	3" x 3-1/4"	RUS	1/2 OH
S20-3412	NH Mowers & Conditioners	67631	3" x 3-1/4"	RTS	1/2 OH
S20-6332	NH Mowers & Conditioners	604800	3" x 3-1/4"	RUSCR	1/2 OH
S20-6492	NH 109 Pull Type Windr. 1090	276617CR	3" x 3-1/4"	RUSCR	1/2 OH
S20-4969	NH 109 Pull Type Windr. 1090	275522	3" x 3-1/4"	RTSCR	1/2 OH
S20-4968	NH 109 Pull Type Windr. 1090	275521	3" x 3-1/4"	HTSCR	1/2 OH
S20-4790	NH TR Series Combine	694723	3" x 3-1/4"	HTSCR	5/8 OH
S20-4719	NH Combines w/ Rigid Header	134104	3" x 3-1/4"	HTSCR	5/8 OH
S20-4608	NH Combines w/ Love Float Hd	271981CR	3" x 3"	HTSCR	5/8 CS
S20-4464	Mowers & Mower/Cond.	TT29875	3" x 3-1/4"	HTTCR	TJ55BN
S20-4639	Combines w/ Tiger Jaws	TJ7000	3" x 3-1/4"	HTTCR	TJ55BN
S20-4317	Combines w/ Tiger Jaws	SSTJ7000	3" x 3-1/4"	H7TTCR	TJ55BN

Ford Sections

Part Number	Application	OEM #	Size	Description	Rivet/ Bolt Used
S20-5246	Ford Mowers	141198	3" x 3-1/4"	XHUS	N/A
S20-6344	Ford Mowers	141198CR	3" x 3-1/4"	XHUSCR	N/A
S20-5110	Ford Mowers	141113	3" x 3-1/4"	RUS	N/A
S20-1142	Ford Mowers	141197	3" x 3-1/4"	XHSM	N/A
S20-1145	Ford Mowers	M333-1/2	3" x 3-1/4"	XHSM	N/A
S20-2758	Ford Mowers	141197CR	3" x 3-1/4"	XHSMCR	N/A
S20-3407	Ford Mowers, Windrowers	N/A	3" x 3-1/4"	H7TS	N/A

Versatile Sections

Part Number	Application	OEM #	Size	Description	Rivet/ Bolt Used
S20-4448	Windrower 10, 103, 400, 4400	SW1616CR	3" x 3"	RTSCR	1/2 CS
S20-3199	Windrower 10, 103, 400, 4400	SW1616	3" x 3"	RTS	1/2 CS
S20-3203	Windrower 10, 103, 400, 4400	SW1776	3" x 3"	RTS	1/2 CS
S20-4450	Windrower 10, 103, 400, 4400	SW1776CR	3" x 3"	RTSCR	1/2 CS
S20-3287	Windrower 10, 103, 400, 4400	SSW1776	3" x 3"	R7TS	1/2 CS
S20-3288	Windrower 10, 103, 400, 4400	SSW1616	3" x 3"	R7TS	1/2 CS
S20-3975	Windrower 10, 103, 400, 4400	VS1616BN	3" x 3"	HTS	B45-0065D
S20-3425	Windrower 10, 103, 400, 4400	SSVS1616BN	3" x 3"	H7TS	B45-0065D

New Holland Overlap Sections



Part Number	Replaces Number	Size	Description	Application	Rivet Used
S20-6767	706421	3" x 3-1/4"	RUSCR	Windrowers 907, 909, 910,	Btm CS
S20-6768	706422	3" x 3-1/4"	RUSCR	912, 1100, 1112	Top CS
S20-4883	706424	3" x 3-1/4"	RTSCR	Hay Machines	Btm CS
S20-4882	706423	3" x 3-1/4"	RUSCR		Top CS
S20-4721	694721	3" x 3-1/4"	HTSCR	Combines w/ Rigid Header	Top CS
S20-4722	694722	3" x 3-1/4"	HTSCR		Btm CS
S20-5126	635161	3" x 3-1/4"	XHUS	Mower Cond. 499 & 1499	Btm CS
S20-5127	635162	3" x 3-1/4"	XHUS	Mower Cond. 499 & 1499	Top CS
S20-4308	SS635162	3" x 3-1/4"	XH7TSCR	All Double Drive Sickles	Top CS
S20-4309	SS635161	3" x 3-1/4"	XH7TSCR	All Double Drive Sickles	Btm CS
S20-4371	635161	3" x 3-1/4"	XHTSCR	1112-1118	Btm CS
S20-4370	635162	3" x 3-1/4"	XHTSCR	1112-1118	Top CS
S20-4001	N/A		RTS Overlap Section Kit: Contains: (2) S20-4882, (3) S20-4883, (10) B55-0059		
S20-4005	N/A		HTSC Overlap Section Kit Contains: (2) S20-4308, (4) S20-4309, (1) Wear Strip, (6) 5/8" CS Bolts, (6) 1/2" CS Bolts		

New Holland Tiger Tooth / Tiger Jaws



Part Number	Replaces Number	Size	Description	Application
S20-4639	TJ7000	3" x 3-1/4"	HTTCR	Combines W/ Tiger Jaws
S20-4317	SSTJ7000	3" x 3-1/4"	H7TSCR	Combines W/ Tiger Jaws
S20-4464	TT29875	3" x 3-1/4"	HTTCR	Mowers Cond. & Windrowers

New Holland Universal End Sections

Part Number	Description
S20-4403	H7TSCR (RH)
S20-4445	H7TSCR (LH)
S20-4210	HTSCR (RH)
S20-4211	HTSCR (LH)
S20-6640	HUSCR (RH)




New Holland Section Bolts



Part Number	Size	Description	Package Qty
B55-0065D	12-24 x 11/16	Section Bolt w/ Nut	50
B55-0085D	12-24 x 1	Head Bolt w/ Nut	15
B55-0095D	12-24 x 1-1/2	Head Bolt w/ Nut	12
N83-0289D	12-24	Nut, Universal For All Above Nuts	20
N83-0295D	12-24	Nut, Low Profile	20
B55-0955D	5/8	Bolt & Nut w/ Oval Shoulder For Sections	20
B55-0975D	7/8	Bolt & Nut w/ Oval Shoulder For Heads	10
B55-0059D	12-24 x 1/2	Overlap Bolt w/ Low Profile Nut (Allen Head)	10
B55-0056D	9/16	Counter Sunk Bolt w/ Nut	20
B55-0057D	5/8	Counter Sunk Bolt w/ Nut	20
B55-0058D	1"	Counter Sunk Bolt w/ Nut	10
B55-0971D	1"	Ribbed Counter Sunk Bolt w/ Nut	25
B55-0970	5/8"	Ribbed Counter Sunk Bolt w/ Nut	50

New Holland Section Rivets



Part Number	Size	Description	Package Qty
R36-0480D	5/8 x 1/4	Oval Head	1#
R36-0521D	5-1/2 x 1/2	Oval Head	1#
R36-0461D	5-1/2 x 9/16	Oval Head	1#
R36-0462D	5-1/2 x 5/8	Oval Head	1#
R36-0522D	5-1/2 x 15/16	Oval Head	1/2#
R36-0465D	5-1/2 x 1	Oval Head	1/2#
R36-0467D	5-1/2 x 1-1/4	Oval Head	1/2#
R36-0464D	5-1/2 x 1/2	Counter Sunk	1#
R36-0463D	5-1/2 x 5/8	Counter Sunk	1#
R36-0466D	5-1/2 x 1	Counter Sunk	1/2#
R36-0468D	5-1/2 x 1-1/4	Counter Sunk	1/2#

New Holland Sickles



Ford Mowers 515 Series

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3367	-	241905	7'	29	N/A	242063	XHUS	141198
S35-3371	-	241906	8'	33	N/A	242063	XHUS	141198

Ford Mowers 175, 176, 257, 258, 259, 260, 501 Series, 14-94, 95, 96, 97

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3658	-	240890	7'	28	N/A	147874	XHSM	141197
S35-3654	-	148119	7'	28	N/A	147874	RUS	141113
S35-3659	-	240891	7'	28	N/A	147874	XHUS	141198

Ford Mowers 505 Series & 538

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3668	-	462381R9	7'	28	N/A	56692C91	XHSM	26622
S35-3667	S35-1281	462380R9	7'	28	N/A	56692C91	XHUS	29875
S35-3672	-	463182R9	9'	36	N/A	56692C91	XHSM	26622
S35-3669	S35-1714	463159R9	9'	36	N/A	56692C91	XHUS	29875

Ford Mowers 535

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3620	-	290627S	9'	35	-	Headless	XHUS	OU577HS

Ford Mowers 536 & 537

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3681	-	340-32056	9'	35	-	Headless	XHUS	OU577HS

Ford Mower / Conditioner 538

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3292	S35-1716	101988C91	9'	37	N/A	824594C91	XHUS	29875

New Holland Mowers 44, 45, 46, 47

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3630	-	MA22837	7'	28	N/A	MA999	XHUS	826722C1

New Holland Mower Less Pitman 450 & 455

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3975	-	64636	7'	28	N/A	34693	XHUS	29875

New Holland Sickles



New Holland Mower 450, 455, & 451 w/ Single Guards

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3389	N/A	143607	7'	28	N/A	858740	XHUS	29875
S35-3390	N/A	143608	9'	36	N/A	858740	XHUS	29875
S35-3342	N/A	143609	9'	36	N/A	858740	XHTS	29875

New Holland Mowers 451 & 456 w/ Double Guards

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-1024	SS228435	7'	29	N/A	858740	XH7TS	S9622744
-	S35-2289	SS858744	7'	29	N/A	858740	XH7TSCR	S604921H
-	S35-2566	TT228435	7'	29	N/A	TT143603	HTTCR	9622744
-	S35-2362	SSTT228435	7'	29	N/A	TT143603	H7TTCR	SSTJ7000
S35-3884	-	5228435	7'	29	N/A	143603	XHUS	29875
-	S35-1704	858745	9'	35	N/A	858740	XHUS	29875
-	S35-2128	SS858745	9'	35	N/A	858740	XH7TSCR	SS29875
S35-3006	-	228434	9'	35	N/A	858740	XH7TS	29875
S35-3885	-	228434	9'	35	N/A	143603	XHUS	29875

New Holland Mower Conditioner 460 & 461

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3282	-	134186	9'	35	N/A	86507377	XHUS	29875

New Holland Mower Conditioner 467

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3057	-	137214	7'	29	N/A	86507377	XHUS	29875

New Holland Mower Conditioner 469 & 1469

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3055	S35-1705	648844	9'	37	N/A	86507377	XHUS	29875
-	S35-3164	SS86518678	9'	37	N/A	86507377	XH7TS	SS9622744
-	S35-2053	TT86518678	9'	37	N/A	TT86507377	H7TTCR	SSTJ7000

New Holland Mower Conditioner 495 & 1495

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3128	-	648003	12'	49	N/A	86508155	XHUS	29875
-	S35-1708	858706	12'	49	N/A	86508155	XHUS	29875
-	S35-1001	SS9623572	12'	49	N/A	86508155	XH7TS	86508155
-	S35-2371	SSTT648003	12'	49	N/A	TT86508155	H7TTCR	TT86508155

New Holland Sickles



New Holland Model 472, 477, 478								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3864	-	648832	7'	29	H15-0863	577868	XHUS	S20-5107
-	S35-1280	858708	7'	29	H15-0863	577868	XHUS	S20-5107
New Holland Mower Conditioner 479, 488, 1469								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3865	-	648840	9'	37	H15-0862	577867	XHUS	S20-5107
-	S35-1706	858700	9'	37	H15-0862	577867	XHUS	S20-5107
-	S35-3165	SS9623570	9'	37	H15-0862	577867	XH7TS	S20-3305
-	S35-2052	SSTT648840	9'	37	H15-0579	TT577867	H7TTTCR	S20-4317
New Holland Mower Conditioner 490								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3076	-	579171	12'	49	H15-0862	86512652	XHUS	S20-5107
New Holland Mower Conditioner 474, 489, 492, 1465								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3375	-	648831	7'	29	H15-0488	289488	XHUS	S20-5107
-	S35-1707	858702	9'	37	H15-0016	289488CS	XHUS	S20-5107
-	S35-3166	SS86529232	9'	37	H15-0016	289488CS	SSTS	S20-3325
-	S35-2051	SSTT648835	9'	37	H15-0580	TT289488CS	H7TTTCR	S20-4317
S35-3283	-	648835	9'	37	H15-0488	289488	XHUS	S20-5107
New Holland Mower Conditioner 499, 1496, Windrowr 1499								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-3798	-	635163	6' LH	24	H15-0124	86536346	XHUS	S20-5107
-	S35-1128	9619698	6' LH	24	H15-0124	86536346	XHUS	S20-5107
S35-3799	-	635279	6' RH	25	H15-0124	86536346	XHUS	S20-5107
-	S35-1129	9619699	6' RH	25	H15-0124	86536346	XHUS	S20-5107
-	S35-1006	SS9622712	6' LH	24	H15-0124	86536346	XH7TS	S20-3305
-	S35-1007	SS9622713	6' RH	25	H15-0124	86536346	XH7TS	S20-3305
New Holland Model 109 Pull Type								
Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4048	-	276614CR	18'	72	Headless	-	RTSCR	S20-4969
S35-4049	-	276625CR	21'	87	Headless	-	RTSCR	S20-4969
S35-4928	-	276639	25'	100	Headless	-	RTSCR	S20-4969

New Holland Sickles



New Holland Windrower 907, 909, 910, 912

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4395	-	139179	6' RH	25	H15-0398	137635	RUSCR	S20-6332
S35-4396	-	139185	7' LH	28	H15-0397	135822	RUSCR	S20-6332
S35-4397	-	139184	7' RH	29	H15-0398	137635	RUSCR	S20-6332

New Holland Windrower 1090 Self Propelled

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
S35-4737	-	275503	15'	59	N/A	275506	HTSCR	S20-4968
S35-4058	-	275504	18'	71	N/A	275506	RTSCR	S20-4969
S35-4059	-	275505	21'	83	N/A	275506	RTSCR	S20-4969

New Holland Windrower 1112, 1114, 1116, 1118, 116 (14' & 16')

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2363	SSTT247987	7' LH	28	H15-0027	247989	H7TTCR	S20-4317
-	S35-2364	SSTT247988	7' RH	29	H15-0027	247970	H7TTCR	S20-4317
S35-4029	-	247987	7' LH	28	H15-0027	247989	RUSCR	S20-6332
-	S35-2702	9619696	7' LH	28	H15-0027	247989	RUSCR	S20-6332
S35-4033	-	247988	7' RH	29	H15-0031	247990	RUSCR	S20-6332
-	S35-2700	9619697	7' RH	29	H15-0031	247990	RUSCR	S20-6332
S35-4037	-	TS247987	7' LH	28	H15-0027	247989	RTSCR	S20-4013
S35-4040	-	TS247988	7' RH	29	H15-0031	247990	RTSCR	S20-4013
-	S35-2005	XH7TS247987	7' LH	28	H15-0027	247989	XHSTSCRS	S20-4268
-	S35-2006	XH7TS247988	7' RH	29	H15-0031	247990	XHSTSCRS	S20-4268
-	S35-2755	858724	7' LH	28	H15-0031	247990	XHTSCR	S20-4268
-	S35-2756	858725	7' RH	29	H15-0027	247989	XHTSCR	S20-4268
-	S35-2365	SSTT264987	8' LH	32	H15-0031	247990	H7TTCR	S20-4317
-	S35-2366	SSTT264985	8' RH	33	H15-0027	247989	H7TTCR	S20-4317
S35-4030	-	264987	8' LH	32	H15-0031	247990	RUSCR	S20-6332
-	S35-2703	9619694	8' LH	32	H15-0027	247989	RUSCR	S20-6332
S35-4034	-	264985	8' RH	33	H15-0027	247989	RUSCR	S20-6332
-	S35-2701	9619695	8' RH	33	H15-0031	247990	RUSCR	S20-6332
S35-4036	-	TS264987	8' LH	32	H15-0027	247989	RTSCR	S20-4013
S35-4041	-	TS264985	8' RH	33	H15-0031	247990	RTSCR	S20-4013
S35-4160	-	HTS264987	8' LH	32	H15-0027	247989	XHTSCR	S20-4268
-	S35-2758	858722	8' LH	32	H15-0027	247989	XHTSCR	S20-4268
S35-4161	-	HTS264985	8' RH	33	H15-0031	247990	XHTSCR	S20-4268
-	S35-2759	858723	8' RH	33	H15-0031	247990	XHTSCR	S20-4268

New Holland Sickles



New Holland Windrower 907, 909, 910, 912, 1112, 1114, 1116, 1118, 116, 114, 1100

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2058	264987	8' LH	32	H15-0027	858713	XH7TSCR	S20-4268
-	S35-2059	264985	8' RH	33	H15-0031	858714	XH7TSCR	S20-4268
S35-4156	S35-2972	HTS264987S	8' LH	32	Less Head	-	XHTSCR	S20-4277
S35-4155	S35-2973	HTS264985S	8' RH	33	Less Head	-	XHTSCR	S20-4277
S35-4533	S35-2417	HTS247987S	7' LH	28	Less Head	-	XHTSCR	S20-4277
S35-4534	S35-2418	HTS247988S	7' RH	29	Less Head	-	XHTSCR	S20-4277
S35-4637	S35-2848	706417	7' LH	28	Less Head	-	RTSCR	S20-4013
S35-4638	S35-2848	706418	7' RH	29	Less Head	-	RTSCR	S20-4013
S35-4634	S35-2850	706415	8' LH	32	Less Head	-	RTSCR	S20-4013
S35-4633	S35-2851	706416	8' RH	33	Less Head	-	RTSCR	S20-4013
-	S35-2007	SS706417	7' LH	28	Less Head	-	XH7TSCR	S20-4268
-	S35-2008	SS706418	7' RH	29	Less Head	-	XH7TSCR	S20-4268
-	S35-2852	SS706415	8' LH	32	Less Head	-	XH7TSCR	S20-4268
-	S35-2853	SS706416	8' RH	33	Less Head	-	XH7TSCR	S20-4268
S35-6075	-	139180	RH	Knife Back Overlap Bar				

New Holland Windrower Models 1475, 2200, 2300, 2450, 2550

Riveted Sickle	Bolted Sickle	OEM #	Length	No. of Sections	Head	Head OEM #	Type	Section
-	S35-2049	86509304	7' LH	29	Less Head	-	XH7TSCR	S20-4268
-	S35-2050	86509305	7' RH	29	Less Head	-	XH7TSCR	S20-4268
-	S35-2233	86509302	8' LH	33	Less Head	-	XH7TSCR	S20-4268
-	S35-2234	86509303	8' RH	33	Less Head	-	XH7TSCR	S20-4268
-	S35-2914	9826391	9' RH	37	H15-0356	9622855	XH7TSCR	S20-4268
-	S35-2915	9826390	9' LH	37	H15-0355	9622854	XH7TSCR	S20-4268
-	S35-2063	85605851	9' LH	37	Less Head	-	XH7TSCR	S20-4268
-	S35-2064	86505852	9' RH	37	Less Head	-	XH7TSCR	S20-4268
-	S35-2037	86502118	7' LH	29	H15-0355	9622854	XH7TSCR	S20-4268
-	S35-2038	86502119	7' RH	29	H15-0356	9622855	XH7TSCR	S20-4268
-	S35-2039	86502116	8' LH	33	H15-0355	9622854	XH7TSCR	S20-4268
-	S35-2040	86502117	8' RH	33	H15-0356	9622855	XH7TSCR	S20-4268

New Holland Sickle Heads



Part Number	Replaces Number	Description	Application
H15-0297	147874	Sickle Head	Ford Mowers 14-94, 95, 96, 97, 175, 176, 257, 258, 259, 260, 501 Series
H15-0204	242063	Sickle Head	Ford Mowers 14-280, 1, 2, 3, 515 Series
H15-0283	N/A	Sickle Head	Ford Mower/Cond. 538
H15-0281	462378R1	Sickle Head	Ford Mowers 505 Series
H15-0391	64693	Sickle Head	NH Mowers 450, 455
H15-0208	858740	Sickle Head	NH Mowers 450, 455, 451, 456
H15-0866	86507377	Sickle Head	NH Mower/Cond 460, 461, 467, 469, 490
H15-0863	577868	Sickle Head	NH Mower/Cond 472, 477, 478
H15-0862	577867	Sickle Head	NH Mower/Cond 488, 479, 490
H15-0488	289488	Sickle Head	NH Mower/Cond 474, 489, 492, 1465
H15-0016	289488CS	Sickle Head	NH Mower/Cond Bolted 474, 489, 492, 1465
H15-0580	TT289488CS	Sickle Head	NH Mower/Cond Tiger Tooth 474, 489, 492, 1465
H15-0677	TT143603	Sickle Head	NH Mower/Tiger Tooth 451, 456
H15-0579	TT577867	Sickle Head	NH Mower/Cond Tiger Tooth 479, 488, 1469
H15-0752	848094	Sickle Head	NH Combine 970, 972, 973
H15-0397	135822	Sickle Head LH	NH Windrowers 907, 909, 910, 912
H15-0398	137635	Sickle Head RH	NH 907, 909, 910, 912
H15-0027	858713	Sickle Head LH	NH Windrowers 1100, 1112, 1118, 1114, 1116
H15-0031	858714	Sickle Head RH	NH 1100, 1112, 1114, 1116, 1118
H15-0127	86508155	Sickle Head	NH Windrowers 495, 1495
H15-0355	9622854	Sickle Head LH	NH 2450, 2550
H15-0356	9622855	Sickle Head RH	NH 2450, 2550
H15-0060	TJ605038LH	Sickle Head LH	NH Tiger Jaws 970, 972, 973 Combine
H15-0061	TJ605038RH	Sickle Head RH	NH Tiger Jaws 970, 972, 973 Combine

New Holland Sickle Head Bushings



Part Number	Replaces Number	Description	Application
B82-0042B	63841	Head Bushing	Mowers 450, 451, 455
B82-0062B	127610	Head Bushing	Mowers 450, 455, 1496, 1499
B82-0381B	134182	Head Bushing	Mower/Cond 460, 461, 467, 469, 490, 1469
B82-0426B	254132	Head Bushing	Mower/Cond 472, 477, 478, 479, 488, 490, 495
B82-0068	76417	Head Bushing	Mower/Cond 905, 907, 909, 910, 912, 1100, 1112, 1114, 1116, 114, 116, 1118
B82-0211B	612408A	Bushing Assy	Mower/Cond 474, 489, 492, 1465, Comb. 972, 973

New Holland Hold Down Clips



Part Number	Style	Description	Application
C45-0502	Steel	Lo-Arch	Use w/ FQ250 Guard
C45-0503	Steel	Hi-Arch	Use w/ FQ250 Guard
C45-0031	Cast	Lo-Arch (XL1000)	Mowers All
C45-0030	Cast	Hi-Arch (XA1000)	Mowers All
C45-0020	Steel	Lo-Arch	Mowers All
C45-0692	Steel	Lo-Arch	Bolted Sickles
C45-0693	Steel	Hi-Arch	Bolted Sickles

New Holland Forged Guards



Part Number	Replaces Number	Description	Application
DM700	141009, G81-0778	Single Prong	Mowers Except 505
FQ280	FS72-2,BU280,290385,G81-0065	Two Prong	Mower/Cond 535
FQ206	FS92-2,BU206,110-32327,G81-0140	Two Prong	Mower/Cond
FQ205	FC80-2,BU205,110-32342,G81-0090	Two Prong	535 New, 536 Old
FQ210	FC85-2,BU210,483500R3,G81-0115	Two Prong	Mower/Cond 538
FQ290	FS67-2,BU290,SW1605,G81-0045	Two Prong	All Versatile Windrowers
FQ218	219190,FS93-2,BU218,G81-0145	Two Prong	NH Mowers
FQ245	65327,FS66-2,BU245,G81-0040	Two Prong	Older NH Windrowers/MC
FQ215	273846,FS81-2,BU215,G81-0095	Two Prong	Windrowers & M/C
FQ240	271971,FC62-2A,BU240,G81-0020	Two Prong	NH Combines Rigid Bar
FQ275	FC90-2,BU275,G81-0310	Two Prong	NH Combines Floating Bar
FQ250	FS86-2,BU250,G81-0120	Two Prong	NH Windrowers & M/C
FQ260	FT77-2,BT260,G81-0085	Two Prong	NH Windrowers & M/C

Forged Guards



Part Number	Replaces Number	Weight (Lbs.)
Allis Chalmers		
FQ225	1116504, BC225, FC68-2	1.06
FQ226	1341601, BU226	1.06
Case IH		
FQ200A	700707147, BU200A, FS97-2	1.69
FQ21	483500R3, BU210, FS85-2	1.78
FQ265	633098R1, BC265, FC69-2	1.38
FQ266A	1989552C1, BC266A	1.45
FQ270	613838R2, BU270A, FS65-2	1.83
Hesston		
FQ200A	700716292, BU200A, FS97-2	1.69
FQ245	49239, 748178, BU245, FSS66-2	1.72
FQ246	66603, BU230A	1.72
FQ250	49312, BU250, FS86-2	1.15
FQ251	6586630, BU251	0.50
FQ252	6586622, BU252	0.55
FQ254	700702736, BU254	0.96
FQ260	49270, BT260, FT77-2	1.39
FQ261	6213789, BT261, FT78-2	0.50
FQ262	6108518, BT262, FT79-2	0.55
John Deere		
FQ220	E48093, BU220, FS82-2	1.61
FQ221	E62000, BU221, FS84-2	1.79
FQ223	E81300, E88909, E81300, BU223H	1.86
FQ240	H113571, H145791, H61954, H75386, FS62-2, BC240A	1.14
FQ254	E59265, BU254	0.96
FQ340	H25603, BC340, FC62-3	1.50
Macdon		
FQ215	28013, BU215, FS81-2	1.70
FQ235	K8420-S, BU235, FS73-2	1.64
FQ250	118346, BU250	1.15
FQ253	34359, BU253	0.95

Forged Guards



Part Number	Replaces Number	Weight (Lbs.)
Massey Ferguson		
FQ240	228392M2, BC240A, FS62-2	1.14
FQ255	143240M1, BU255, FS83-2	1.38
FQ280	1036339M1, BU280, FS72-2	1.63
FQ281	244925M2	1.65
FQ295	All Mowers, BU295	1.81
FQ340	All 3-Prong, BC340, FC62-3	1.50
New Holland		
FQ215	NH219191, NH858778, BU215, FS81-2	1.70
FQ218	NH219190, BU218, FS93-2	1.72
FQ240	NH134024, BC240A, FS62-2	1.14
FQ245	NH65327, BU245, FS66-2	1.72
FQ250	NH257634, BU250, FS86-2	1.15
FQ251	NH287458, BU251	0.50
FQ252	NH288074, BU252	0.55
FQ275	NH273846, BU275	1.30
New Idea		
FQ270	BU270, FS65-2	1.83
FQ280	290385, BU280, FS72-2	1.63
Owatonna/Gehl		
FQ205	110-10657, BU205, FS80-2	1.74
FQ206	110-32327, BU206, FS92-2	1.77
FQ251	BU251	0.50
FQ252	BU252	0.55
Versatile		
FQ290	9705050, SW1605, BU290, FS67-2	1.40

Adjustable Hold Down Clips



Part Number	Description	Weight Per 100
S1016	Low arch hold down clip with 7/16" bolt.	82.00 lbs.
S1026	High arch hold down clip with 7/16" bolt.	83.00 lbs.

Adjustable Hold Down Replacement Parts

Part Number	Description	Weight Per 100
S1050	Plastic Wear Strip to fit above stern clips .188" Thick	1.00 lbs.
S1052	Adjustment bolt, fits all stern clips	1.03 lbs.
S1061	Tee nut fits all stern clips	1.10 lbs.
S1065	Dual Tension spring assembly	4.00 lbs.
S1067	Roll Pin 3/16" x 2" used on all stern clips	2.00 lbs.
S1068	Lock washer fits all stern clips	1.00 lbs.

Rubber Rake Teeth


Part Number: AW2323

Description: Left Hand, Fits New Holland & Allen Rakes

Ref Number: 300114, 352038, 65668, 850613

Carton Quantity: 100

Carton Weight: 55 lbs.

Dimensions:

Yoke Opening: 1-11/16"

Bolt Hole Dia: 3/8"

Tine Length From Mt. Hole: 10"

Tine Dia: 9/32"


Part Number: AW2324

Description: Right Hand, Fits New Holland & Allen Rakes

Ref Number: 300213, 352045, 139041, 850614

Carton Quantity: 100

Carton Weight: 55 lbs.

Dimensions:

Yoke Opening: 1-11/16"

Bolt Hole Dia: 3/8"

Tine Length From Mt. Hole: 10"

Tine Dia: 9/32"


Part Number: AW2000-839

Description: Double Rake Tooth, Fits Circle C, Darf, Farmland, H & S, Morrill, New Idea, Pequea, and Others.

Ref Number: 352052, 2117RH, 400341, 491478

Carton Quantity: 50

Carton Weight: 52 lbs.

Dimensions:

Bolt Hole Dia: 3/8"

Tine Length From Mt. Base: 7"

Tine Dia: 9/32"


Part Number: 300916

Description: Fits Most Round Bar & Parallel Bar Rakes With 1-5/8" Bar.

Ref Number: 65609, 850612, AE24953, AE47389

Carton Quantity: 100

Carton Weight: 51 lbs.

Dimensions:

Yoke Opening: 1-11/16"

Bolt Hole Dia: 3/8"

Tine Length From Mt. Hole: 10"

Tine Dia: 9/32"


Part Number: 300718

Description: Fits John Deere & Vermeer Rakes

Ref Number: AE56204, 2888-01

Carton Quantity: 100

Carton Weight: 48 lbs.

Dimensions:

Yoke Opening: 1-5/8"

Bolt Hole Dia: 3/8"

Tine Length From Mt. Hole: 10"

Tine Dia: 9/32"


Part Number: 301012

Description: Fits John Deere Rakes

Ref Number: AE24953, AE47389

Carton Quantity: 100

Carton Weight: 49 lbs.

Dimensions:

Yoke Opening: 1-5/8"

Bolt Hole Dia: 3/8"

Tine Length From Mt. Hole: 10"

Tine Dia: 9/32"

Rubber Rake Teeth

**Part Number: AW1000-195**

Description: Fits All Heath Bean Windrowers

Ref Number: 806-001

Carton Quantity: 100

Carton Weight: 26 lbs.

Dimensions:

Yoke Opening: 1-1/4"

Bolt Hole Dia: 5/16"

Tine Length From Mt. Hole: 8"

Tine Dia: 1/4"

**Part Number: AW1000-455**

Description: Fits Ford, Henry, Lockwood-Innes, & Pickett Bean Windrower Models.

Ref Number: 7500630, H60003, 504-055, 106000

Carton Quantity: 100

Carton Weight: 26 lbs.

Dimensions:

Yoke Opening: 1-1/8"

Bolt Hole Diameter: 5/16"

Tine Length From Mt. Hole: 7-1/2"

Tine Dia: 1/4"

**Part Number: 300619**

Description: Fits Massey Ferguson & Vermeer Balers

Ref Number: 27997-001, 1059176M1

Carton Quantity: 50

Carton Weight: 42 lbs.

Dimensions:

Yoke Height: 1-3/8"

Bolt Hole Dia: 5/16"

Tine Length From Bottom Of Yoke: 7-1/4"

Tine Dia: 1/4"

Baler & Rake Teeth

Allis-Chalmers

531727

Rake Tooth



A: 7.000"


B: 3.750"

C: 2.250"

Allis-Chalmers: Rake: Several

539754

Rake Tooth



A: 7.000"


B: 3.375"

C: 2.250"

Allis-Chalmers: Rake: Several

70511506

Rake Tooth



A: 7.750"

B: 1.875"

C: 4.000"

Allis-Chalmers: Rake: Several

6580456

Tedder Tooth



A: 14.875"

B: 1.625"

C: 3.750"

Allis-Chalmers: Hay Tedder: Several

Befco

BE1RT

Rake Tooth



A: 15.000"

B: 10.500"

C: 6.750"

Befco: Rake: Several

BE2TT

Tedder Tooth



A: 2.750"

B: 15.250"

C: 3.125"

Befco: Hay Tedder: Several

Case-IH

455165R1

Rake Tooth



A: 7.750"

B: 3.625"

C: 1.812"

Case-IH: Rake: 5 1952>

462978R1

Rake Tooth



A: 6.750"

B: 4.000"

C: 2.250"

Case-IH: Rake: 11, 15 All 1956>, 14, 16, 3, 30, 35, 4, 5, 8, 86, 9, 96, 97

MA74528

Rake Tooth



A: 6.125"

B: 4.000"

C: 1.625"

Case-IH: Square Baler: 27, 37, 45, 46, 47, 55, 56, 57, 60, 70, 71, 420, 430, 440, Forage Harvester: 15, 16, 55, 350, 550, 650

R740S

Rake Tooth



A: 7.500"

B: 4.125"

C: 2.500"

Case-IH: Rake: 169, 170, F170 All 1939 & Up

R1044S

Rake Tooth



A: 7.250"

B: 1.562"

C: 2.500"

Case-IH: Rake: 200 1953>

Baler & Rake Teeth

Case-IH

T17350

Rake Tooth



A: 7.125"

B: 3.750"

C: 2.187"

Case-IH: Rake: 281 1960>

210614C1

Baler Tooth



A: 6.250"


B: 2.750"

C: 1.375"

Case-IH: 2400, 241, 428, 430, 435, 440, 445, 5420

01710102

Baler Tooth



A: 5.250"

B: 2.500"

C: 1.500"

Case-IH: Round Baler: 8420

ZA103012

Baler Tooth



A: 5.750"

B: 2.625"

C: 1.500"

Case-IH: Round Baler: 3650

R15080

Rake Tooth




A: 8.500"

B: 3.500"

Case-IH: Rake: Several

96HE2

Rake Tooth



A: 6.000"


B: 3.500"

C: 1.875"

Case-IH: Rake: Several, Hesston Uses Same

540565R1

Rake/Tedder Tooth



A: 7.125"

B: 3.750"

C: 1.875"

Case-IH: Mower Conditioner: 1190, 1490, 1590, 990

814800C1

Spring Harrow Tooth



A: 15.000"


B: 7.500"

C: 1.830"

Case-IH: Disc Harrow: 310 Diskall Mulcher, 4200 Combo-Mulch Finisher, IH Mulcher Attachmnt

8045981

Double Tine



A: 6.000"

B: 2.500"

C: 1.500"

Case-IH: Square Baler: 4600, 8540

700714826

Double Tine



A: 5.125"

B: 2.375"

C: 1.900"

Case-IH: Round Baler: 8435, Square Baler: 8575

7895642

Double Tine



A: 2.750"

B: 1.937"

C: 7.000"

Case-IH: Draper Header 8840

700716132

Double Tine



A: 5.375"

B: 2.375"

C: 1.900"

Case-IH: Sq. Baler: 8585, Rnd Baler RS561, RS561A

Cutting Parts

Phone: (800) 321-5247 Fax: (559) 237-2048

www.agwestparts.com

Baler & Rake Teeth

Case-IH

700703860

Double Time



A: 5.000"


B: 2.375"

C: 0.437"

Case-IH: Sq. Baler 8520, 8530, 8545, 8550, 8555

40917

Rake Tooth



A: 7.000"

B: 3.375"


C: 2.250"

Ford/NH: Rake 55

Farmhand

LH2117

Rake Tooth LH



A: 5.250"


B: 4.500"

C: 1.875"

Farmhand: LR5, LR6, M5, M6, 3P Black RH

RH2117

Rake Tooth RH



A: 5.250"

B: 4.500"


C: 1.845"

Farmhand: Rake 76

Ford / New Holland

142856

Rake Tooth



A: 7.375"

B: 2.250"

C: 3.500"

Ford/NH: Rake 14-20

143049

Rake Tooth



A: 7.250"


B: 3.500"

C: 2.250"

Ford/NH: Rake 14-20, 14-40, Several

64562

Rake Tooth



A: 7.000"

B: 3.875"

C: 2.375"

Ford/NH: Rake 55, 56, 57, 256, 258, 259, 260

300916

Rake Tooth (Single Time)



Ford/NH: Rake 256, 56, 57

AW2323

Rake Tooth (LH)



Ford/NH: Rake 258, 259

AW2324


Rake Tooth (RH)



Ford NH: Rake 260

146545

Rake Tooth



A: 6.250"

B: 5.000"

C: 2.250"

Ford/NH: Rake 503

107058

Rake Tooth



A: 6.750"

B: 3.687"


C: 2.437"

Ford/NH: Rake 508

Baler & Rake Teeth

Ford / New Holland


539281 Tine (RH)



A: 17.625" B: 2.375" C: 2.250"

Ford/NH: Rake/Tedder 254, 255


539330 Tine (LH)



A: 17.625" B: 2.375" C: 2.250"

Ford/NH: Rake/Tedder 254, 255

792493K Hold Down Clip Kit



Ford/NH: Mower Cond. 1495, 1496, 1499, 495, 499, Rake: 256, 258, 259, 260, 55, 56, 57

37762 Baler Tooth



A: 6.000" B: 4.000" C: 1.500"

Ford/NH: Square Baler 67


127566 Baler Tooth



A: 5.750" B: 4.000" C: 1.500"

Ford/NH: 268, 269, 270, 273, 67, 69, 78, Super 68

12027 Baler Tooth



A: 7.250" B: 4.000" C: 1.500"

Ford/NH: Square Baler 77, 80, 87, 98, Super 77


149956 Baler Tooth



A: 6.000" B: 1.500" C: 4.000"

Ford/NH: Square Baler 150, 250, 350, 504, 506, 509, 520, 530, 532, 540, 542

28286 Baler Tooth



A: 6.375" B: 4.250" C: 1.500"

Ford/NH: Square Baler 166, 66, Super 66


147535 Baler Tooth



A: 5.750" B: 4.250" C: 1.500"

Ford/NH: Square Baler 250, 504

241380L Baler Tooth (LH)



A: 6.000" B: 4.437" C: 2.500"

Ford/NH: Mower/Cond. 488, 495, 499, 1495, 1499

241379R Baler Tooth (RH)



A: 6.000" B: 2.500" C: 4.437"


Ford/NH: Mower/Cond. 488, 495, 499, 1495, 1499

Baler & Rake Teeth

Ford / New Holland

210614C1

Baler Tooth




A: 6.250" B: 2.750" C: 1.375"

Ford/NH: Square Baler 555, 565, 571, 571W

86641710

Baler Tooth




A: 5.750" B: 2.500" C: 1.625"

Ford/NH: Square Baler 565, 570, Round Baler 855

131673

Baler Tooth



A: 5.750" B: 2.500" C: 1.625"

Ford/NH: Bale Wagon 1048, 1049, 1065, Square Baler 1281, 1282, 1283, 1290, 1425, 1426, 268, 269, 272, 273, 275, 276, 277, 278, 281, 282, 283, 285, 286, 290, 310, 311, 315, 316, 320, 326, 420, 425, 426, 430, 500, 515, 565, 570, 575, 585

252178


Tine (RH)



Ford/NH: Square Baler 1280, 1281, 1282, 1283, 1290, 1425, 178, 277, 278, 280, 281, 282, 283, 285, 286, 290, 311, 316, 320, 326, 425, 430, 500, 565, 568, 570, 575, 78, 99, S78

128102

Baler Tooth




A: 6.000" B: 4.000" C: 1.500"

Ford/NH: Square Baler 1280, 1281, 1290, 280, 281, 290

683310

Baler Tooth




A: 5.750" B: 2.500" C: 1.625"

Ford/NH: Square Baler 2000, Round Baler 849, 855

76517

Windrower Tooth



A: 6.500" B: 4.250" C: 1.875"

Ford/NH: Mower/Cond 460, 461, 467, 472, 474, 488, 492, Windrower 468, 903, 907, 909, 912, 1100, 1112, 1114, 1118

278687

Tedder Tooth




A: 12.750" B: 3.625" C: 2.750"

Ford/NH: Hay Tedder 156, 158, 162

279542

Tedder Tooth




A: 3.625" B: 12.500" C: 2.750"

Ford/NH: 156, 157, 162, 163, 165

278830

Tedder Tooth




A: 15.750" B: 4.218" C: 2.000"

Ford/NH: Hay Tedder Several

29971

Pickup Tooth



A: 4.200" B: 5.900" C: 1.500"


Ford/NH: Forage Pickup 626, 727, 728, 820, 821

Baler & Rake Teeth

Freeman

FR1226

Baler Tooth



A: 7.000"


B: 2.750"

C: 1.562"

Freeman: Square Baler Several

8045981

Double Tine



A: 6.000"

B: 2.500"


C: 1.500"

Hesston: Square Baler 4600

Glencoe

P1546

Spring Harrow Tooth



A: 11.500"

B: 2.875"

C: 2.150"

Glencoe: Harrow Several

700709760

Double Tine



A: 7.000"

B: 2.375"

Hesston: Square Baler 4750, Round Baler 550, 555S, 555T, 560, 565A, 565T

Heath

AW1000-195

Rubber Tooth




8" Long

1.250" Yoke

Heath: Bean Windrower

700714826

Double Tine



A: 5.125"

B: 2.375"


C: 1.900"

Hesston: Square Baler 4755, Round Baler 545, 845, 855, 856

Hesston

01710102

Baler Tooth



A: 5.250"


B: 2.500"

C: 1.500"

Hesston: Round Baler 530, 5510, 5530, 5540, 5545, 5585

700716132

Double Tine



A: 5.375"


B: 2.375"

C: 1.900"

Hesston: Bale Accumulator 4720, Square Baler 4760, 4790, Round Baler 856A, 956A

700703860

Double Tine



A: 5.00


B: 2.375"

C: 0.437"

Hesston: Square Baler 4450, 4570, 4590, 4650, 4655, 4690, 4690S

7893746

Baler Tooth



A: 6.250"

B: 3.312"

C: 1.500"

Hesston: Square Baler 4800

Baler & Rake Teeth

Hesston

700714199

Double Tine



A: 6.500" B: 3.125" C: 1.500"

Hesston: Square Baler 4900, 4910

1711951

Baler Tooth




A: 5.500" B: 3.125" C: 1.500"

Hesston: Round Baler 5510

7894306

Baler Tooth




A: 5.500" B: 3.625" C: 1.500"

Hesston: Round Baler 5500

7751621

Tedder Tooth




A: 4.625" B: 3.125" C: 1.500"

Hesston: Round Baler 5600, 5800

96HE2

Rake Tooth




A: 6.000" B: 3.500" C: 1.875"

Hesston: Windrower/Cond. PT7, PT10, PT12, Mower Cond. 1012, Windrower 1070, 1090, 420, 620, 1014, 6600

GT46S

Tedder Tooth




A: 16.000" B: 3.500" C: 2.787"

Hesston: 3710, 3717, 3727

PZ107

Tedder Tooth




A: 9.000" B: 5.125" C: 4.000" D: 6.750" E: 2.500"

Hesston: Hay Tedder 3700 LH Narrow

PZ224

Tedder Tooth




A: 9.500" B: 5.000" C: 4.000" D: 7.000" E: 2.500"

Hesston: Hay Tedder 3700 RH Narrow

PZ225

Tedder Tooth




A: 8.00" B: 3.00" C: 8.00" D: 2.50" E: 6.50" F: 2.50"

Hesston: Hay Tedder 3700 RH Wide

PZ110

Tedder Tooth



A: 8.50" B: 0.75" C: 7.125" D: 4.50" E: 6.50" F: 2.50"

Hesston: Hay Tedder 3700 LH Wide

7895642

Double Tine



A: 2.750" C: 1.937" D: 7.000"


Hesston: (Header Auger 10ft), (Mower/Cond. 1150, 1170), (Header Auger 12ft), (Mower/Cond. 1260, 1265, 1270, 1275), (Header Auger 6665, 6666, 8010, 8020, 8400)

Baler & Rake Teeth

John Deere

257SE

Rake Tooth



A: 7.000" B: 3.625" C: 2.187"

John Deere: Rake 350, 851, 858, 894, 896

186SE

Rake Tooth




A: 7.500" B: 3.687" C: 1.750"

John Deere: Rake 553, 594

237SE

Rake Tooth (Quick Detach)




A: 7.375" B: 3.625" C: 1.750"

John Deere: Rake 596, 597, 714

241SE

Rake Tooth




A: 5.500" B: 4.000" C: 1.750"

John Deere: Rake Several

268SE

Baler Tooth




A: 4.750" B: 3.187" C: 1.500"

John Deere: Square Baler 8F

276SE

Baler Tooth




A: 6.750" B: 3.812" C: 1.600"

John Deere: Square Baler 14T, 24T, 214T, 214WS

E13784

Rake Tooth




A: 9.250" B: 3.750" C: 1.620"

John Deere: Square Baler 216

E41833

Baler Tooth



A: 6.500" B: 2.250" C: 1.625"

John Deere: Square Baler 327, 336, 337, 346, 347

Round Baler 467

E74678

Baler Tooth



A: 4.625" B: 2.437" C: 1.500"

John Deere: Round Baler 330, 340, 435, 535

E79475

Baler Tooth




A: 5.750" B: 2.437" C: 1.500"

John Deere: 330, 335, 375, 385, 435, 446, 447, 448, 456, 457, 458, 466, 467, 546, 547, 556, 557, 558, 566, 567, 568

E67036

Baler Tooth



A: 4.625" B: 2.375" C: 1.500"

John Deere: Round Baler 410, 500, 510


Cutting Parts

Baler & Rake Teeth

John Deere

E90235

Spring Tooth




A: 7.500"

B: 2.500"

John Deere: 446, 447, 456, 457, 466, 467, 546, 547, 556, 557, 566, 567

N188605

Harrow Tooth



A: 11.875


B: 8.250"

C: 2.400"

John Deere: Cultivator 1050, 1060, 960, Chisel Plow 1650, Plow 610, Disc Harrow 630, 635

N135002

Harrow Tine



A: 13.750"


B: 7.750"

C: 2.370"

John Deere: Harrow Several

H33332

Reel Finger (RH)



A: 11.500"


B: 1.500"

C: 3.000"

John Deere: Header Draper 78, 120, 130, 135

E68906

Rake Tooth, Windrower



A: 7.000"



B: 3.500"

C: 2.000"

John Deere: Header 230, 240, Mower/Cond. 710, 720, 820, 1207, 1209, 1217, 1219, 1380, 1424

E37596

Rake Tooth, Windrower



A: 5.500"


B: 3.500"

C: 1.750"

John Deere: Header Auger 183, Cutting Pltfrm 220

N136767

Harrow Tooth



A: 13.750"

B: 7.000"


C: 2.370"

John Deere: Disc Harrow 210, 215, 220, 230, 235, Harrow 1975-1981 Several Models

Kewanee

B5182

Spring Harrow Tooth



A: 13.500"


B: 7.375"

C: 2.750"

Kewanee: Disc Harrow 1175, Cultivator 381-383

61727

Spring Harrow Tooth



A: 10.375"

B: 7.250"

C: 2.750"

Kewanee: Cultivator 251, 252, 253, 270, 370

Krause

76-156

Harrow Tooth



A: 13.500"


B: 7.000"

C: 3.000"

Krause: Harrow Several

76126

Spring Harrow Tooth



A: 10.875"

B: 7.500"

C: 2.400"


Krause: Harrow Several

Baler & Rake Teeth

Massey Ferguson

667530M1

Rake Tooth




A: 7.250"

B: 1.875"

MF: Rake 21, 25

668364M1

Rake Tooth



A: 7.250"

B: 1.937"

C: 3.875"

MF: Rake 25, 36, 37

1023216M1

Rake Tooth



A: 17.500"

B: 12.500"

C: 6.000"

MF: Rake 29 12-1/2" Offset

92611

Rake Tooth (Long)



A: 17.500"

B: 12.500"

C: 6.250"

MF: Rake 29, 39 5 Bar

96V11

Rake Tooth



A: 17.500"


B: 10.000"

C: 6.000"

MF: Rake 29, 39

667656M1

Rake Tooth



A: 7.375"


B: 2.000"

C: 1.875"

MF: Rake Several

DE03435

Rake Tooth



A: 7.500"

B: 1.875"

MF: Rake Several

TE001236

Rake Tooth



A: 9.000"


B: 3.500"

C: 1.750"

MF: Rake Several

665929M1

Baler Tooth



A: 6.375"

B: 4.000"

C: 1.625"

MF: Square Baler 3, 9, 10, 12

665930M1

Baler Tooth



A: 6.500"


B: 1.625"

C: 2.625"

MF: Square Baler 3, 9, 10, 12

585136M1

Baler Tooth



A: 6.500"


B: 2.750"

C: 1.625"

MF: Square Baler 120, 124, 126, 128, 130, 220, 224, 228

1053394M1

Baler Tooth



A: 7.000"

B: 2.875"

C: 1.687"

MF: Round Baler 1560, 1655

Cutting Parts

Baler & Rake Teeth

Massey Ferguson


1052668M1 Tedder Tooth



A: 7.750"

MF: Swather 775, 785, 885, Combine Several

0782ME1 Rake Tooth



A: 7.000"

B: 3.625"

C: 2.500"

New Idea: Rake Several

700716132 Double Tine



A: 5.375"

B: 2.375"

C: 1.900"

MF: Round Baler 1745, 1746, 1756, 2745, 2746, 2756

149781 Harrow Tooth



A: 149781


B: 7.500"

C: 3.500"

New Idea: Harrow Several

New Idea

GT46S Tedder Tooth




A: 16.000"

B: 3.500"

C: 2.787"

New Idea: 4210, 4217, 4227


41410 Harrow Tooth



A: 16.500" B: 7.500" C: 3.500" D: 12.500"

New Idea: Harrow Several

048ME Rake Tooth




A: 7.500"

B: 3.375"

C: 1.750"

New Idea: Rake 4, 44, 45G

290141 Rake Tooth




A: 7.125"

B: 3.750"

C: 1.875"

New Idea: Mower/Cond. 270, 271, 299, 750, 751, 752

NE400033 Rake Tooth



A: 6.625"

B: 3.875"

C: 2.500"

New Idea: Rake 49, 400, 402, 403

103012 Baler Tooth



A: 5.750"

B: 2.625"

C: 1.500"

New Idea: Round Baler 55, 465, 483, 484, 485, 486

400341 Rake Tooth




A: 5.250"

B: 4.500"


C: 1.875"

New Idea: Rake 404


Rotary Cutter Blades




Offset CCW Lift




Offset CCW




Offset CW Lift




Offset CW




CCW Lift



CCW



CW Lift




CW

Bush Hog

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
67743BH	CW Lift	17.125"	1.500"	4.000"	.500"	14.625"	2.500"
For Models: 1268, 268 All 8ft. Mowers LH							
67744BH	CCW Lift	17.125"	1.500"	4.000"	.500"	14.625"	2.500"
For Models: 1268, 268 All 8ft. Mowers RH							
7828BH	CCW Lift	19.250"	1.500"	4.000"	.500"	16.750"	2.500"
For Models: 109, 109 Offset, 1109, 1109 Offset, 1166, 1209, 12512, 13108 Offset, 160, 1600, 166, 2512, 3108, 3108 Offset, 3209, 3209 Offset							
7829BH	CW Lift	19.250"	1.500"	4.000"	.500"	16.750"	2.500"
For Models: 109, 1109, 1166, 1209, 12512, 13108, 160, 166, 2512, 3108, 3209							
86666BH	Double Edge	20.000"	1.500"	4.000"	.500"	17.750"	2.000"
For Models: 13368, 3368							
86664BH	CCW Lift	20.750"	1.500"	4.000"	.500"	18.250"	2.500"
For Models: 13368, 3214, 3368							
86665BH	CW Lift	20.750"	1.500"	4.000"	.500"	18.250"	2.500"
For Models: 13368, 3214, 3368							
78496BH	CW	20.750"	1.516"	4.000"	.500"	18.500"	2.500"
For Models: 13168, 3168							
78497BH	CCW	21.000"	1.500"	4.000"	.500"	18.500"	2.500"
For Models: 13168, 3168							
50054546	CW	24.000"	1.500"	4.000"	.500"	21.250"	1.750"
For Models: 12710, 12715 All LH Wing							
50054545	CCW	24.000"	1.500"	4.000"	.500"	21.250"	1.750"
For Models: 12710, 12715 All RH Wing, 2710 Center Deck							
78494BH	CW Lift	24.000"	1.500"	4.000"	.500"	21.500"	2.500"
For Models: 13126R, 13126S, 3126R, 3126S							
78495BH	CCW Lift	24.000"	1.500"	4.000"	.500"	21.500"	2.500"
For Models: 13126R, 13126S, 3126R, 3126S, 3126S Offset							
90015BH	CCW Lift	24.000"	1.500"	4.000"	.500"	21.500"	2.500"
For Models: 3126, 3210							


Rotary Cutter Blades




Bush Hog

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
90014BH	CW Lift	24.000"	1.500"	4.000"	.500"	21.500"	2.500"
For Models: 3126, 3210							
81395BH	CCW	24.625"	1.265"	3.000"	.375"	22.125"	2.375"
For Models: Razorback RZ60							
63968BH	CW/CCW	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
For Models: SM60, SM160							
36ULBH	CCW	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
For Models: 6, 12, 105, 205, 225, 266, 305, 502, 600, RB60							
36BH	CCW	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
For Models: 6, 12, 105, 205, 225, 266, 305, 502, 600, RB60, SQ60							
462BH	CCW	24.750"	1.500"	3.500"	.500"	22.250"	2.000"
For Models: 12, 105, 205, 255, 266, 305, 502, 600, RB60, SQ60, SQ600-3, SQ60-5							
80A462	CCW	24.750"	1.500"	3.500"	.500"	22.125"	2.000"
For Models: Several							
11150BH	CW Lift	24.750"	1.500"	4.000"	.500"	22.250"	2.500"
For Models: 126, 315, 1126, 1226, 1315, 2315, 2415, 2510, (2610, 2615, 3610, 3615, 3715, 12610, 12615 All LH)							
7555BH	CCW Lift	24.750"	1.500"	4.000"	.500"	22.250"	2.500"
For Models: 12, 105, 126, 205, 206, 255, 266, 275, 285, 305, 310, 315, 502, 600, 1126, 1126 Offset, 1226, 126 Offset, 12610 RH, 12615, 1310, 1315, 2315, 2415, 2510, (2610, 2615, 3610 All RH), 3615, 3715 RH, RB60, SQ60, SQ600-3, SQ60-5							
6739BH	Flat	24.750"	1.516"	4.000"	.500"	22.500"	2.500"
For Models: 1050, 12, 126, 2315, 2610L, 275, 285, 305, SM60							
304BH	CCW	27.750"	1.500"	3.000"	.500"	25.250"	2.000"
For Models: 1206, 206, 306, SQ72-4							
463BH	CCW	27.750"	1.500"	3.500"	.500"	25.250"	2.000"
For Models: 1206, 1256, 206, 256, 306, SQ720, SQ720-3, SQ72-4							
7556BH	CCW Lift	27.750"	1.500"	4.000"	.500"	25.250"	2.500"
For Models: 206, 256, 276, 286, 306, 1206, 1256, 2720, SQ720, SQ720-3, SQ72-4, (310, 315, 1310, 1315, 2315, 2415, 2610, 2615, 3610, 3615, 3715 All Center)							


Rotary Cutter Blades




Offset CCW Lift




Offset CCW




Offset CW Lift




Offset CW




CCW Lift



CCW



CW Lift



CW


Bush Hog

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
90242	CW	27.750"	1.500"	4.000"	.500"	25.250"	2.500"
For Models: 2720, Several							
6740BH	CW/CCW Flat	27.750"	1.516"	4.000"	.500"	25.500"	2.500"
For Models: 1115S, 2315, 2610L, 276, 286, 305							
7278BH	CCW	27.750"	2.000"	5.000"	.625"	25.250"	2.625"
For Models: 1406, 406 All Extra Heavy Duty Blade							
67327BH	CCW	30.750"	1.500"	3.000"	.500"	28.250"	2.500"
For Models: SQ72, SQ72-2, SQ72-3							
464BH	CCW	30.750"	1.500"	3.500"	.500"	28.250"	2.000"
For Models: 1207, 1257, 1307, 207, 257, 307							
7557BH	CCW Lift	30.750"	1.500"	4.000"	.500"	28.250"	2.500"
For Models: 1207, 1220 Center & RH, 1257, 1287, 1307, 207, 220 Center & RH, 257, 2620 Center & RH, 277, 287, 307, SQ7, SQ840, 1257R-2, 257R-2							
183BH	Flat	30.750"	1.516"	3.000"	.500"	28.500"	2.500"
For Models: 207							
6741BH	CW/CCW	30.750"	1.516"	4.000"	.500"	28.500"	2.500"
For Models: 277, 287, 307							
60528BH	CW	31.000"	1.500"	4.000"	.500"	28.250"	2.500"
For Models: 2620LH							

Case IH

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
IM602	CCW	31.500"	1.500"	3.000"	.500"	29.000"	1.500"
For Models: 600, 602 All 6ft.							

Rotary Cutter Blades



Ford / New Holland

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
220633	CCW	22.000"	1.500"	3.000"	.375"	20.500"	2.000"
For Models: 22-100, 22-111, 22-112, 22-113, 22-117, 22-118, 22-119, 22-127, 22-127A, 22-140, 22-141, 22-171, 22-172, 22-176, 22-177, 22-178, 22-179, 22-194, 22-195, 22-196, 22-197, 22-198, 22-199, 22-220, 22-221, 22-222, 22-223, 22-47, 22-60, 22-70, 22-99, 505, 901, 908, 909, 910							
221854	CCW Twist	22.250"	1.500"	3.000"	.375"	20.500"	2.000"
For Models: 22-111, 22-113, 22-127, 22-127A, 22-140, 22-141, 22-171, 22-172, 22-176, 22-177, 22-178, 22-179, 22-196, 22-197, 22-198, 22-199, 22-47, 22-60, 22-70, 505, 901, 908, 909, 910							


Hico / Howse

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
80A36	CCW Lift	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
For Models: 5ft Rotary Mowers							
420HC	CCW	24.750"	1.500"	3.500"	.500"	22.125"	2.000"
For Models: 5ft Rotary Mowers							
420UL	CCW Lift	24.750"	1.500"	3.500"	.500"	22.125"	2.000"
For Models: 500C							
422HC	CCW	27.750"	1.500"	3.500"	.500"	25.250"	2.000"
For Models: 6ft Rotary Mowers							
420HI	CCW	24.750"	1.500"	3.500"	.500"	22.125"	2.000"
For Models: 500C							

John Deere

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
W34286	CW/CCW	11.000"	1.391"	3.000"	.500"	9.500"	Flat
For Models: 205, 227, 307							
W43051	CW/CCW	18.250"	1.500"	3.000"	.500"	16.250"	Flat
For Models: 1008, 1408, 1418							

Rotary Cutter Blades




John Deere

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
W43049	Flat Offset	18.250"	1.500"	4.000"	.500"	16.250"	2.750"
For Models: 1008, 1408, 1418							
W44235	CW Lift	18.250"	1.500"	4.000"	.500"	16.250"	2.750"
For Models: 1008, 1408, 1418							
W44236	CCW	18.250"	1.500"	4.000"	.500"	16.250"	3.000"
For Models: 1008, 1408, 1418							
W45327	CCW	21.500"	1.500"	4.000"	.500"	19.500"	3.000"
For Models: HX10, MX10, MX5, MX6, CX15 Center & RH							
W45326	CW	21.500"	1.500"	4.000"	.500"	19.500"	3.000"
For Models: HX10, MX10, CX15 LH Wing							
W43048	Flat Offset	21.750"	1.500"	4.000"	.500"	19.750"	2.750"
For Models: 1008, 1508, 509, 609, 709							
W43043	Offset CW Lift	21.875"	1.500"	4.000"	.500"	19.750"	2.500"
For Models: 1008, 1508, 727, 737							
W43040	CCW	21.875"	1.500"	4.000"	.500"	19.750"	2.500"
For Models: 1008, 1508, 509, 609, 709, 727, 737, 1518							
W48577	CCW	28.000"	1.515"	4.000"	.500"	25.800"	3.000"
For Models: CX20, HX20, MX7							
W48578	CW	28.000"	1.515"	4.000"	.500"	25.800"	3.000"
For Models: CX20, HX20							

King Kutter

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
190124KK	CCW	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
For Models: Several							
190224KK	CCW	24.750"	1.500"	3.500"	.500"	22.250"	2.000"
For Models: Several							
190230KK	CCW Lift	27.750"	1.500"	3.500"	.500"	25.250"	2.000"
For Models: Several							

Rotary Cutter Blades




Land Pride

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
820-169C	CCW	23.000"	1.500"	4.000"	.500"	20.500"	2.000"
For Models: 5010, 5015, 6010, 6015, RC5515, RC6515, RCM5515, RCM6515 All RH Wing							
820-170C	CW	23.000"	1.500"	4.000"	.500"	20.750"	1.000"
For Models: 5010, 5015, 6010, 6015, RC5515, RC6515, RCM5515, RCM6515 All LH Wing							
820-067C	CCW	24.000"	1.500"	3.000"	.500"	22.000"	2.000"
For Models: 1560, 2560							
820-137C	CCW Lift	24.750"	1.500"	4.000"	.500"	22.250"	2.500"
For Models: RCR3515							
820-112C	CW Lift	24.750"	1.500"	4.000"	.500"	22.250"	2.500"
For Models: RCR3515							
820-076C	CCW	27.000"	1.500"	4.000"	.500"	24.500"	1.500"
For Models: 35120							
820-075C	CW	27.000"	1.500"	4.000"	.500"	24.625"	1.500"
For Models: 35120							
820-168C	CCW	29.000"	1.500"	4.000"	.500"	26.500"	2.000"
For Models: 5010, 5015, 6010, 6015, RC5515, RC6515, RCM5515, RCM6515 All Center							
820-066C	CCW	30.500"	1.500"	3.000"	.500"	28.000"	2.000"
For Models: 1572, 2572, 2584							
820-138C	CCW Lift	30.750"	1.500"	4.000"	.500"	28.250"	2.500"
For Models: RCR3515, RC3615, RCM3615, RCR2584, RCRM3515							

Rhino

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
401-036	CCW	8.812"	1.000"	3.000"	.500"	7.500"	1.000"
For Models: V152 Center							
37118	CCW Lift	18.750"	1.375"	3.625"	.500"	17.000"	Flat
For Models: Several							
681063	CW/CCW	19.125"	1.375"	4.000"	.500"	17.125"	1.750"
For Models: 1310							


Rotary Cutter Blades



Rhino

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick- ness	E Center Hole/End	F Offset Height
731340000	CW Lift	19.750"	1.000"	3.000"	.375"	18.000"	4.500"
For Models: Saturn 8ft							
731350000	CCW Lift	19.750"	1.000"	3.000"	.375"	18.000"	4.500"
For Models: Saturn 8ft							
753841	CW Lift	19.875"	1.500"	3.500"	.500"	17.375"	2.500"
For Models: SR120, TW96 RH, SAT8							
753842	CCW Lift	19.875"	1.500"	3.500"	.500"	17.375"	2.500"
For Models: SR120, TW96 RH, SAT8							
8589	CCW Lift	20.125"	1.500"	4.000"	.500"	18.125"	2.500"
For Models: A960, SR15M, TW60							
8590	CW Lift	20.125"	1.500"	4.000"	.500"	18.125"	2.500"
For Models: SR15M, TW120							
759338	CW Lift	21.500"	1.375"	4.000"	.500"	19.500"	3.000"
For Models: SR15 LH Wing Blade							
759339	CCW Lift	21.500"	1.375"	4.000"	.500"	19.500"	3.000"
For Models: SR15 RH Wing Blade							
71103	CCW Lift	24.500"	1.0625"	3.000"	.375"	22.750"	3.000"
For Models: Several							
652011R	CW	24.500"	1.375"	4.000"	.500"	22.500"	3.562"
For Models: 1008 Flex 15							
652010030	CW/CCW	24.500"	1.391"	4.000"	.500"	22.500"	3.562"
For Models: Cyclone 60, Flex 15, GR60, S128, FL10M, FL15M							
761319	CCW	24.750"	1.375"	3.000"	.400"	22.750"	1.250"
For Models: SE5							
622013F	CCW Lift	24.750"	1.375"	4.000"	.500"	22.500"	3.562"
For Models: 1008 Flex 15, Cyclone 60 All LH							
652011RF	CW Lift	24.750"	1.375"	4.000"	.500"	22.500"	3.562"
For Models: 1008 Flex 15, Cyclone 60 All RH							


Rotary Cutter Blades



Rhino

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick- ness	E Center Hole/End	F Offset Height
71103	CCW Lift	24.500"	1.0625"	3.000"	.375"	22.750"	3.000"
For Models: Several							
652011R	CW	24.500"	1.375"	4.000"	.500"	22.500"	3.562"
For Models: 1008 Flex 15							
652010030	CW/CCW	24.500"	1.391"	4.000"	.500"	22.500"	3.562"
For Models: Cyclone 60, Flex 15, GR60, S128, FL10M, FL15M							
761319	CCW	24.750"	1.375"	3.000"	.400"	22.750"	1.250"
For Models: SE5							
622013F	CCW Lift	24.750"	1.375"	4.000"	.500"	22.500"	3.562"
For Models: 1008 Flex 15, Cyclone 60 All LH							
652011RF	CW Lift	24.750"	1.375"	4.000"	.500"	22.500"	3.562"
For Models: 1008 Flex 15, Cyclone 60 All RH							
8588	CCW Lift	26.250"	1.500"	4.000"	.500"	24.250"	2.500"
For Models: A972, SR15M, TW144, TW72							
761273	CW	26.250"	1.500"	4.000"	.500"	24.375"	1.750"
For Models: TW144							
582013	CCW	27.000"	1.375"	4.000"	.500"	25.500"	3.250"
For Models: Cyclone 72, Main Blade, Flex 15 Center Blade, FL10M, FL15M All Center							
582013F	CCW	27.750"	1.375"	4.000"	.500"	25.500"	3.250"
For Models: 1008 Center CY72, Flex 15, SA15, FL10M, FL15M, All Center, SR15							
00772302	CCW	27.750"	1.375"	2.500"	.375"	25.500"	2.500"
For Models: SE6							
7520	CCW	30.750"	1.500"	4.000"	.500"	28.250"	2.500"
For Models: TW84							
752974	CCW	30.750"	1.516"	4.000"	.500"	28.500"	3.500"
For Models: SR20							

Rotary Cutter Blades




Sidewinder

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
21301SW	CW/CCW	17.375"	1.500"	3.000"	.375"	15.375"	2.000"
For Models: GB-50, SX-50							
15074SW	CCW	20.250"	1.500"	3.500"	.500"	17.750"	4.500"
For Models: GB144, GB48, RS160, RS213, SW66							
17065SW	CCW	22.375"	1.500"	3.000"	.375"	20.375"	2.000"
For Models: 5X5, K-60, SX-60							
15096SW	CCW	22.750"	1.500"	3.500"	.500"	20.250"	2.750"
For Models: 605, 660, GB60, GB602, SW72							
22334SW	CW/CCW	24.875"	1.500"	3.500"	.500"	22.375"	3.000"
For Models: PG210							
20013SW	CW/CCW	25.437"	1.500"	3.500"	.500"	22.937"	3.125"
For Models: FW215 CCW & CW							
15120SW	CCW	28.750"	1.500"	3.500"	.500"	26.250"	3.000"
For Models: 6X6, GB722, GB842, SW642							
CB22935	CW Lift	25.750"	1.500"	3.500"	.500"	23.000"	2.500"
For Models: FW215							

Woods

Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
15789	CCW	18.500"	1.500"	3.000"	.375"	17.125"	Twist
For Models: DO80-2, MDO80-2							
3900WD	CCW Twist	18.375"	0.875"	3.000"	.375"	17.125"	.750"
For Models: 80, B080, B80, B80U, C080, C80, C80U, D08, D80, K4, M80, MB80							
3975WD	CW Lift	19.562"	.875"	2.500"	.250"	18.250"	Twist
For Models: 42							
11768WD	CW Lift	20.125"	1.500"	4.000"	.375"	17.750"	1.500"
For Models: 2080							
11769WD	CCW Lift	20.125"	1.500"	4.000"	.375"	17.750"	1.500"
For Models: 2080							

Rotary Cutter Blades



Woods


Part Number	Description	A Overall Length	B Hole Dia.	C Width	D Thick-ness	E Center Hole/End	F Offset Height
6330WD	CCW	22.000"	1.500"	3.000"	.375"	20.500"	2.000"
For Models: 60-2, 60-3, 60-4, E60, M5-4, RM5-3							
6866WD	CCW Twist	22.000"	1.500"	3.000"	.375"	20.500"	2.375"
For Models: 60-4, E60, M5, M60							
12892WD	CCW Lift	24.000"	1.500"	4.000"	.375"	21.375"	2.625"
For Models: 2090, 312, D210R, D315, HD210R-2, HD210R-3, HD210R-4, HD315-4, MR105, R105, S105, S105-1, S102-2							
24771WD	CW Lift	24.000"	1.500"	4.000"	.375"	21.500"	2.625"
For Models: 2090, D210R, D315, D315-2, D315-3, HD210R-4, HD315-4, HS105, HS105-1, HS105-2, HS105-3, S105							
17130WD	CW Lift Type	24.000"	1.500"	4.000"	.375"	21.500"	2.625"
For Models: 121, 0121							
4742WD	CCW Lift Type	24.000"	1.500"	4.000"	.375"	21.500"	2.625"
For Models: 121, MD160, 0121							
19160WD	CCW Lift Type	25.250"	1.500"	4.000"	.500"	22.625"	2.500"
For Models: 3180, BW180-3, HD315-5							
19161WD	CW Lift Type	25.250"	1.500"	4.000"	.500"	22.750"	3.000"
For Models: 3180, BW180-3, HD315-5							
8825WD	CCW	30.000"	1.500"	4.000"	.500"	27.375"	3.750"
For Models: 211, 213Q, 214, 214Q, 214R, 215, 315, 320, 84-1, B106, B214, B214QR, B320, Cadet 72, Cadet 8, M214, M84, MB106, MR107, R107, S106, S214, SM214							
8820WD	CW Lift	30.000"	1.500"	4.000"	.500"	27.375"	3.750"
For Models: 211, 213Q, 214, 214Q, 214R, 215, 315, 320, B214, B214QR, B320, HS106, M214, S106, S106-3, S214, SM214							
6323WD	CCW Lift	30.250"	1.500"	4.000"	.401"	27.375"	1.500"
For Models: 213, 320, 72, 84, B315-4, M72, M84, MD172, MD184, XT184							

Rotary Cutter Bolts



Part Number	Replaces Number	Application	Thread Size
636307BH	RE7919, WP7919, A-12-980, B55-0336	Bush Hog, Howse, King Cutter, Others	1-1/8" - 12 UNF RH
B55-0332	57-104-4, GL-16-140	Servis Rhino, Others	1" - 14 UNF LH
B36107A2ALH	SW00727	John Deere, Others	3/4" - 16 UNF LH

Rotary Cutter Wheel Assembly



Part Number	Ref Number	Description
12269BH	-	Tail Wheel Kit, 4" x 8" Tire, 1-1/2" Dia. Shank
12269BHSPL	-	Tail Wheel Kit, 4" x 8" Tire, 1-1/4" Dia. Shank
12528BH	1	Fork Assembly 1-1/2" Dia. Shank
12528BHSPL	1	Fork Assembly 1-1/4" Dia. Shank
20123BH	2	3/4" x 8" Hex Head Bolt
15591BH	3	3/4" Lock Nut
12261BH	4	Wear Washer
VLH1722	5	Spacer
12250BH	6	Roller Bearing w/ Sleeve
233BH	7	Wheel Half
500BH	8	4" x 8" Tire Assy
12105BH	9	Hub less Bolts
HB121	10	1/2" x 1" Hex Head Bolt
LW12	11	1/2" Loc Washer
GF1428TT	12	Grease Fitting Set 1/4" - 28 (20 Pack)
8A911	13	Bearing Set For 12268BH Hub

Rotary Cutter Wheel Hubs




Part Number

12105BH

Description

Tail Wheel Hub Only
(Associated items on previous page.)



Part Number


63813BH

Description

Tail Wheel Hub Assy
Includes:
1- 80A600 Hub
2- 63811BH .750" Bushings
1- 44090BH 3/4" x 7" Bolt
1- 15591BH 3/4" Loc Nut

80A600

Tail Wheel Hub
Includes 3/4" x 7" Bolt, Less Bushings



Part Number

7977

Description

Hub Less Bearings

146197BH

Cup (Inner)

146198BH

Cup (Outer)

50073BH

Cone (Outer)

50076BH

Cone (Inner)

7967BH


Seal



92008

Spindle For 7977 Hub

Disc Mower Blades



Bush Hog

Part Number	OEM Number	Application	Length	Hole Dia.	Style	Shape	Bolt Number
B45-6992	526216	HM5, HM7, HM8, DM7,	4.72	0.73	10	LH Twisted	B55-0357D
B45-6993	526215	DM8, DM9, DM18, DM19, 526, 527, 528	4.72	0.73	10	RH Twisted	B55-0357D
B45-6563	527746	5406, 5407, 5408,	4.76	0.89	10	RH Twisted	B55-0355D
B45-6564	527747	5409, DM70, DM80, DM90, DM180, DM190	4.76	0.89	10	LH Twisted	B55-0355D

Case IH

Part Number	OEM Number	Application	Length	Hole Dia.	Style	Shape	Bolt Number
B45-6568	700712888	725, 8309, 8312,	4.21	0.72	9	RH Twisted	B55-0344D
B45-3239	700712889	8850, DC515	4.21	0.72	9	LH Twisted	B55-0344D
B45-6559	700711857		4.21	0.72	10	RH Twisted	B45-0342D
B45-6560	700711858		4.21	0.72	10	LH Twisted	B45-0342D
B45-6992	ZA526216	306, 307, 308, 3204,	4.72	0.73	10	LH Twisted	B55-0357D
B45-6993	ZA526215	3205, 3206	4.72	0.73	10	RH Twisted	B55-0357D
B45-6701	977516-0		3.54	0.75	1	Flat	N/A
B45-6563	113385A1	3204, 3205, 3206	4.76	0.89	10	RH Twisted	B55-0355D
B45-6564	113384A1		4.76	0.89	10	LH Twisted	B55-0355D
B45-6721*	9847684	MD72, MD82, MD92,	4.21	0.90	10	LH Twisted	N/A
B45-6720*	9847683	RD132, RD162, MDX71,	4.21	0.90	10	RH Twisted	N/A


*13° Angle

MDX81, MDX91, DCX91,
DCX101, DCS131,
DCX161, RDX131,
RDX161, RDX181

Hesston

Part Number	OEM Number	Application	Length	Hole Dia.	Style	Shape	Bolt Number
B45-6568	700713983	1320, 1340, 1345, 1355,	4.21	0.72	9	RH Twisted	B55-0344D
B45-6569	700713984	1360, 1365, 1375, 3312, 3315, 8070, 8500, 9070, 9075, 9080, 9190, 9192	4.21	0.72	9	LH Twisted	B55-0344D
B45-6563	527746	1004, 1005, 1006, 1007,	4.76	0.89	10	RH Twisted	B55-0355D
B45-6564	527747	1008, 3006, 3007, 3008, 300, 930, 103, 309	4.76	0.89	10	LH Twisted	B55-0355D

Disc Mower Blades



Hesston

Part Number	OEM Number	Application	Length	Hole Dia.	Style	Shape	Bolt Number
B45-6996	DM303	1030, 1035, 1040,	3.66	0.64	9	LH Twisted	B55-0358D
B45-6997	DM304	1050, 1060	3.66	0.64	9	RH Twisted	B55-0358D
B45-6559	700715576	8500	4.21	0.72	10	LH Twisted	B55-0342D
B45-6560	700715575		4.21	0.72	10	RH Twisted	B55-0342D


John Deere

Part Number	OEM Number	Application	Length	Hole Dia.	Style	Shape	Bolt Number
B45-6996	CC19336	270	3.66	0.64	9	LH Twisted	B55-0358D
B45-6997	CC19333		3.66	0.64	9	RH Twisted	B55-0358D
B45-6122	CC20500	1320, 1326, 1327,	3.76	0.64	9	LH Twisted	B55-0358D
B45-6123	CC20501	240, 260	3.76	0.64	9	RH Twisted	B55-0358D
B45-6565	CC21780	1320, 1326, 1327	4.82	0.72	9	LH Twisted	B55-0344D
B45-6566	CC21781		4.82	0.72	9	RH Twisted	B55-0344D
B45-6568	CC26781	265,275,285,525,530,	4.21	0.72	9	RH Twisted	B55-0344D
B45-6569	CC26780	535,625,630,635,730,	4.21	0.72	9	LH Twisted	B55-0344D
		735,830,835,910,915,					
		916,920,926,930,935,					
		936,945,946,955,956,					
		990,994,995,1350,					
		1360,1460,1470					

Massey Ferguson

Part Number	OEM Number	Application	Length	Hole Dia.	Style	Shape	Bolt Number
B45-6563	527749	1306,1307,1308,1309,	4.76	0.89	10	RH Twisted	B55-0355D
B45-6564	527748	1310,1326,1327,1328,	4.76	0.89	10	LH Twisted	B55-0355D
		1329,1330,1339,1359					
B45-6568	700712888	1345,1355,1365,1372,	4.21	0.72	9	RH Twisted	B55-0344D
B45-6569	700712889	1375,9070,9075,9080,	4.21	0.72	9	LH Twisted	B55-0344D
B45-6560	700711858	9175,9185	4.21	0.72	10	RH Twisted	B55-0342D
B45-6559	700711857		4.21	0.72	10	LH Twisted	B55-0342D
B45-6996	DM303L	164, 166, 530	3.66	0.64	9	LH Twisted	B55-0358D
B45-6997	DM303R		3.66	0.64	9	RH Twisted	B55-0358D

Disc Mower Blades



New Holland

Part Number	OEM Number	Application	Length	Hole Dia.	Style	Shape	Bolt Number
B45-6175	274230	442, 462	3.70	0.64	1	Flat	B55-0358D
B45-6565	784220	411 to 711915, 453,	4.84	0.72	9	LH Twisted	B55-0344D
B45-6566	784221	463	4.84	0.72	9	RH Twisted	B55-0344D
B45-6996	274096	462 to 51121643	3.66	0.64	9	LH Twisted	B55-0358D
B45-6997	274097		3.66	0.64	9	RH Twisted	B55-0358D
B45-6122	766726	462 after 51121643,	3.74	0.64	9	LH Twisted	B55-0358D
B45-6123	766727	452, 442	3.74	0.64	9	RH Twisted	B55-0358D
B45-6568	853819	408, 411, 412, 415	4.21	0.72	9	RH Twisted	B55-0344D
B45-6569	853820		4.21	0.72	9	LH Twisted	B55-0344D
B45-6721	9847684	615,616,617,720HD,	4.21	0.90	10	LH Twisted	N/A
B45-6720	9847683	750HD,1409,1410,	4.21	0.90	10	RH Twisted	N/A
		1411,1412,1431,1432, 1441,1442,2331,232, 2353,2358,DCX101, DCX131,DCX161, RDX161,H6730,H6740, H6750,H7220,H72230H, H7320,H7330					

Disc Mower Bolts



Part Number	Replaces Number	Mfr. Name	Description/Application
B55-0355D	527745K	Bush Hog,CasellH,NI	Fits Several
B55-0357D	527733K	Bush Hog	DM70, 80, 90, 180, 190
		Case IH	3204, 3205, 3206, 3309
		Hesston	1006, 1007
B55-0358D	CC19929K	John Deere	1320, 1326, 1327, 240, 260
B55-0359D	86515925K	New Holland	Fits Blades 9847683, 9847684 w/o Lifters
B55-0360D	86515926K	New Holland	Fits Blades 9847683, 9847684 w/ Lifters

Flail Blades

6022-709 Cup Knife



Ref: AW30234
6022-736
Dandle (2042)
Flory (6022709)
JD (E31900)
Rears (FL920)
Rhino (ORC15)
Vrisimo (CD2110)

Uses: 6023-707 (7/16" D-Ring)

6023-706 (1/2" D-Ring), 6024-722 (U-Bar), 6024-628 (U-Bar),
6024-742 (U-Bar), 6023-711 (Oval), 6023-712 (Oval)

FL946 Side Slicer



Ref: Rears (FL946)
FL940

Uses: FL944 (Hanger)

6021-914 Side Slicer



Ref: AW60200
Dandle (SA2039)
Vrisimo (CD2200)

Uses: 6023-706 (1/2" D-Ring)
6024-722 (U-Bar)

6021-901 Side Slicer



Ref: AW30200
Dandle (SA2027)
Rears (FL960)
Vrisimo (CD2100)

Uses: 6023-707 (7/16" D-Ring)
6023-706 (1/2" D-Ring)
6023-711 (Oval)
6024-742 (U-Bar)

CL8155 Side Slicer



Ref: Balzer
Big Ed
Loftness-CL8155

Uses: CL8142 (Bushing)


6021-606 Side Slicer



Ref: AW60200STIN
Dandle (R2560)
Rhino

Uses: 6023-706 (1/2" D-Ring)
6024-722 (U-Bar)

FL930 Side Slicer



Ref: Rears (FL930)

Uses: FL944 (Hanger)

6021-601 Side Slicer



Ref: AW308
Loftness (8021)
Rears (FL8021)
Vrisimo (CD2185)

Uses: 6024-602 (U-Bar)

Flail Blades

6021-859

Side Slicer




Ref: Brillion (5D53)
Bush Hog
Long
Owatonna
Sidewinder
Stan Hoist

Uses: 6023-700 (1/2" D-Ring)
6024-702 (U-Bar)
6024-700 (U-Bar)

6021-604

Side Slicer




Ref: Balzer (12357)
Buffalo (11040039)
Fox Brady (65143)
Shultz-Massey

Uses: 6023-708 (1/2" D-Ring)
6024-710 (U-Bar Adaptor)
6024-699 (U-Bar)

6021-2289

Side Slicer



Ref: Hiniker-79202289

Uses: HB2291 (Bushing)

JD-520

Side Slicer



Ref: JD (P71716)

Uses: 6023-704 (1/2")

6021-875

Side Slicer



Ref: Balzer (24153)
Brent (9001192)
Buffalo (110040)
JD (E48308)
Loftness (8023)
Vrisimo (CD2185)

Uses: 6023-704 (1/2" D-Ring)
6024-737 (U-Bar)
6024-602(Slotted U-Bar)

6021-899

Side Slicer



Ref: CaseIH (4910961R1)

Uses: N/A

CL50530001

Side Slicer



Ref: Alloway (505-3-0001)
Rau
Woods

Uses: 6023-708 (1/2" D-Ring)
6024-743 (U-Bar)
6024-545

Nobili

Side Slicer



Ref: Ferri
Nobili
Ortlan-TSA

Uses: N/A

Flail Blades

430151

Side Slicer



Ref: Balzer
BHC
Falc Long-430151

Uses: N/A

430083

Side Slicer



Ref: BHC
Falc Long-430083
Nobili
Tortella

Uses: N/A

CL101993

Side Slicer




Ref: Alamo/Mott
Maschio

Uses: 101991 (RingClip)
101991 (D-Ring)

CL101031

Side Slicer



Ref: Alam/Mott

Uses: 101034 (Pin)

CL102086

Side Slicer



Ref: Alamo/Mott
Maschio

Uses: 101034 (Pin)

CL100759

Side Slicer



Ref: Alamo/Mott
Befco
John Deere
Maschio

Uses: 100761B (Clevis)
102670 (Pin)

6021-936

Side Slicer



Ref: Alamo/Mott
Tiger
Uses: 100761B (Clevis)

6021-982

Side Slicer




Ref: Edwards

Uses: N/A

FN220398

Ford Scoop Knife



Ref: Ford/New Holland

Uses: FN222157 (Link)

Flail Hammers & Mulcher Teeth



Part Number	Description	Uses Bushing
H1212-1140C	1/2" x 3" x 12" w/ 1-1/4" Hole	AW2790
H1212-1516C	1/2" x 3" x 12" w/ 15/16" Hole	AW2500
H5810-1180C	5/8" x 3" x 10" w/ 1-1/8" Hole	CL8142
H5810-1140C	5/8" x 3" x 10" w/ 1-1/4" Hole	AW2800


* Shown w/ Chrome, To order plain subtract the letter C after Part No.

MAZ01

Hammer

Ref: Berti
Fautini
M.E.A.A.T.
Vigolo

Uses: 5/8" x 2-1/2" Bolt



MAZ03

Hammer

Ref: Aedes
Agricom
Cosmag-473-061
Frei
Nuova Cabe
Scai

Uses: 5/8" x 3-1/2" Bolt




MAZ07

Hammer

Ref: Agricom
Gearmore-GSC-GCF
Kuhn-6061700
Nuova Cabe
Seppi (Shorts)-SMW
Zappator
Zanon

Uses: 5/8" x 2-1/2" Bolt



MAZ08

Hammer

Ref: Agricom-A2500MF3
Gearmore-GHF
Landpride-3088-4188
Loftness-BMOH
Maletti
Seppi (Longs)- SMO
Zappator

Uses: 5/8" x 2-1/2" Bolt



PERF

Hammer


Ref: Perfect-11624
KV Series
Rosatello

Uses: 20mm x 136mm Bolt




BWC383060HC

Mulcher Tooth w/ Chrome, Straight



BWC383060LHC

Mulcher Tooth w/ Chrome, Left



BWC383060RHC

Mulcher Tooth w/ Chrome, Right



Cutting Parts

Phone: (800) 321-5247 Fax: (559) 237-2048

www.agwestparts.com


Flail D-Rings

6023-707

7/16" D-Ring

Ref: AW2003

Rears (FL922)

Uses: 6022-709 (Cup Knife)
6021-901 (Side Slicer)**6023-706**


1/2" D-Ring

Ref: AW2001

Dandl (SA2021)

Rhino (00724863)

Vrisimo (CD2135H)


Uses: 6022-709 (Cup Knife)
6021-914 (Side Slicer)
6021-606 (Side Slicer)
6021-901**6023-700**

D-Ring

Ref: Brillion (5D52)

Bush Hog

Stan Hoist


Uses: 6021-859 (Side Slicer)
6021-701 (Side Slicer)**6023-704**

D-Ring

Ref: Brent (9001191)

JD (E48307)

Loftness (5330070V)

Uses: JD-520 (Side Slicer)
6021-875 (Side Slicer)**6023-708**


D-Ring

Ref: Alloway (505-3-0008)


Balzer (12356)

Buffalo (18020019)

Fox Brady (651413)

Uses: 6021-604 (Side Slicer)
CL50530001 (Side Slicer)**101991**

D-Ring

Ref: Alamo/Mott (101991)**Uses:** CL101993 (Side Slicer)**6023-502**

Square Ring


Ref: Balzer (12295)

Buffalo (18022020)


Fox Brady (65144)

Uses: N/A**6023-503**

Square Ring

Ref: Loftness (8032)**Uses:** N/A**FN222157**

V-Ring

Ref: Ford NH (FN222157)**Uses:** FN220398 (Cup Knife)

Flail Bushings

6023-711

Oval Bushing Short



Ref: AW2005
Dandle (SA2047)
Vrisimo (CD2120)

Uses: 6022-709 (Cup Knife)
6021-901 (Side Slicer)

6023-712

Oval Bushing Long




Ref: AW2006
Dandle (SA2111)
Flory (MR6001)
Rhino (00724976)
Vrisimo (CD2125)

Uses: 6022-709 (Cup Knife)

CD2175

Bushing




Ref: Rears (FL8032)
Rears (OM989)
Vrisimo (CD2175)

Uses: 6021-601 (Side Slicer)

CL8142

Bushing




Ref: Loftness (CL8142)

Uses: CL8155 (Side Slicer)

AW2790

Bushing




Ref: Heinrichs

Uses: H1212-1140

AW2800

Bushing




Ref: BlueMax

Uses: H5810-1140

AW2500

Bushing



Ref: Heinrichs (Old Style)

Uses: H1212-1516

Flail Clevis/ Misc.

100761B

Clevis




Ref: Alamo/Mott (100761)
Maschio (404-00-417)
Tiger (TG1020)

Uses: CL100759 (Side Slicer)
6021-936 (Side Slicer)

102670

Pin



Ref: Alamo/Mott (102670)

Uses: 100761B (Clevis)

Flail U-Bars


6024-722 U-Bar



Ref: AW200
Dandle (SA2016)

Fits: 6022-709 (Cup Knife)
6021-914 (Side Slicer)
6021-606 (Side Slicer)

6024-742 U-Bar



Ref: AW200
Rears (FL921)

Fits: 6022-709 (Cup Knife)
6021-901 (Side Slicer)


6024-628 U-Bar



Ref: JD (E31905)

Fits: 6022-709 (Cup Knife)

6024-702 U-Bar



Ref: Brillion (5D54)

Uses: 6021-859 (Side Slicer)


6024-700 U-Bar



Ref: Brillion (5D55)

Uses: 6021-701 (Side Slicer)

6024-699 U-Bar



Ref: Fox Brady (65317)

Uses: 6021-604 (Side Slicer)


6024-743 U-Bar



Ref: Balzer (12296)
Buffalo (0802007)
Fox Brady (65227)

Uses: CL50530001 (Side Slicer)


6024-545 U-Bar



Ref: Alloway (50530014)

Uses: CL50530001 (Side Slicer)


FL944 U-Bar Slotted



Ref: Rears (FL944)

Uses: FL946 (Side Slicer)
FL930 (Side Slicer)

6024-714 U-Bar Slotted



Ref: Vrisimo (CD2165)

Uses: 6021-601 (Side Slicer)

6024-602 U-Bar Slotted



Ref: JD (P59884)


Uses: 6021-875 (Side Slicer)

Rice Sections




Part Number	Replaces Number	Description
S20-3404	2TC-14S	HTS 2" Slotted Section
S20-3521	2TC	H7TS 2" Slotted Section
S20-3404NS	580215922	HTS 2" Non-Slotted Section
S20-3370	SSL192D	H7TS Rice Section
S20-4608	L192DCR	HTSCR Rice Section
S20-3364	0922CB	HTS Rice Section
S20-3405	H300	RTS 3" x 2-3/4" Rice Section
S20-3458	H400	RTS 4" x 2-7/8" Rice Section

Rice Sickle Assemblies



Part Number	Replaces Number	Size	Description	Application
C83-0529	ER1600	16'	Complete Rice Sickle	AC, Case IH, JD, MF
C83-0518	ER1800	18'	Complete Rice Sickle	AC, Case IH, JD, MF
C83-0531	ER2000	20'	Complete Rice Sickle	AC, Case IH, JD, MF
C83-0532	ER2200	22'	Complete Rice Sickle	AC, Case IH, JD, MF
C83-0085	ER2400	24'	Complete Rice Sickle	AC, Case IH, JD, MF
C83-0525	ER2500	25'	Complete Rice Sickle	AC, Case IH, JD, MF
C83-0535	MRK960	25'	Mac Don 960 Kit	Mac Don 960
S35-3013	ERLS2-14S	2'	2' Lower Segment 14 Ser.	Fits Several
S35-3524	ERLS2	2'	2' Lower Segment Super 7	Fits Several
S35-3116	ERS16	16'	H7 TS Sickle (Less Head)	AC, Case IH, JD, MF
S35-3118	ERS18	18'	H7 TS Sickle (Less Head)	AC, Case IH, JD, MF
S35-3120	ERS20	20'	H7 TS Sickle (Less Head)	AC, Case IH, JD, MF
S35-3025	ER20-H300	20'	RTS Sickle w/ H300 (Less Head)	AC, Case IH, JD, MF
S35-3031	ER20-H400	20'	RTS Sickle w/ H400 (Less Head)	AC, Case IH, JD, MF
S35-3026	ER20-0922CB	20'	RTS Sickle w/ 0922CB Section	AC, Case IH, JD, MF
S35-3122	ERS22	22'	H7TS Sickle (Less Head)	AC, Case IH, JD, MF
S35-3124	ERS24	24'	H7TS Sickle (Less Head)	AC, Case IH, JD, MF
S35-3125	ERS25	25'	H7TS Sickle (Less Head)	AC, Case IH, JD, MF
S35-3115	SS43076	25'	H7TS Sickle (Less Head)	Mac Don 960

Rice Sickle Rivets



Part Number	Size	Description	Package Qty
R36-0461D	5-1/2 x 9/16	Oval Head	1#
R36-0462D	5-1/2 x 5/8	Oval Head	1#
R36-0469D	5-1/2 x 9/16	Counter Sunk	1#
R36-0436D	5-1/2 x 5/8	Counter Sunk	1#

Rice Hold Down Clips



Part Number	Description
C45-0692	Lo-Arch Hold Down Clip (Steel)
C45-0693	Hi-Arch Hold Down Clip (Steel)
383519101	Lo-Arch Hold Down Clip (Cast)
383519001	Hi-Arch Hold Down Clip (Cast)

Cylinder Teeth




Part Number	Description
AWP44H	Cylinder Tooth
AWP44HC	Cylinder Tooth Chrome

Tomato Sections



Part Number	Replaces Number	Description
S20-1152	575-1132, 49152	3" x 3-1/4" XH SM Tomato Section

Tomato Sickle Assemblies



Part Number	Replaces Number	Size	Description
S35-3063	575-1487	5'	FMC Sickle Assembly With Head
S35-3064	575-1487S	5'	FMC Sickle Assembly Less Head
S35-3024	713610	5'	Johnson Sickle Assembly With Head
S35-3023	707510	5'	Johnson Sickle Assembly Less Head
S35-3399	49399	5.5'	Black Welder Assembly Less Head

Tomato Rivets



Part Number	Size	Description	Package Quantity
R36-0463D	5-1/2 x 5/8	Countersunk	1#
R36-0469D	5-1/2 x 9/16	Countersunk	1#

Tomato Sickle Head



Part Number	Replaces Number	Description
H15-0052	2368964	FMC Sickle Head
H15-0429	49196	Johnson Sickle Head Threaded
H15-0429S	70711	Johnson Sickle Head W/ Flat Drilled Stem

Tomato Hold Down Clip



Part Number	Replaces Number	Description
575-1362	575-1362	Tomato Hold Down Clip

Tomato Guard



Part Number	Replaces Number	Description
AW250	BU250	Tomato Guard

Roller Chain (Riveted)



Part Number	Description	Qty	Connecting Link	Offset Link
TRC35	35 Single	10' Box	35CL	35OL
TRC35X	35 Single	100' Reel	35CL	35OL
TRC35-2	35 Double	10' Box	35-2CL	35-2OL
TRC35-3	35 Triple	10' Box	35-3CL	35-3OL
TRC40	40 Single	10' Box	40CL	40OL
TRC40X	40 Single	100' Reel	40CL	40OL
TRC40H	40 Heavy	10' Box	40HCL	40HOL
TRC40-2	40 Double	10' Box	40-2CL	40-2OL
TRC40-3	40 Triple	10' Box	40-3CL	40-3OL
TRC41	41 Single	10' Box	41CL	41OL
TRC50	50 Single	10' Box	50CL	50OL
TRC50X	50 Single	100' Reel	50CL	50OL
TRC50H	50 Heavy	10' Box	50HCL	50HOL
TRC50-2	50 Double	10' Box	50-2CL	50-2OL
TRC50-3	50 Triple	10' Box	50-3CL	50-3OL
TRC60	60 Single	10' Box	60CL	60OL
TRC60X	60 Single	50' Reel	60CL	60OL
TRC60H	60 Heavy	10' Box	60HCL	60HOL
TRC60-2	60 Double	10' Box	60-2CL	60-2OL
TRC60-3	60 Triple	10' Box	60-3CL	60-3OL
TRC80	80 Single	10' Box	80CL	80OL
TRC80X	80 Single	50' Reel	80CL	80OL
TRC80H	80 Heavy	10' Box	80HCL	80HOL
TRC80-2	80 Double	10' Box	80-2CL	80-2OL
TRC80-3	80 Triple	10' Box	80-3CL	80-3OL
TRC100	100 Single	10' Box	100CL	100OL
TRC100H	100 Heavy	10' Box	100HCL	100HOL
TRC100-2	100 Double	10' Box	100-2CL	100-2CL
TRC100-3	100 Triple	10' Box	100-3CL	100-3CL
TRC120	120 Single	10' Box	120CL	120OL
TRC120H	120 Heavy	10' Box	120HCL	120HOL
TRC120-2	120 Double	10' Box	120-2CL	120-2OL
TRC120-3	120 Triple	10' Box	120-3CL	120-3OL

Roller Chain (Riveted)




Part Number	Description	Qty	Connecting Link	Offset Link
TRC140	140 Single	10' Box	140CL	140OL
TRC140H	140 Heavy	10' Box	140HCL	140HOL
TRC140-2	140 Double	10' Box	140-2CL	140-2OL
TRC140-3	140 Triple	10' Box	140-3CL	140-3OL
TRC160	160 Single	10' Box	160CL	160OL
TRC160H	160 Heavy	10' Box	160HCL	160HOL
TRC160-2	160 Double	10' Box	160-2CL	160-2OL
TRC160-3	160 Triple	10' Box	160-3CL	160-3OL
TRC180	180 Single	10' Box	180CL	180OL
TRC180-2	180 Double	10' Box	180-2CL	180-2OL
TRC180-3	180 Triple	10' Box	180-3CL	180-3OL
TRC200	200 Single	10' Box	200CL	200OL
TRC200-2	200 Double	10' Box	200-2CL	200-2OL
TRC200-3	200 Triple	10' Box	200-3CL	200-3OL
TRC240	240 Single	10' Box	240CL	240OL
TRC240-2	240 Double	10' Box	240-2CL	240-2OL
TRC240-3	240 Triple	10' Box	240-3CL	240-3OL

Chain Breakers




Part Number	Description
CB25-60	Chain Breaker For 25-60 Roller Chain
CB60-100	Chain Breaker For 60-100 Roller Chain
CB100-180	Chain Breaker For 100-180 Roller Chain

Roller Chain (Double Pitch-Drive Type)



Part Number	Pitch	Qty	Weight Per Ft.	Connecting Link	Offset Link
A2040	1.00"	10' Box	0.29	A2040CL	A2040OL
A2050	1.25"	10' Box	0.49	A2050CL	A2050OL
A2060	1.50"	10' Box	0.69	A2060CL	A2060OL
A2080	2.00"	10' Box	1.15	A2080CL	A2080OL

Roller Chain (Double Pitch-Conveyor Type)





Part Number	Pitch	Qty	Weight Per Ft.	Connecting Link	Offset Link
C2040	1.00"	10' Box	0.32	C2040CL	C2040OL
C2050	1.25"	10' Box	0.55	C2050CL	C2050OL
C2052	1.25"	10' Box	0.85	C2052CL	C2052OL
C2052HP	1.25"	10' Box	0.86	C2052HPCL	C2052HPOL
C2060	1.50"	10' Box	0.75	C2060CL	C2060OL
C2062	1.50"	10' Box	1.22	C2062CL	C2062OL
C2062HP	1.50"	10' Box	1.24	2062HPCL	2062HPOL
C2080	2.00"	10' Box	1.21	C2080CL	C2080OL

Agricultural Conveyor Roller Chain



Part Number	Pitch	Qty	Pin Dia.	Connecting Link	Offset Link
CA550	1.63	10' Box	0.281	CA550CL	CA550OL
CA555	1.63	10' Box	0.281	CA555CL	CA555OL
CA557	1.63	10' Box	0.315	CA557CL	CA557OL

Pintle Chain




Part Number	Pitch (P)	Overall Width (C)	Inside Width (W)	Pin Dia. (D)	Height (H)	Thickness (T)	Connector Length (A)	Connector Length (B)	Min Avg. Tensile Strength
AL662	1.664	1.625	0.906	0.281	0.720	0.125	0.797	0.883	8,500 Lb.
AL667H	2.313	1.734	1.000	0.312	0.875	0.125	0.891	0.998	9,500 Lb.
AL667X	2.250	1.953	1.063	0.437	0.937	0.170	1.010	1.140	15,000 Lb.
AL667XH	2.250	2.313	1.078	0.469	1.062	0.224	1.200	1.340	26,000 Lb.
AL88K	2.609	2.125	1.078	0.437	1.062	0.200	1.090	1.270	20,000 Lb.
AL88XH	2.609	2.641	1.250	0.500	1.125	0.250	1.350	1.520	30,000 Lb.



Combination Chain (Moline)



Part Number	Pitch (P)	Dia Of Pin (D)	Height Sidebar (F)	Dia. Barrel (H)	Thickn. Sidebar (T)	Max Sprkt Face (A)
C55	1.631	0.375	0.750	0.720	0.190	0.690
C60	2.307	0.500	1.000	0.750	0.250	0.880
C77	2.308	0.437	0.880	0.720	0.190	0.690
C188	2.609	0.500	1.120	0.880	0.250	0.940




Steel Detachable Chain



Part Number	Pitch (P)	(M)	(E)	(D)	(T)	Max Strength	MinTensile Strength
T2500	0.904	0.703	0.438	0.422	0.073	950 lb	760 lb
T3200	1.157	0.938	0.61	0.594	0.09	1,650 lb	1,320 lb
T3300	1.402	1.938	0.627	0.61	0.09	1,650 lb	1,320 lb
T4200	1.375	1.219	0.8	0.781	0.105	2,300 lb	1,680 lb
T5000H	1.375	1.281	0.798	0.781	0.125	2,600 lb	2,240 lb
T5100	1.133	1.094	0.72	0.703	0.105	2,100 lb	1,680 lb
T5200	1.508	1.406	0.76	0.84	0.125	2,700 lb	2,160 lb
T5500	1.63	1.281	0.813	0.796	0.125	2,800 lb	2,240 lb
T6200	1.654	1.563	1.002	0.984	0.148	4,200 lb	3,520 lb
T6200H	1.654	1.875	1.002	0.984	0.148	4,400 lb	3,600 lb
T6700H	2.313	1.875	1.11	1.093	0.185	5,500 lb	4,400 lb
T7000	2.013	1.938	1.11	1.093	0.172	4,800 lb	4,000 lb
T7200	2.025	1.938	1.11	1.093	0.172	4,800 lb	4,000 lb

Sprockets



V Series Hubs - Pg. 347

W Series Hubs - Pg. 347-348

X Series Hubs - Pg. 347-348


35 Chain (3/8" Pitch)

	Part Number	Teeth	Outside Diameter		Part Number	Teeth	Outside Diameter
Fits V Series Hub	20003515	15	1.989	Fits W Series Hub	20003528	28	3.553
	20003516	16	2.110		20003530	30	3.793
	20003517	17	2.231		20003532	32	4.032
	20003518	18	2.352		20003535	35	4.392
	20003519	19	2.472		20003536	36	4.511
	20003520	20	2.593		20003540	40	4.990
	20003521	21	2.713		20003545	45	5.588
Fits W Series Hub	20003522	22	2.833		20003548	48	5.946
	20003523	23	2.953		20003554	54	6.664
	20003524	24	3.074		20003560	60	7.381
	20003525	25	3.194		20003572	72	8.814
	20003526	26	3.314		20003584	84	10.247
	20003527	27	3.434		20003596	96	11.680

40 Chain (1/2" Pitch)

	Part Number	Teeth	Outside Diameter		Part Number	Teeth	Outside Diameter
Fits V Series Hub	20004012	12	2.166	Fits X Series Hub	20004030	30	5.057
	20004013	13	2.329		20004032	32	5.377
	20004014	14	2.491		20004035	35	5.856
	20004015	15	2.653		20004036	36	6.015
Fits W Series Hub	20004016	16	2.814		20004038	38	6.334
	20004017	17	2.975		20004040	40	6.653
	20004018	18	3.136		20004042	42	6.972
	20004019	19	3.297		20004045	45	7.451
Fits X Series Hub	20004020	20	3.457		20004046	46	7.609
	20004021	21	3.618		20004048	48	7.927
	20004022	22	3.778		20004054	54	8.885
	20004023	23	3.938		20004060	60	9.841
	20004024	24	4.098		20004070	70	11.434
	20004025	25	4.258		20004072	72	11.752
	20004026	26	4.418		20004080	80	13.026
	20004027	27	4.578		20004084	84	13.663
	20004028	28	4.738		20004096	96	15.573
	20004029	29	4.898				

Sprockets



V Series Hubs - Pg. 347

W Series Hubs - Pg. 347-348

X Series Hubs - Pg. 347-348

50 Chain (5/8" Pitch)

	Part Number	Teeth	Outside Diameter		Part Number	Teeth	Outside Diameter
Fits V Series Hub	20005010	10	2.299		20005034	34	7.120
	20005011	11	2.504		20005035	35	7.319
	20005012	12	2.708		20005036	36	7.519
Fits W Series Hub	20005013	13	2.911		20005037	37	7.718
	20005014	14	3.114		20005038	38	7.918
	20005015	15	3.316		20005039	39	8.117
	20005016	16	3.517		20005040	40	8.316
	20005017	17	3.719		20005041	41	8.516
Fits X Series Hub	20005018	18	3.919	Fits X Series Hub	20005042	42	8.715
	20005019	19	4.121		20005043	43	8.914
	20005020	20	4.321		20005044	44	9.114
	20005021	21	4.521		20005045	45	9.313
	20005022	22	4.722		20005048	48	9.911
	20005023	23	4.922		20005050	50	10.309
	20005024	24	5.123		20005052	52	10.708
	20005025	25	5.323		20005054	54	11.106
	20005026	26	5.523		20005060	60	12.306
	20005027	27	5.723		20005065	65	13.296
	20005028	28	5.922		20005070	70	14.292
	20005029	29	6.122		20005072	72	14.690
	20005030	30	6.321		20005080	80	16.283
	20005031	31	6.521		20005084	84	17.079
	20005032	32	6.721		20005096	96	19.466
	20005033	33	6.920				

Sprockets



V Series Hubs - Pg. 347


W Series Hubs - Pg. 347-348

X Series Hubs - Pg. 347-348

60 Chain (3/4" Pitch)

	Part Number	Teeth	Outside Diameter		Part Number	Teeth	Outside Diameter
Fits V Series Hub	20006009	9	2.510		20006029	29	7.346
	20006010	10	2.759		20006030	30	7.586
Fits W Series Hub	20006011	11	3.005	Fits X Series Hub	20006031	31	7.826
	20006012	12	3.249		20006032	32	8.065
	20006013	13	3.493		20006033	33	8.304
	20006014	14	3.736		20006034	34	8.544
Fits X Series Hub	20006015	15	3.979		20006035	35	8.783
	20006016	16	4.220		20006036	36	9.023
	20006017	17	4.463		20006038	38	9.501
	20006018	18	4.703		20006039	39	9.740
	20006019	19	4.945		20006040	40	9.980
	20006020	20	5.186		20006041	41	10.219
	20006021	21	5.426		20006042	42	10.458
	20006022	22	5.666		20006045	45	11.176
	20006023	23	5.906		20006048	48	11.893
	20006024	24	6.147		20006050	50	12.371
	20006025	25	6.387		20006054	54	13.327
	20006026	26	6.627		20006060	60	14.761
	20006027	27	6.867		20006072	72	17.928
	20006028	28	7.106		20006080	80	19.539

Sprockets



W Series Hubs - Pg. 347-348

X Series Hubs - Pg. 347-348

Y Series Hubs - Pg. 347-348

80 Chain (1" Pitch)



	Part Number	Teeth	Outside Diameter		Part Number	Teeth	Outside Diameter
Fits W Series Hub	20008009	9	3.347	Fits X Series Hub	20008025	25	8.516
	20008010	10	3.678		20008026	26	8.836
	20008011	11	4.000		20008027	27	9.156
Fits X Series Hub	20008012	12	4.332		20008028	28	9.475
	20008013	13	4.657		20008029	29	9.795
	20008014	14	4.982		20008030	30	10.114
	20008015	15	5.305		20008032	32	10.753
	20008016	16	5.627		20008033	33	11.072
	20008017	17	5.950		20008034	34	11.392
	20008018	18	6.271		20008035	35	11.711
	20008019	19	6.593		20008036	36	12.03
	20008020	20	6.914		20008040	40	13.306
	20008021	21	7.235		20008045	45	14.901
	20008022	22	7.555		20008048	48	15.857
	20008023	23	7.875		20008060	60	19.681
	20008024	24	8.196				

100 Chain (1-1/4" Pitch)

	Part Number	Teeth	Outside Diameter		Part Number	Teeth	Outside Diameter
Fits X Series Hub	20010010	10	4.598	Fits Y Series Hub	20010021	21	9.044
	20010011	11	5.008		20010022	22	9.444
	20010012	12	5.415		20010023	23	9.844
	20010013	13	5.821		20010024	24	10.245
Fits Y Series Hub	20010014	14	6.228		20010025	25	10.645
	20010015	15	6.631		20010026	26	11.045
	20010016	16	7.034		20010028	28	11.844
	20010017	17	7.438		20010030	30	12.643
	20010018	18	7.839		20010032	32	13.441
	20010019	19	8.241		20010035	35	14.639
	20010020	20	8.643		20010036	36	15.040



Sprockets

Fits Steel Pintle & Steel Detachable Chain



Part Number	No. of Teeth	Outside Dia.	Root Dia.	A Bore	B Width	Fits Hub Series	Weight (Lbs.)
01550655	6	3-3/4"	2.62"	1-5/8"	9/16"	W	0.88
01550755	7	4-1/4"	3.11"	2"	9/16"	X	1.00
01550855	8	4-3/4"	3.61"	2"	9/16"	X	1.44
01550955	9	5-1/4"	4.12"	2"	9/16"	X	2.06
01551055	10	5-3/4"	4.63"	2"	9/16"	X	2.50
01551155	11	6-1/4"	5.14"	2"	9/16"	X	3.32
01551255	12	6-3/4"	5.65"	2"	9/16"	X	4.00
01551355	13	7-1/4"	6.16"	2"	9/16"	X	5.00
01551455	14	7-3/4"	6.67"	2"	9/16"	X	5.92
01551555	15	8-1/4"	7.19"	2"	9/16"	X	6.77
Part Number	No. of Teeth	Outside Dia.	Root Dia.	A Bore	B Width	Fits Hub Series	Weight (Lbs.)
01620662	6	3-7/8"	2.63"	1-5/8"	11/16"	W	0.94
01620762	7	4-3/8"	3.13"	1-5/8"	11/16"	W	1.44
01620862	8	4-7/8"	3.64"	2"	11/16"	X	1.83
01620962	9	5-3/8"	4.15"	2"	11/16"	X	2.38
01621062	10	5-7/8"	4.66"	2"	11/16"	X	3.13
01621162	11	6-1/2"	5.18"	2"	11/16"	X	3.94
01621262	12	7"	5.70"	2"	11/16"	X	4.83
01621362	13	7-1/2"	6.21"	2-3/4"	11/16"	Y	5.29
01621462	14	8"	6.73"	2-3/4"	11/16"	Y	6.33
01621562	15	8-1/2"	7.25"	2-3/4"	11/16"	Y	7.42

Cast Iron Stock Bore Sprockets



Rough Stock Bore


Part Number	No of Teeth	Outside Dia.	A	B	C	D
01350655	6	3-3/4"	3/4"	1-1/2"	1/2"	2"
01350755	7	4-1/4"	3/4"	1-1/2"	1/2"	2"
01350855	8	4-3/4"	3/4"	1-1/2"	3/4"	2"
01350955	9	5-1/4"	3/4"	1-1/2"	3/4"	2"
01351055	10	5-3/4"	3/4"	1-1/2"	3/4"	2"
01351155	11	6-1/4"	3/4"	1-1/2"	3/4"	2"
01351255	12	6-3/4"	3/4"	1-1/2"	3/4"	2"
01351555	15	8-3/8"	3/4"	1-1/2"	7/8"	2"
01360662	6	3-7/8"	1"	1-5/8"	3/4"	2"
01360762	7	4-3/8"	1"	1-5/8"	3/4"	2"
01360862	8	4-7/8"	1"	1-5/8"	3/4"	2"
01360962	9	5-1/2"	1"	1-5/8"	3/4"	2"
01361062	10	5-7/8"	1"	1-5/8"	3/4"	2"

Phone: (800) 321-5247 Fax: (559) 237-2048

www.agwestparts.com

Sprockets

Idler Sprockets



Part Number	Chain Size	No. of Teeth	Bore	A	B	Weight (Lbs.)
03518E08	35	18	1/2"	7/16"	11/16"	0.25
03518E10	35	18	5/8"	7/16"	11/16"	0.25
04017E08	40	17	1/2"	7/16"	11/16"	0.44
04017E10	40	17	5/8"	7/16"	11/16"	0.44
05013E08	50	13	1/2"	7/16"	11/16"	0.38
05013E10	50	13	5/8"	7/16"	11/16"	0.38
05015E08	50	15	1/2"	7/16"	11/16"	0.56
05015E10	50	15	5/8"	7/16"	11/16"	0.50
05017E08	50	17	1/2"	7/16"	11/16"	0.69
05017E10	50	17	5/8"	7/16"	11/16"	0.63
06011E08	60	11	1/2"	7/16"	11/16"	0.50
06011E10	60	11	5/8"	7/16"	11/16"	0.50
06013E08	60	13	1/2"	7/16"	11/16"	0.69
06013E10	60	13	5/8"	7/16"	11/16"	0.69
06015E08	60	15	1/2"	7/16"	11/16"	0.94
06015E10	60	15	5/8"	7/16"	11/16"	0.88
08011012	80	11	3/4"	9/16"	9/16"	1.06
08012012	80	12	3/4"	9/16"	9/16"	1.70
08011E12	80	11	3/4"	9/16"	13/16"	1.08
08012E12	80	12	3/4"	9/16"	13/16"	1.72

Stamped Idler Sprockets



Part Number	Chain Size	No. of Teeth	Bore	Aetna Number	Weight (Lbs.)
033-4018	40	18	1/2"	AG-2318-A	0.44
034-4018	40	18	5/8"	AG-2118	0.44
033-5017	50	17	1/2"	AG-2416-A	0.75
034-5017	50	17	5/8"	AG-2416	0.75
033-6015	60	15	1/2"	AG-2417-A	0.83
034-6015	60	15	5/8"	AG-2417	0.83
034-8550	550	8	5/8"	AG-2566-2AF	1.52

Sprocket Weldahubs

Round Bore



Part Number	Hub Series	Bore Size	Keyway	Weight (Lbs.)
20010008	V	1/2"	1/8"	0.38
20010009	V	9/16"	1/8"	0.38
20010010	V	5/8"	3/16"	0.38
20010011	V	11/16"	3/16"	0.32
20010012	V	3/4"	3/16"	0.32
20010013	V	13/16"	3/16"	0.32
20010014	V	7/8"	3/16"	0.25
20020008	W	1/2"	1/8"	0.88
20020009	W	9/16"	1/8"	0.88
20020010	W	5/8"	3/16"	0.83
20020011	W	11/16"	3/16"	0.83
20020012	W	3/4"	3/16"	0.83
20020013	W	13/16"	3/16"	0.75
20020014	W	7/8"	3/16"	0.75
20020015	W	15/16"	1/4"	0.69
20020016	W	1"	1/4"	0.63
20020017	W	1-1/16"	1/4"	0.63
20020018	W	1-1/8"	1/4"	0.57
20020019	W	1-3/16"	1/4"	0.50
20020020	W	1-1/4"	1/4"	0.44
20030010	X	5/8"	3/16"	1.63
20030011	X	11/16"	3/16"	1.63
20030012	X	3/4"	3/16"	1.56
20030013	X	13/16"	3/16"	1.56
20030014	X	7/8"	3/16"	1.50
20030015	X	15/16"	1/4"	1.38
20030016	X	1"	1/4"	1.38
20030017	X	1-1/16"	1/4"	1.38
20030018	X	1-1/8"	1/4"	1.38
20030019	X	1-3/16"	1/4"	1.25
20030020	X	1-1/4"	1/4"	1.25
20030021	X	1-5/16"	5/16"	1.19
20030022	X	1-3/8"	5/16"	1.13
20030023	X	1-7/16"	3/8"	1.13
20030024	X	1-1/2"	3/8"	1.06

Sprocket Weldahubs

Round Bore




Part Number	Hub Series	Bore Size	Keyway	Weight (Lbs.)
20050016	Y	1"	1/4"	4.50
20050018	Y	1-1/8"	1/4"	4.38
20050020	Y	1-1/4"	1/4"	4.19
20050022	Y	1-3/8"	5/16"	4.06
20050023	Y	1-7/16"	3/8"	4.00
20050024	Y	1-1/2"	3/8"	3.94
20050026	Y	1-5/8"	3/8"	3.69
20050027	Y	1-11/16"	3/8"	3.63
20050028	Y	1-3/4"	3/8"	3.56
20050030	Y	1-7/8"	1/2"	3.38
20050031	Y	1-15/16"	1/2"	3.25
20050032	Y	2"	1/2"	3.13

Square Bore



Part Number	Hub Series	Bore Size	Weight (Lbs.)
2002S010	W	5/8"	0.77
2002S012	W	3/4"	0.75
2002S016	W	1"	0.56
2003S012	X	3/4"	1.5
2003S014	X	7/8"	1.44
2003S016	X	1"	1.32
2003S018	X	1-1/8"	1.19
2003S020	X	1-1/4"	1.06

Splined Bore




Part Number	Hub Series	Bore Size	Weight (Lbs.)
20021606	W	1" x 6-Spl.	0.69
20021806	W	1-1/8" x 6-Spl.	0.63
20022206	W	1-3/8" x 6-Spl.	0.44
20022221	W	1-3/8" x 21-Spl.	0.44
20031606	X	1" x 6-Spl.	1.38
20031806	X	1-1/8" x 6-Spl.	1.38
20032206	X	1-3/8" x 6-Spl.	1.25
20032221	X	1-3/8" x 21-Spl.	1.19

Weldahub Coupler Hubs


Part Number	Hub Series	Outside Dia.	Inside Dia.
012-3226	W	2"	1-5/8"
012-4032	X	2-1/2"	2"

Coupler Hubs are designed to connect two separate shafts. Just simply choose a weldadub for each shaft needed and assemble with the appropriated coupler hub.




Idler Pulleys

Flat Belt Pressed Steel



Part Number	Groove Dia.	Outside Dia.	Bore Size	Weight (Lbs.)
011-4408	2-3/4"	3-1/4"	1/2"	0.50
011-4410	2-3/4"	3-1/4"	5/8"	0.50
011-6408	4"	4-1/2"	1/2"	0.94
011-6410	4"	4-1/2"	5/8"	0.94



V-Belt Pressed Steel



Part Number	Outside Dia.	Bore Size	Fits Belt	Weight (Lbs.)
011-8008	5"	1/2"	A or B	0.88
011-8010	5"	5/8"	A or B	0.88

V-Belt Solid Steel

Part Number	Outside Dia.	Bore Size	Fits Belt	Weight (Lbs.)
011-4A08	4"	1/2"	A	1.83
011-4B08	4"	1/2"	B	1.95



Classical V-Belts

A Section Belting

Classical Section: A


Manufacturing Range: 13" - 357"

Top Width: 1/2"

Depth: 5/16"

Belt Length Dimension Example

Example: A17 is 17" inside, 19" outside



B Section Belting

Classical Section: B


Manufacturing Range: 16" - 658"

Top Width: 5/8"

Depth: 13/32"

Belt Length Dimension Example

Example: B20 is 20" inside, 23" outside



C Section Belting

Classical Section: C


Manufacturing Range: 31" - 900"

Top Width: 7/8"

Depth: 17/32"

Belt Length Dimension Example

Example: C40 is 40" inside, 44" outside



Fractional V-Belt

3L Section Belting

Light Duty Single V-Belt Section: 3L


Manufacturing Range: 10.5" - 177"

Top Width: $\frac{3}{8}$ "

Depth: $\frac{7}{32}$ "

Belt Length Dimension Example

Example: 3L200 is 20" outside, 18.5" inside



4L Section Belting

Light Duty Single V-Belt Section: 4L


Manufacturing Range: 15" - 100"

Top Width: $\frac{1}{2}$ "

Depth: $\frac{5}{16}$ "

Belt Length Dimension Example

Example: 4L170 is 17" outside, 15" inside



5L Section Belting

Light Duty Single V-Belt Section: 5L


Manufacturing Range: 22" - 100"

Top Width: $\frac{5}{8}$ "

Depth: $\frac{21}{32}$ "

Belt Length Dimension Example

Example: 5L270 is 27" outside, 24" inside



Cogged Classical V-Belts

AX Section Belting

Classical Section: AX


Manufacturing Range: 23.5" - 200"

Top Width: 1/2"

Depth: 5/16"

Belt Length Dimension Example

Example: AX22 is 22" inside, 24" outside



BX Section Belting

Classical Section: BX


Manufacturing Range: 23.5" - 200"

Top Width: 5/8"

Depth: 13/32"

Belt Length Dimension Example

Example: BX26 is 26" inside, 29" outside



CX Section Belting

Classical Section: CX


Manufacturing Range: 23.5" - 200"

Top Width: 7/8"

Depth: 17/32"

Belt Length Dimension Example

Example: CX60 is 60" inside, 64" outside



Double / Hexagonal V-Belt

AA Section Belting

Hexagonal Belt: AA

Manufacturing Range: 46" - 254"

Max Width: 1/2"

Belt Length Dimension Example

Example: AA60 is 60" inside



BB Section Belting


Hexagonal Belt: BB

Manufacturing Range: 40" - 660"

Max Width: 5/8"

Belt Length Dimension Example

Example: BB60 is 60" inside



CC Section Belting


Hexagonal Belt: CC

Manufacturing Range: 73" - 900"

Max Width: 7/8"

Belt Length Dimension Example

Example: CC75 is 75" inside



Classical Banded V-Belts

HA Section Belting

Classical Section: HA
Manufacturing Range: 33" - 255"
Depth without band: 5/16"



Belt Length Dimension Example
Example: A42/02 is 42" inside, 44" outside w/ 2 bands

HB Section Belting

Classical Section: HB
Manufacturing Range: 43" - 370"
Depth without band: 13/32"



Belt Length Dimension Example
Example: B45/02 is 45" inside, 48" outside w/ 2 bands

HC Section Belting

Classical Section: HC
Manufacturing Range: 47" - 900"
Depth without band: 17/32"



Belt Length Dimension Example
Example: C60/02 is 60" inside, 64" outside w/ 2 bands

Wrapped Wedge Belt

3V Section Belting

Wedge Section: 3V


Manufacturing Range: 19.5" - 160"

Top Width: 3/8"

Depth: 21/64"

Belt Length Dimension Example

Example: 3V250 is 25" outside, 23" inside



5V Section Belting

Wedge Section: 5V


Manufacturing Range: 47" - 657"

Top Width: 5/8"

Depth: 35/64"

Belt Length Dimension Example

Example: 5V500 is 50" outside, 46.5" inside



8V Section Belting

Wedge Section: 8V


Manufacturing Range: 100" - 905"

Top Width: 1"

Depth: 7/8"

Belt Length Dimension Example

Example: 8V1000 is 100" outside, 94" inside



Wrapped Wedge Belt Cogged

3VX Section Belting

Wedge Section: 3VX

Manufacturing Range: 23.5" - 200"

Top Width: 3/8"

Depth: 21/64"

Belt Length Dimension Example

Example: 3VX240 is 24" outside, 22" inside



5VX Section Belting

Wedge Section: 5VX

Manufacturing Range: 23.5" - 200"

Top Width: 5/8"

Depth: 35/64"

Belt Length Dimension Example

Example: 5VX400 is 40" outside, 36.5" inside



8VX Section Belting

Wedge Section: 8VX


Manufacturing Range: 90" - 200"

Top Width: 1"

Depth: 7/8"

Belt Length Dimension Example

Example: 8VX1000 is 100" outside, 94" inside



Cogged Banded V-Belts

HAX Section Belts


Wedge Section: HAX

Manufacturing Range: 23.5" - 200"

Depth without band: 5/16"

Belt Length Dimension Example

Example: AX72/03 is 72" inside, 74" outside w/ 3 band



HBX Section Belts


Wedge Section: HBX

Manufacturing Range: 23.5" - 200"

Depth without band: 13/32"

Belt Length Dimension Example

Example: BX31/02 is 31" inside, 34" outside w/ 2 band



HCX Section Belts

Wedge Section: HCX

Manufacturing Range: 23.5" - 200"

Depth without band: 17/32"

Belt Length Dimension Example


Example: CX103/02 is 103" inside, 107" outside w/ 2 band



Wrapped Wedge Banded V-Belt

H3V Section Belts

Wedge Section: H3V
Manufacturing Range: 37" - 180"
Depth without band: $21/64$ "
Belt Length Dimension Example



Example: 3V710/02 is 71" outside, 69" inside w/ 2 band

H5V Section Belts

Wedge Section: H5V
Manufacturing Range: 51" - 663"
Depth without band: $35/64$ "



Belt Length Dimension Example
Example: 5V710/02 is 71" outside, 67.5" inside w/ 2 band

H8V Section Belts

Wedge Section: H3V
Manufacturing Range: 100" - 905"
Depth without band: $7/8$ "



Belt Length Dimension Example
Example: 8V2800/02 is 280" outside, 274" inside w/ 2 band

Cogged Wedge Banded V-Belts

3VX Section Belts

Wedge Section: 3VX

Manufacturing Range: 23.5" - 200"

Depth without band: 21/64"



Belt Length Dimension Example


Example: 3VX280/02 is 28" outside, 26" inside w/ 2 band

5VX Section Belts

Wedge Section: 5VX

Manufacturing Range: 23.5" - 200"

Depth without band: 35/64"



Belt Length Dimension Example

Example: 5VX710/02 is 71" outside, 67.5" inside w/ 2 band

Hub & Spindle Assemblies


4 Bolt On 4.00" Circle (2.500" Hub Pilot)

HS125044

Hub & Spindle Assy.

1,250 lbs. Capacity @ 55 MPH.

Assy. Includes



In Cup: L44610
In Cone: L44643
Out Cup: L44610
Out Cone: L44643
Seal: TCM121194VB
Bolts: WB12 (4)
Hub Cap: HC105
Spindle: SP12504

HS125044HK

Hub Kit Less Spindle

H125044


Hub w/ Cups

HC105

Hub Cap (1.986" OD)

SP12504

Spindle




4 Bolt On 5.00" Circle (3.625" Hub Pilot)

HS130045

Hub & Spindle Assy.

1,300 lbs. Capacity @ 20 MPH.

Assy. Includes



In Cup: L44610
In Cone: L44643
Out Cup: L44610
Out Cone: L44643
Seal: TCM15233VHY
Bolts: WB12 (4)
Hub Cap: HC105
Spindle: SP1300

HS130045HK

Hub Kit Less Spindle

H13004


Hub w/ Cups

HC105

Hub Cap (1.986" OD)

SP1300

Spindle




4 Bolt On 5.00" Circle (3.625" Hub Pilot)

HS125045

Hub & Spindle Assy.

1,250 lbs. Capacity @ 20 MPH.

Assy. Includes



In Cup: LM67010
In Cone: LM67048
Out Cup: LM11910
Out Cone: LM11949
Seal: CR16069
Bolts: WB12 (4)
Hub Cap: HC101
Spindle: SP1250

HS125045HK

Hub Kit Less Spindle

H12504


Hub w/ Cups

HC101

Hub Cap (1.937" OD)

SP1250

Spindle




4 Bolt On 5.00" Circle (3.625" Hub Pilot)

HS150045

Hub & Spindle Assy.

1,500 lbs. Capacity 20 MPH.

Assy. Includes



In Cup: LM67010
In Cone: LM67048
Out Cup: LM11910
Out Cone: LM11949
Seal: CR14975
Bolts: WB12 (4)
Hub Cap: HC103
Spindle: SP1650

HS150045HK

Hub Kit Less Spindle

H15004


Hub w/ Cups

HC103

Hub Cap (1.968" OD)

SP1650


Spindle



Hub & Spindle Assemblies

5 Stud On 5.50" Circle (4.00" Hub Pilot)


HS16505S55 Hub & Spindle Assy.
1,650 lbs. Capacity @ 20 MPH.



Assy. Includes


In Cup: LM67010
In Cone: LM67048
Out Cup: LM11910
Out Cone: LM11949
Seal: CR14975
Bolts: SD12 (5)
Hub Cap: HC101
Spindle: SP1650

HS16505S55HK Hub Kit Less Spindle
H16505 Hub w/ Cups
HC101 Hub Cap (1.937" OD)
SP1650 Spindle



5 Stud On 5.50" Circle (4.00" Hub Pilot)


HS27605S55 Hub & Spindle Assy.
2,550 lbs. Capacity @ 20 MPH.



Assy. Includes


In Cup: LM48510
In Cone: LM48548
Out Cup: LM67010
Out Cone: LM67048
Seal: CR15190
Bolts: SD12 (5)
Hub Cap: HC102
Spindle: SP2760

HS27605S55HK Hub Kit Less Spindle
H27605 Hub w/ Cups
HC102 Hub Cap (2.437" OD)
SP2760 Spindle



5 Bolt On 4.50" Circle (2.593" Hub Pilot)


HS1750545 Hub & Spindle Assy.
1,750 lbs. Capacity @ 20 MPH



Assy. Includes


In Cup: L68111
In Cone: L68149
Out Cup: L44610
Out Cone: L44649
Seal: TCM171255VB
Bolts: WB12 (5)
Hub Cap: HC105
Spindle: SP1750

HS1750545HK Hub Kit Less Spindle
H17505 Hub w/ Cups
HC105 Hub Cap (1.986" OD)
SP1750 Spindle



5 Bolt On 5.50" Circle (4.00" Hub Pilot)


HS2500555 Hub & Spindle Assy.
2,500 lbs. Capacity @ 20 MPH



Assy. Includes

In Cup: LM48510
In Cone: LM48548
Out Cup: LM67010
Out Cone: LM67048
Seal: TCM17273VHY
Bolts: WB12 (5)
Hub Cap: HC102
Spindle: SP25005

HS2500555HK Hub Kit Less Spindle
H25005B Hub w/ Cups
HC102 Hub Cap (2.437" OD)
SP25005 Spindle




Hub & Spindle Assemblies

6 Stud On 6.00" Circle (4.625" Hub Pilot)

HS25006S6

Hub & Spindle Assy.

2,500 lbs. Capacity @ 20 MPH.



Assy. Includes

In Cup: LM48510
In Cone: LM48548
Out Cup: LM67010
Out Cone: LM67048
Seal: CR17617
Bolts: SD12 (6)
Hub Cap: HC102
Spindle: SP2500

HS25006S6HK

Hub Kit Less Spindle

H25006


Hub w/ Cups

HC102

Hub Cap (2.437" OD)

SP2500

Spindle




6 Bolt On 6.00" Circle (4.625" Hub Pilot)

HS276066

Hub & Spindle Assy.

2,760 lbs. Capacity @ 20 MPH.



Assy. Includes

In Cup: LM48510
In Cone: LM48548
Out Cup: LM67010
Out Cone: LM67048
Seal: CR15190
Bolts: WB12 (6)
Hub Cap: HC102
Spindle: SP2760

HS276066HK

Hub Kit Less Spindle

H27606


Hub w/ Cups

HC102

Hub Cap (2.437" OD)

SP2760

Spindle




6 Stud On 6.00" Circle (4.625" Hub Pilot)

HS20006S6

Hub & Spindle Assy.

2,500 lbs. Capacity @ 20 MPH.



Assy. Includes

In Cup: LM67010
In Cone: LM67048
Out Cup: LM11910
Out Cone: LM11949
Seal: CR16069
Bolts: SD12 (6)
Hub Cap: HC101
Spindle: SP2000

HS20006S6HK

Hub Kit Less Spindle

H20006


Hub w/ Cups

HC101

Hub Cap (1.937" OD)

SP2000

Spindle




6 Bolt On 6.00" Circle (4.625" Hub Pilot)

HS30006S6

Hub & Spindle Assy.

3,000 lbs. Capacity @ 20 MPH.



Assy. Includes

In Cup: LM29710
In Cone: LM29749
Out Cup: LM67010
Out Cone: LM67048
Seal: CR17617
Bolts: WB12 (6)
Hub Cap: HC102
Spindle: SP3000

HS30006S6HK

Hub Kit Less Spindle

H30006


Hub w/ Cups

HC102

Hub Cap (2.437" OD)

SP3000

Spindle



Hub & Spindle Assemblies

6 Bolt On 6.00" Circle (4.625" Hub Pilot)


HS350066

Hub & Spindle Assy.

3,500 lbs. Capacity @ 20 MPH.

Assy. Includes

In Cup: LM501310
In Cone: LM501349
Out Cup: LM67010
Out Cone: LM67048
Seal: CR20044
Bolts: WB916 (6)
Hub Cap: HC102
Spindle: SP3500



HS350066HK

Hub Kit Less Spindle

H35006


Hub w/ Cups

HC102

Hub Cap (2.437" OD)

SP3500

Spindle



6 Bolt On 6.00" Circle (4.625" Hub Pilot)


HS491066

Hub & Spindle Assy.

4,910 lbs. Capacity @ 20 MPH.

Assy. Includes

In Cup: 25520
In Cone: 25590
Out Cup: 25821
Out Cone: 25877
Seal: CR20148
Bolts: WB916 (6)
Hub Cap: HC100
Spindle: SP4910



HS491066HK

Hub Kit Less Spindle

H49106


Hub w/ Cups

HC100

Hub Cap (3.156" OD)

SP4910

Spindle



6 Bolt On 6.00" Circle (4.625" Hub Pilot)


HS356066

Hub & Spindle Assy.

3,550 lbs. Capacity @ 20 MPH.

Assy. Includes

In Cup: JL69310
In Cone: JL69349
Out Cup: LM67010
Out Cone: LM67048
Seal: CR16289
Bolts: WB12 (6)
Hub Cap: HC102
Spindle: SP3560



HS356066HK

Hub Kit Less Spindle

H35606


Hub w/ Cups

HC102

Hub Cap (2.437" OD)

SP3560

Spindle



6 Bolt On 6.00" Circle (4.625" Hub Pilot)


HS457066

Hub & Spindle Assy.

4,570 lbs. Capacity @ 20 MPH.

Assy. Includes

In Cup: LM501310
In Cone: LM501349
Out Cup: LM67010
Out Cone: LM67048
Seal: CR18823
Bolts: WB12 (6)
Hub Cap: HC102
Spindle: SP4570



HS457066HK

Hub Kit Less Spindle

H45706


Hub w/ Cups

HC102

Hub Cap (2.437" OD)

SP4570

Spindle




Hub & Spindle Assemblies

8 Bolt On 8.00" Circle (6.00" Hub Pilot)

HS450088

Hub & Spindle Assy.

4,500 Lbs. Capacity @ 20 MPH.



Assy. Includes

In Cup: LM603011
In Cone: LM603049
Out Cup: LM67010
Out Cone: LM67048
Seal: CR22392
Bolts: WB916 (8)
Hub Cap: HC102
Spindle: SP4500

HS450088HK

Hub Kit Less Spindle

H45008


Hub w/ Cups

HC102

Hub Cap (2.437" OD)

SP4500

Spindle




8 Bolt On 8.00" Circle (6.00" Hub Pilot)

HS579088

Hub & Spindle Assy.

5,790 Lbs. Capacity @ 20 MPH.



Assy. Includes

In Cup: 3720
In Cone: 3780
Out Cup: 2720
Out Cone: 2790
Seal: CR25091
Bolts: WB916 (8)
Hub Cap: HC100
Spindle: SP5790

HS579088HK

Hub Kit Less Spindle

H57908


Hub w/ Cups

HC100

Hub Cap (2.437" OD)

SP5790

Spindle




8 Bolt On 8.00" Circle (6.00" Hub Pilot)

HS491088

Hub & Spindle Assy.

4,910 Lbs. Capacity @ 20 MPH.



Assy. Includes

In Cup: 25520
In Cone: 25590
Out Cup: 25821
Out Cone: 25877
Seal: CR20148
Bolts: WB916 (8)
Hub Cap: HC100
Spindle: SP4910

HS491088HK

Hub Kit Less Spindle

H49108


Hub w/ Cups

HC100

Hub Cap (3.156" OD)

SP4910

Spindle




8 Stud On 8.00" Circle (6.00" Hub Pilot)

HS60008S8

Hub & Spindle Assy.

6,000 Lbs. Capacity @ 20 MPH.



Assy. Includes

In Cup: JLM506810
In Cone: JLM506849
Out Cup: LM501310
Out Cone: LM501349
Seal: CR27394
Bolts: SD58 (8)
Hub Cap: HC104
Spindle: SP6000

HS60008S8HK

Hub Kit Less Spindle

H60008


Hub w/ Cups

HC104


Hub Cap (3.125")

SP6000

Spindle



Coil Chain



Grade 30 (Proof Coil Chain)

Part Number	Size	Dimensions Inside Link Length	Width	Working Load Limit	Feet Per Pail	Weight Per Pail
014-0323	3/16"	0.94	0.40	750	250	105
014-0423	1/4"	1.24	0.47	1250	141	92
014-0523	5/16"	1.28	0.50	1900	92	80
014-0623	3/8"	1.38	0.57	2650	63	90
014-0823	1/2"	1.55	0.72	4500	40	113

*Finish- Bright Zinc

*Add PL to part # for pails.

Grade 40 (High Test Chain)

Part Number	Size	Dimensions Inside Link Length	Width	Working Load Limit	Feet Per Pail	Weight Per Pail
018-1423	1/4"	1.24	0.47	2600	150	99
018-1523	5/16"	1.28	0.5	3900	100	87
018-1623	3/8"	1.38	0.57	5400	75	106
018-1823	1/2"	1.55	0.72	9200	40	113

*Finish- Bright Zinc

*Add PL to part # for pails.

Grade 70 (Transport Chain)

Part Number	Size	Dimensions Inside Link Length	Width	Working Load Limit	Feet Per Pail	Weight Per Pail
051-0413	1/4"	0.85	0.41	3150	150	114
051-0513	5/16"	0.92	0.47	4700	100	99
051-0613	3/8"	1.16	0.57	6600	75	115

*Finish- Bright Zinc

*Add PL to part # for pails.

Transport Tie Down Chain (G70)



Part Number	Ref. Number	Size	Working Load Limit	Weight
47420	051-3574	5/16" x 20'	4700	21.00
47520	051-3665	3/8" x 20'	6800	33.00

Load Binders



Lever



Ratchet

Part Number	Size	Type	Working Load Limit	Weight
91002	3/16"	Mini	375	1.50
91005	1/4"	Forged-Lever	2600	3.00
91010	5/16" - 3/8"	Forged-Lever	5400	8.10
91012	3/8" - 1/2"	Forged-Lever	9200	11.50
91017	5/16" - 3/8"	Ratchet	5400	10.50
91018	3/8" - 1/2"	Ratchet	9200	11.00

Chain Attachments

Clevis Grab Hooks



High Test						
Part Number	Ref. Number	Size	Working Load Limit	Real Length	Pin or Hole Size	Weight Per Piece
31403	450-0424	1/4"	2600	1.87"	.30"	0.57
31404	450-0524	5/16"	3900	2.16"	.36"	0.73
31405	450-0624	3/8"	5400	2.50"	.50"	1.14
31407	450-0724	1/2"	9200	3.30"	.54"	2.34

Alloy						
Part Number	Ref. Number	Size	Working Load Limit	Real Length	Pin or Hole Size	Weight Per Piece
31803	450-3315	1/4"	4100	1.87"	.30"	0.57
31804	450-3415	5/16"	5100	2.16"	.36"	0.73
31805	450-3515	3/8"	7300	2.50"	.50"	1.14
31807	450-3715	1/2"	13000	3.30"	.54"	2.34

Eye Grab Hooks



High Test						
Part Number	Ref. Number	Size	Working Load Limit	Real Length	Pin or Hole Size	Weight Per Piece
33403	400-0404	1/4"	2600	2.00"	.50"	0.37
33404	400-0524	5/16"	3900	2.30"	.53"	0.54
33405	400-0624	3/8"	5400	2.60"	.63"	0.80
33407	400-0704	1/2"	9200	3.42"	.81"	1.79

Alloy						
Part Number	Ref. Number	Size	Working Load Limit	Real Length	Pin or Hole Size	Weight Per Piece
33803	420-0424	1/4"	4100	2.00"	.50"	0.37
33804	420-0524	5/16"	5100	2.30"	.53"	0.54
33805	420-0624	3/8"	7300	2.60"	.63"	0.80
33807	420-0824	1/2"	13000	3.42"	.81"	1.79

Chain Attachments

Clevis Slip Hooks



High Test						
Part Number	Ref. Number	Size	Working Load Limit	Real Length	Pin or Hole Size	Weight Per Piece
35403	440-0424	1/4"	2600	2.47"	.30"	0.55
35404	440-0524	5/16"	3900	2.75"	.36"	0.95
35405	440-0624	3/8"	5400	3.16"	.50"	1.3
35407	440-0724	1/2"	9200	4.10"	.54"	2.8

Alloy						
Part Number	Ref. Number	Size	Working Load Limit	Real Length	Pin or Hole Size	Weight Per Piece
35803	440-3315	1/4"	4100	1.87"	.30"	0.57
35804	440-3415	5/16"	5100	2.16"	.36"	0.73
35805	440-3515	3/8"	7300	2.50"	.50"	1.14
35807	440-3715	1/2"	13000	3.30"	.54"	2.34

Eye Slip Hooks



High Test						
Part Number	Ref. Number	Size	Working Load Limit	Real Length	Pin or Hole Size	Weight Per Piece
37403	420-0424	1/4"	2600	2.66"	.54"	0.50
37404	420-0524	5/16"	3900	2.92"	.64"	0.69
37405	420-0624	3/8"	5400	3.26"	.70"	1.25
37407	420-0724	1/2"	9200	4.30"	.82"	3.09

Alloy						
Part Number	Ref. Number	Size	Working Load Limit	Real Length	Pin or Hole Size	Weight Per Piece
37803	431-0415	1/4"	4100	2.66"	.54"	0.50
37804	431-0515	5/16"	5100	2.92"	.64"	0.69
37805	431-0615	3/8"	7300	3.26"	.70"	1.25
37807	431-0815	1/2"	13000	4.30"	.82"	3.09

Double Clevis Links



High Test				
Part Number	Size	Working Load Limit	Finish	Weight Per Piece
01331	1/4"-5/16"	3900	Zinc	0.30
01333	3/8"	5400	Zinc	0.52
01335	1/2"	9200	Zinc	0.84

Chain Attachments

Clevis Safety Hooks (With Safety Latch)



Grade 40			Working		Pin or Hole Size	Weight (Ea.)
Part Number	Ref. Number	Size	Load Limit	Real Length		
32403	N/A	1/4"	2000	2.36"	.35"	0.44
32404	N/A	5/16"	2800	2.60"	.39"	0.77
32405	N/A	3/8"	4000	3.03"	.47"	1.21
32407	N/A	1/2"	6500	4.13"	.63"	2.75
32408	N/A	5/8"	9200	4.88"	.75"	5.50

Eye Slip Hooks (With Safety Latch)



Grade 30			Working		Pin or Hole Size	Weight (Ea.)
Part Number	Ref. Number	Size	Load Limit	Real Length		
37421	391-4105	1/4"	1250	2.88"	.55"	0.50
37422	391-4205	5/16"	1900	3.12"	.68"	0.60
37423	391-4605	3/8"	2650	3.26"	.78"	0.70

Chain Accessories

Quick Links (Zinc Plated)



Part Number	Ref. Number	Size	Working Load Limit	Weight (Per 100)
01001	764-0506	1/8"	220	2.00
01002	764-0526	3/16"	660	5.00
01003	764-0536	1/4"	880	8.00
01004	764-0546	5/16"	1760	17.00
01005	764-0556	3/8"	2200	23.00
01007	764-0576	1/2"	3250	51.00

Cold Shuts (Zinc Plated)



Part Number	Ref. Number	Size	Working Load Limit	Weight (Per 100)
01202	490-0324	3/16"	450	2.00
01203	490-0424	1/4"	750	6.00
01204	490-0524	5/16"	1250	10.00
01205	490-0624	3/8"	1900	18.00
01207	490-0824	1/2"	3500	38.00

Chain Accessories

Repair Links/ Lap Links (Zinc Plated)



Part Number	Ref. Number	Size	Working Load Limit	Weight Per 100 Pcs.
01101	580-0024	1/8"	190	1.00
01102	580-0124	3/16"	240	3.00
01103	580-0324	1/4"	400	7.00
01105	580-0724	5/16"	950	13.00
01107	580-0924	3/8"	1250	23.00
01109	580-1124	1/2"	2125	52.00

Connecting Links (Forged)



Part Number	Ref. Number	Size	Working Load Limit	Weight Per 100 Pcs.
01302	520-0304	3/16"	800	3.00
01303	520-0404	1/4"	1325	6.00
01304	520-0504	5/16"	1950	10.00
01305	520-0604	3/8"	2750	18.00

Spring Links (Zinc Plated)



Part Number	Ref. Number	Size	Working Load Limit	Weight Per 100 Pcs.
01020	N/A	1/8"	35	3.00
01022	N/A	3/16"	105	5.00
01023	764-0406	1/4"	395	8.00
01024	764-0416	5/16"	507	18.00
01025	764-0426	3/8"	771	23.00
01027	764-0446	1/2"	905	57.00

Screw Pin Shackles (Forged)



Part Number	Ref. Number	Size	Working Load Limit	Weight Per Piece
01402	541-0335	3/16"	660	0.05
01403	541-0435	1/4"	1000	0.12
01404	541-0535	5/16"	1500	0.18
01405	541-0635	3/8"	2000	0.30
01406	541-0735	7/16"	3000	0.49
01407	541-0835	1/2"	4000	0.74
01408	541-1005	5/8"	6500	1.44
01409	541-1235	3/4"	10000	2.16
01410	541-1435	7/8"	13000	3.37
01411	541-1635	1"	17000	5.30
01412	541-1835	1-1/8"	19000	7.00
01413	541-2005	1-1/4"	24000	9.60
01414	541-2235	1-3/8"	27000	12.60
01415	541-2405	1-1/2"	34000	17.30

Wire Rope & Accessories

Glavanized Aircraft Cable (7 x 19)



Part Number	Size	Working Load Limit	Weight Per Reel	Reel Length
25008	3/16"	4,200	17.4	250'
25009	7/32"	5,600	22.7	250'
25010	1/4"	7,000	28.6	250'
25011	5/16"	9,800	47.5	250'
25012	3/8"	14,400	67.3	250'

Wire Rope Clips



Part Number	Ref. Number	Size	Weight Per 100	Pieces Per Box
05003	767-0419	1/8"	4.00	25
05005	767-0429	3/16"	7.00	25
05007	767-0439	1/4"	14.00	25
05008	767-0449	5/16"	15.00	25
05009	767-0459	3/8"	21.00	25
05011	767-0479	1/2"	37.00	25
05013	767-0489	5/8"	59.00	10
05014	767-0499	3/4"	84.00	10

Oval Wire Rope Sleeves (Allum.)



Part Number	Ref. Number	Size	Weight Per 100	Pieces Per Box
05402	767-0704	1/16"	0.10	100
05403	767-0714	3/32"	0.16	50
05404	767-0724	1/8"	0.29	50
05405	767-0734	5/32"	0.45	50
05406	767-0744	3/16"	0.45	50
05408	767-0764	1/4"	0.79	50
05410	767-0774	5/16"	0.92	50
05412	767-0784	3/8"	1.34	50
05414	767-0794	7/16"	1.68	50
05416	767-0744	1/2"	2.10	50

Wire Rope Thimbles



Part Number	Size	Weight Per 100	Pieces Per Box
05202	1/8"	3.00	25
05204	3/16"	3.00	25
05206	1/4"	4.00	25
05207	5/16"	6.00	25
05208	3/8"	8.00	25
05210	1/2"	13.00	25

Trailer Jacks

Tubular Swivel Jacks



Sidewind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
1401060303	158109	2,000	10"	11.20"	21.20"
1401080303	158151	2,000	15"	14.40"	29.40"
1401420303	178201	5,000	10"	10.50"	20.50"
1401440303	178203	5,000	15"	15.50"	30.50"



Topwind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
1400400303	158451	2,000	10"	11.00"	21.00"
1401200303	158452	2,000	15"	14.50"	29.50"
1401460303	178101	5,000	10"	11.20"	21.20"
1401480303	178151	5,000	15"	14.70"	29.70"

Retaining Ring Swivel Jacks



Sidewind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
1401020303	151101	2,000	10"	11.20"	21.20"
1401030303	151159	2,000	15"	14.40"	29.40"



Topwind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
1401140303	151401	2,000	10"	11.00"	21.00"
1401040303	151421	2,000	15"	14.50"	29.50"

Trailer Jacks

Square Tubular Swivel Jacks



Sidewind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
1401610383	N/A	5,000	10"	17.40"	27.40"
1400860383	N/A	8,000	10"	17.10"	27.10"



Topwind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
1401520383	N/A	5,000	10"	17.20"	27.20"
1400830383	190705	8,000	10"	17.20"	27.20"

Square Direct Weld Jacks



Sidewind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
1401600383	N/A	5,000	15"	25.80"	54.40"
1400850383	190754	8,000	15"	25.20"	53.80"



Topwind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
1401500383	N/A	5,000	15"	22.60"	51.20"
1400800383	N/A	8,000	15"	22.90"	51.50"



Sidewind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
1400950376	182804	12,000	12.5"	28.25"	54.25"
Spring Return, Crank Included					
1400980376	N/A	12,000	12.5"	28.25"	54.25"
Non-Spring Return, Crank Included					

Trailer Jacks



A-Frame Without Footplate Round Jacks



Sidewind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
RV20000303	N/A	2,000	14"	9.00"	23.00"

Topwind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
EA20000303	N/A	2,000	14"	8.00"	22.00"
1401000303	N/A	2,000	15"	5.50"	20.50"
1400600303	N/A	5,000	15"	10.80"	25.80"

Marine & Recreational Jacks



Sidewind					
Part Number	Bulldog Number	Lift Capacity	Travel	Retracted	Extended
EJ10000301	N/A	1,000	10"	13.00"	23.00"

Jack Replacement Parts


500244

Foot Piece, 2" Inner Tube, 2.10" Tall, Includes Pin Assy.


500245

6" Caster Wheel, Includes Pin Assy.


500243

9/16" Pull Pin, 3.5" Long


500178


1/2" Plunger Pin Assy. Kit


500180

Top Crank 6.75" Radius, With Red Knob (018917)


500171

Side Crank 8.50" Radius, With Black Knob (019618)




Part No.	Style	Pin Dia.	A	B	C	D
0050050300	Male	9/16"	2.25"	1.50"	0.75"	2.00"
0152790300	Male	5/8"	2.25"	1.50"	0.75"	2.00"
0050240300	Female	5/8"	2.50"	1.62"	0.88"	3.00"
0152730300	Male	9/16"	1.88"	1.13"	0.75"	2.00"

Ball Mounts

LENGTH

Distance from the center of the ball hole to the center of the pin hole



RISE

Distance from the top of the shank to the top of the ball platform



DROP

Distance from the top of the shank to the top of the ball platform



- Fits 2" Square Receiver Tube Opening
- Black Powder Coat Finish



Part Number	GTW Rating	Ball Hole Size	A Length	B Rise	C Drop
40342	7,500	1"	8-1/2"	3/4"	2"
40343	6,000	1"	10-1/2"	3/4"	2"
40344	6,000	1"	9"	2-3/4"	4"
40345	6,000	1"	11"	2-3/4"	4"
40346	6,000	1"	9-1/2"	4-3/4"	6"
2793	5,000	1"	10"	6-3/4"	8"
2706	5,000	1"	9"	9-3/4"	11"

- Titan Ball Mounts
- Fits 2-1/2" Square Receiver Tube Opening
- Black Powder Coat Finish



Part Number	GTW Rating	Ball Hole Size	A Length	B Rise	C Drop
45322	18,000	1-1/4"	10"	1-1/2"	3"
45323	18,000	1-1/4"	10"	3-1/2"	5"

- Starter Kit, Includes 2" Ball w/ Pin and Clip
- Fits 2" Square Receiver Tube Opening



Part Number	GTW Rating	Finish	A Length	B Rise	C Drop
40563	6,000	Black	8-1/2"	2"	2"
40567	6,000	Chrome	8-1/2"	2"	2"

Clevis Ball Mounts



5762



80410

Part Number	Description	Length	GTW
5762	Clevis Mount 1" Hole	8-7/8"	6,000
80410	Clevis Mount 1" Hole, 3" Drop	8-7/8"	6,000

Tri-Ball Mount



- Fits 2" Square Receiver
- Hollow Shank

Part Number	Description	Length
80425	Black Balls, 1-7/8", 2", 2-5/16"	8"
80426	Chrome Balls, 1-7/8", 2", 2-5/16"	8"

Receiver Tubes



- Painted Black

Part Number	Length	Dia.
80806	6"	2" x 2"
80812	12"	2" x 2"
80818	18"	2" x 2"

Bent Pins



Part Number	Description
63241	1/2" Pin & Clip (Groove Style)
63240	5/8" Pin & Clip (Groove Style)
63242	5/8" Pin & Clip (Hole Style)

One-Piece Pintle Hooks



Part Number	Description
63043	5 Ton Pintle Hook, 10,000 GTW
63040	1-7/8" Ball Combo, 12,000 GTW
63041	2" Ball Combo, 12,000 GTW
63042	2-5/16" Ball Combo, 12,000 GTW
63045	Forged Mount Tow Eyelet, 10,000 GTW

Pintle Hook Mounts



63056



63057



63058



63059



45294

Part Number	Shank	GTW	Shank Length	Plate Height	Plate Width	Plate Holes
63056	Hollow	6,000	7-5/8"	5-1/2"	5"	17/32"
63057	Solid	12,000	7-5/8"	7-1/2"	5"	17/32"
63058	Solid	8,000	11-3/8"	12-1/2"	5"	17/32"
63059	Solid	12,000	11-3/8"	7-1/2"	5"	17/32"
45156	Hollow	12,000	7-3/4"	6"	5"	17/32"
45294	Forged	18,000	8-1/2"	7-1/4"	5"	17/32"

Pintle Hooks



- Includes Mounting Hardware

Part Number	Description
63013	5 Ton, 2,000 lbs. Max Vertical Load, 10,000 lbs. GTW
63014	10 Ton, 4,000 lbs. Max Vertical Load, 20,000 lbs. GTW
63015	15 Ton, 6,000 lbs. Max Vertical Load, 30,000 lbs. GTW
63016	30 Ton, 14,000 lbs. Max Vertical Load, 60,000 lbs. GTW

Pintle Hook Combination Hitches



- Includes Mounting Hardware

Part Number	Description
63010	1-7/8" Ball Combo Hitch, 16,000 lbs. GTW
63011	2" Ball Combo Hitch, 16,000 lbs. GTW
63012	2-5/16" Ball Combo Hitch, 16,000 lbs. GTW

Lunette Rings

63023



63022



63036



- Includes Mounting Hardware

Part Number	Description
63023	2-1/2" Diameter With 4 Hole Base, 42,000 GTW
63022	2-1/2" Diameter With 1-1/2" Shank, 15,000 GTW
63036	3" Diameter Adjustable, 24,000 lbs Capacity

Phone: (800) 321-5247 Fax: (559) 237-2048

www.agwestparts.com

Hitch Balls



Chrome Part Number	Zinc Part Number	Ball Dia. A	Shank Dia. B	Shank Length C	GTW
AW178-34C	AW178-34Z	1-7/8"	3/4"	2-3/8"	2,000
AW178-10C	AW178-10Z	1-7/8"	1"	2-1/8"	2,000
AW200-34C	AW200-34Z	2"	3/4"	2-3/8"	3,500
AW200-10C	AW200-10Z	2"	1"	2-1/8"	6,000
AW200-125C	AW200-125Z	2"	1-1/4"	2-3/4"	8,000
AW2516-10C	AW2516-10Z	2-5/16"	1"	2-1/8"	6,000
AW2516-125C	AW2516-125Z	2-5/16"	1-1/4"	2-3/4"	12,000

Hi-Lift Jacks



Part Number	Description
HL485	48" Hi-Lift Jack
HL605	60" Hi-Lift Jack
FK-1	Fix it Kit, Includes: (2) Climbing Pins, (2) Springs, (2) Cross Pins

Tie-Down Straps



Part Number	Description	Breaking Strength	Color	Packaging
1151801	Ratchet Retractable 1" x 6'	1500	Black	2-Pack
1153500	Ratchet Retractable 1" x 6'	1200	Camo	2-Pack
1154000	Ratchet Retractable 2" x 10'	3300	Black	Single
1170000	Ratchet Tie-Down 1" x 13'	900	Red	Single

Rubber Hold Down Straps



Part Number	Length
R709B	9"
R715B	15"
R722B	22"
R731B	31"
R741B	41"

LED Safety Flashers

LED 2 Function Safety Flashers with Heavy Duty Magnets



- 18 LED Lights
- 6-1/4" Wide x 4" High
- Features 2 Hvy Duty Magnets - 25 Lbs. Pull Each
- Flash Up to 32 Hours
- Uses 4 AA Batteries

Part Number	Description
HF18A-PHD	Amber Light, 2 Function 18 LED Light
HF18R-PHD	Red Light, 2 Function 18 LED Light
HF18B-PHD	Blue Light, 2 Function 18 LED Light
HF18W-PHD	White/Clear Light, 2 Function 18 LED Light

LED 2 Function Safety Flashers with Removeable Magnet



- 24 LED Lights
- 7" Wide x 3" High
- Features Removable Magnet For Back or Bottom Mount
- Flash Up to 32 Hours
- Uses 4 AA Batteries

Part Number	Description
HF24A	Amber Light, 2 Function 24 LED Light
HF24R	Red Light, 2 Function 24 LED Light

LED Battery Magnetic Rotating Beacon



- LED Rotating Beacon
- Magnetic base-25# pull magnet
- 5" Diameter x 4-1/4" High
- Uses 4 AA Batteries

Part Number	Description
HF20RL	Amber, LED Beacon
HF20RL-B	Blue, LED Beacon
HF20RL-R	Red, LED Beacon

4" LED Pedestal Lights



- 34 LED Lights, 17 On Each Side
- Chrome Die Cast Housings

Part Number	Description
CPL4RA-DC	4" Red / Amber LED
CPL4AA-DC	4" Amber / Amber LED
CPL4RCL	4" Red / Clear LED

LED Work Lights



15 Watt LED Flood Light, Square

WL15F 4-1/4" x 4-1/4" Lens

- 1200 Lumen, 30000 hours average lifetime
- Operating Voltage: 10-30v DC
- Durable aluminum housing
- Stud mount & surface mount, hardware included
- Very thin, less than, 1-1/2" thickness



18 Watt LED Flood Light, Round

WL18F 4-1/2" Diameter Lens

- 1440 Lumen, 30000 hours average lifetime
- Operating Voltage: 10-30v DC
- Durable aluminum housing
- Stud mount & surface mount, hardware included
- Waterproof rate: IP67



24 Watt LED Flood Light, Round

WL83FR 4-1/4" Diameter Lens

- 1680 Lumen, 30000 hours average lifetime
- Operating Voltage: 10-30v DC
- Durable aluminum housing
- Stud mount & surface mount, hardware included
- Waterproof rate: IP67



24 Watt LED Flood Light, Square

WL83FQ 4-1/4" x 4-1/4" Square Lens

- 1680 Lumen, 30000 hours average lifetime
- Operating Voltage: 10-30v DC
- Durable aluminum housing
- Stud mount & surface mount, hardware included
- Waterproof rate: IP67



27 Watt LED Flood Light, Round

WL93FR 4-1/4" Diameter Lens

- 1900 Lumen, 30000 hours average lifetime
- Operating Voltage: 10-30v DC
- Durable aluminum housing with stainless steel brackets
- Stud mount & surface mount, hardware included
- Waterproof rate: IP67



27 Watt LED Flood Light, Square

WL93FQ 4-1/4" x 4-1/4" Square Lens

- 1900 Lumen, 30000 hours average lifetime
- Operating Voltage: 10-30v DC
- Durable aluminum housing with stainless steel brackets
- Stud mount & surface mount, hardware included
- Waterproof rate: IP67

LED Flood / Work Light Bars



- 10-30v operation
- IP67 waterproof rating
- Mounting hardware included
- Die cast aluminum housing

Part Number	Length	Watts	Lumens	Diodes
WL36WBAR	7"	36	2640	12
WL72WBAR	14"	72	5280	24
WL120WBAR	21"	120	8800	40

LED Flood / Spot Off-Road Work Light Bars



- 12v - 24v operation
- IP67 waterproof rating
- Mounting hardware included
- Lens is polycarbonate

Part Number	Length	Watts	Lumens
WL60WBARC	15"	60	5400
WL100WBARC	22.5"	100	9000
WL140WBARC	30"	140	12600
WL288WBARC	50"	288	25920

LED Curved Flood / Spot Off-Road Light Bars



- 12v - 24v operation
- IP67 waterproof rating
- Mounting hardware included
- Lens is polycarbonate

Part Number	Length	Watts	Lumens
WL240WBAR-CURV	41.5"	240	21600
WL288WBAR-CURV	51.4"	288	25920

Halogen Work Lights



- 3" x 5" Flood
- 12V , 55W

- H3 Halogen Bulb
- High-Performance

Part Number	Description
S072	3" x 5" Flood Lamp



- 4" x 6" Flood
- 12V , 55W

- H3 Halogen Bulb
- High-Performance

Part Number	Description
S712	4" x 6" Flood Lamp



- 4" x 6" Trapezoid / Spot
- 12V , 55W

- H3 Halogen Bulb
- Double Para Bola

Part Number	Description
S742	4" x 6" Trapezoid / Spot



- 4" Round Flood
- 12V , 55W

- H3 Halogen Bulb
- Rubber Housing

Part Number	Description
S452	4" Flood Lamp, with Rubber Housing

SMV Warning Signs



AW7



1C
1PC
1FPC



AW5

Part Number	Description	Qty Per Pkg.
1C	Metal SMV Sign	12
1PC	Plastic SMV Sign	12
1FPC	Decal SMV Sign	24
AW5	Mounting Bracket w/ Hardware	12
AW7	Spade Mounting Assembly	12

Safety Flags



AW16FPR
AW16FPF



AW16CR
AW16MR
AW16MF

Part Number	Description	Qty Per Pkg.
AW16CR	Red Cotton 16" Flag	10
AW16MR	Red Mesh 16" Flag	10
AW16MF	Fluorescent Mesh 16" Flag	10
AW16FPR	Red Mesh 16" Flag On Pole	10
AW16FPF	Fluorescent Mesh 16" Flag On Pole	10

Heavy Duty Canvas Roll-Up Signs



Part Number	Description
AWWLSS	12" x 48" Wide Load Sign
AWWLSL	18" x 84" Wide Load Sign
AWOLSS	12" x 60" Oversize Load Sign
AWOLSL	18" x 84" Oversize Load Sign

Safety Vests



- Surveyor High Visibility Green Vest

Part Number	Description
98-5801G-L	Large (30/Case)
98-5801G-XL	X-Large (30/Case)


Super Penetrant



- Super Penetrant is a fast acting deep-penetrating lubricant that reduces friction, fights corrosion and displaces moisture
- Removes dirt and grease while leaving a coating that protects against subsequent corrosion. Cuts through rust and corrosion to free locks, bolts, and nuts.

Part Number	Description	Case Qty
SP11	Super Penetrant 11oz.	12

Starting Fluid



- Hot Shot starting fluid starts engines fast at less cost.
- Hot Shot starts in sub-zero weather, also contains lubricant and anti-corrosive additives, and saves time, batter and cylinder wear.

Part Number	Description	Case Qty
070-0512	12 oz. Aerosol Can	12
070-0516	16 oz. Aerosol Can	12

Grease



Part Number	Description	Case Qty
11310	14 oz Tube Multipurpose Black Lithium Grease	10
11390	14 oz Tube LMX "Red" Lithium Grease	10
11354	14 oz Tube White Lithium Grease	10
11309	1 lb. Tub Multipurpose Black Lithium Grease	10
11350	1 lb. Tub Multipurpose White Lithium Grease	10

Grease Guns



Part Number	Description
30-200	Standard Duty Lever Grease Gun w/ Pipe
30-300	Standard Duty Pistol Grip Grease Gun w/ Pipe

Grease Gun Accessories



Part Number	Description
05-031	Standard Hydraulic Coupler
10-212	12" Flexible Hose
10-201	18" Flexible Hose
05-037	Needle And Grease Injector

Gloves



Work Gloves

Part Number	Description
AW2160PE	Economy Leather Palm, Large
AW2160PEXL	Economy Leather Palm, X-Large



Cotton Gloves

Part Number	Description
2600S	Cotton/Poly String Knit Bleached White, Small
2600M	Cotton/Poly String Knit Bleached White, Medium
2600L	Cotton/Poly String Knit Bleached White, Large



Nitrile Gloves

Part Number	Description
G15-L	Green Nitrile Gloves, Large
G15-XL	Green Nitrile Gloves, X-Large
G15-XXL	Green Nitrile Gloves, XX-Large

Spray Suits



• (25/Case)

Part Number	Description
210882-L	White Polyurthane (Breathable), Large
210882-XL	White Polyurthane (Breathable), X-Large
210882-XXL	White Polyurthane (Breathable), XX-Large
210882-XXXL	White Polyurthane (Breathable), XXX-Large
216853-L	White Tyvek Spray Suit, Large
216853-XL	White Tyvek Spray Suit, X-Large
216853-XXL	White Tyvek Spray Suit, XX-Large
216853-XXXL	White Tyvek Spray Suit, XXX-Large

Dust Masks



Part Number	Description
DM-1	One Strap Dust Mask (50/Box)
DM-2	Two Strap Dust Mask (20/Box)

Safety Glasses



Part Number	Description
AW1302	Clear Safety Protective Glasses (12/Box)
AW1304	Dark Safety Protective Glasses (12/Box)

Weather Caps


- Anthes Weather Cap
- Made In USA



Part Number	Type Number	Minimum Exhaust O.D.	Maximum Exhaust O.D.
11001	0	1"	1-3/16"
11002	1	1-1/4"	1-7/16"
11003	2	1-1/2"	1-11/16"
11004	3	1-3/4"	1-15/16"
11005	4	2"	2-3/16"
11006	5	2-1/4"	2-7/16"
11007	6	2-1/2"	2-11/16"
11008	7	2-3/4"	2-15/16"
11009	8	3"	3-3/16"
11010	9	3-1/4"	3-7/16"
11011	10	3-1/2"	3-11/16"
11012	11	3-3/4"	3-15/16"
11013	12	4"	4-3/16"
11014	13	4-1/4"	4-7/16"
11015	14	4-1/2"	4-11/16"
11016	15	4-3/4"	4-15/16"
11017	16	5"	5-3/16"
11018	17	5-1/4"	5-7/16"
11019	18	5-1/2"	5-11/16"
11020	19	5-3/4"	5-15/16"
11021	20	6"	6-1/8"
11025	21	6-5/8"	6-3/4"
11046	22	7-3/4"	7-15/16"

Air Pre-Cleaners

- Made In USA!
- Increased Engine Life
- Reduced Operating Costs




Part Number	A	B	C	Weight Per Ea.	Recommended CFM Range
EX-20	5.25	3.38	2.00	1.00	50-100
EX-25	6.50	4.25	2.50	1.75	100-200
EX-30	6.50	5.00	3.00	2.75	150-275
EX-40	8.87	5.88	4.00	3.75	200-400
EX-50	11.25	7.50	5.00	6.50	350-700
EX-60	12.75	7.75	6.00	7.25	500-950
EX-70	14.75	8.50	7.00	9.50	750-1350
EX-80	14.75	8.50	8.00	9.50	950-1600


Pre-Cleaners



Donaldson TopSpin Pre-Cleaners



Part Number	Outlet ID	Overall Height	Body Dia.
H002434	2.03	5.75	6.38
H002435	2.27	5.75	6.38
H002436	2.53	5.75	6.38
H002437	3.03	5.75	6.38
H002425	3.07	9.39	9.51
H002426	3.83	9.39	9.51
H002394	4.06	9.39	9.51
H002427	4.56	9.39	9.51
H002433	5.03	11.30	11.32
H002438	6.03	13.57	15.62
H002439	7.03	13.57	15.62



Donaldson Full-View Pre-Cleaners

Part Number	Inlet A	B	C	D	E	Max Airflow CFM
H002042	1.75	5.59	4.75	1.72	5.50	80
H002040	2.00	5.59	4.75	1.72	5.50	90
H001250	2.25	7.34	6.19	1.72	7.25	130
H001251	2.50	7.34	6.19	1.72	7.25	150
H001249	3.00	7.34	6.19	1.72	7.25	170
H000821	3.75	10.63	7.66	1.84	10.50	330
H000858	4.00	10.63	7.66	1.84	10.50	340
H000823	4.50	10.63	7.66	1.84	10.50	340
H002043	5.00	12.06	7.69	2.00	11.94	740
H002223	6.00	16.25	10.00	2.81	15.94	1300
H002224	7.00	16.25	10.00	2.81	15.94	1500

Shaft Collars

- Zinc Plated
- C1020 Steel
- Grade 12.9 Set Screws



Shaft Collars

Part Number	Bore	OD	Width	Set Screw Size	Part Number	Bore	OD	Width	Set Screw Size
SC002	1/8"	0.355	0.250	6-32x1/8	SC112	1-3/4"	2.720	0.875	1/2-13x1/2
SC003	3/16"	0.418	0.250	8-32x1/8	SC113	1-13/16"	2.720	0.875	1/2-13x1/2
SC004	1/4"	0.480	0.281	10-32x1/8	SC114	1-7/8"	2.720	0.875	1/2-13x1/2
SC005	5/16"	0.605	0.313	10-32x1/8	SC115	1-15/16"	2.975	0.875	1/2-13x1/2
SC006	3/8"	0.730	0.375	1/4-20x3/16	SC200	2"	2.975	0.875	1/2-13x1/2
SC007	7/16"	0.855	0.437	1/4-20x1/4	SC202	2-1/8"	2.975	0.875	1/2-13x1/2
SC008	1/2"	0.980	0.437	1/4-20x1/4	SC203	2-3/16"	3.225	0.937	1/2-13x1/2
SC009	9/16"	0.980	0.437	1/4-20x1/4	SC204	2-1/4"	3.225	0.937	1/2-13x1/2
SC010	5/8"	1.105	0.500	5/16-18x1/4	SC205	2-5/16"	3.225	0.937	1/2-13x1/2
SC011	11/16"	1.230	0.562	5/16-18x1/4	SC206	2-3/8"	3.225	0.937	1/2-13x1/2
SC012	3/4"	1.230	0.562	5/16-18x1/4	SC207	2-7/16"	3.470	1.000	1/2-13x1/2
SC013	13/16"	1.480	0.562	5/16-18x1/4	SC208	2-1/2"	3.470	1.000	1/2-13x1/2
SC014	7/8"	1.480	0.562	5/16-18x5/16	SC209	2-9/16"	3.720	1.125	1/2-13x9/16
SC015	15/16"	1.605	0.562	5/16-18x5/16	SC210	2-5/8"	3.720	1.125	1/2-13x9/16
SC100	1"	1.605	0.625	5/16-18x5/16	SC211	2-11/16"	3.970	1.125	1/2-13x5/8
SC101	1-1/16"	1.730	0.625	5/16-18x5/16	SC212	2-3/4"	3.970	1.125	1/2-13x5/8
SC102	1-1/8"	1.730	0.625	5/16-18x5/16	SC213	2-13/16"	3.970	1.125	1/2-13x5/8
SC103	1-3/16"	1.975	0.687	3/8-16x3/8	SC214	2-7/8"	4.220	1.125	1/2-13x5/8
SC104	1-1/4"	1.975	0.687	3/8-16x3/8	SC215	2-15/16"	4.220	1.125	1/2-13x5/8
SC105	1-5/16"	2.100	0.687	3/8-16x3/8	SC300	3"	4.220	1.125	1/2-13x5/8
SC106	1-3/8"	2.100	0.750	3/8-16x3/8	SC303	3-3/16"	4.220	1.125	1/2-13x5/8
SC107	1-7/16"	2.225	0.750	3/8-16x3/8	SC307	3-7/16"	4.470	1.125	1/2-13x5/8
SC108	1-1/2"	2.225	0.813	3/8-16x3/8	SC315	3-15/16"	4.970	1.125	1/2-13x5/8
SC109	1-9/16"	2.480	0.813	3/8-16x3/8	SC407	4-7/16"	5.970	1.375	5/8-11x3/4
SC110	1-5/8"	2.480	0.813	3/8-16x3/8	SC415	4-15/16"	6.400	1.375	5/8-11x3/4
SC111	1-11/16"	2.480	0.813	3/8-16x3/8					

Split Tension Bushings

- Genuine Vogelsang Bushings
- Made From High Carbon Spring and Alloy Steel
Thru-Hardened and Tempered
- Wavy Slot Configuration



Part Number	O.D.	I.D.	L.G.	Part Number	O.D.	I.D.	L.G.	Part Number	O.D.	I.D.	L.G.
VG200	3/4	1/2	1/2	VG630	1-5/8	1-1/4	3/4	VG975	2-1/2	2	1
VG205	3/4	1/2	3/4	VG635	1-5/8	1-1/4	1	VG990	2-1/2	2	1-1/2
VG210	3/4	1/2	1	VG640	1-5/8	1-1/4	1-1/4	VG1000	2-1/2	2	2
VG275	1	3/4	1/2	VG645	1-5/8	1-1/4	1-1/2	VG1005	2-1/2	2	2-1/2
VG280	1	3/4	3/4	VG650	1-5/8	1-1/4	2	VG1010	2-1/2	2	3
VG290	1	3/4	1	VG720	1-3/4	1-1/2	3/4	VG1015	3	2-1/2	1
VG295	1	3/4	1-1/4	VG725	1-3/4	1-1/2	1	VG1030	3	2-1/2	1-1/2
VG300	1	3/4	1-1/2	VG735	1-3/4	1-1/2	1-1/4	VG1035	3	2-1/2	2
VG295	1	3/4	1-1/4	VG745	1-3/4	1-1/2	1-1/2	VG1040	3	2-1/2	2-1/2
VG300	1	3/4	1-1/2	VG750	1-3/4	1-1/2	2	VG1045	3	2-1/2	3
VG385	1-1/4	1	1/2	VG755	1-3/4	1-1/2	2-1/2	VG1050	3-1/2	3	1
VG395	1-1/4	1	3/4	VG770	1-7/8	1-1/2	3/4	VG1060	3-1/2	3	1-1/2
VG400	1-1/4	1	1	VG780	1-7/8	1-1/2	1	VG1070	3-1/2	3	2
VG410	1-1/4	1	1-1/4	VG785	1-7/8	1-1/2	1-1/4	VG1075	3-1/2	3	2-1/2
VG415	1-1/4	1	1-1/2	VG790	1-7/8	1-1/2	1-1/2	VG1080	3-1/2	3	3
VG430	1-1/4	1	2	VG795	1-7/8	1-1/2	2				
VG445	1-3/8	1	3/4	VG800	2	1-1/2	1				
VG450	1-3/8	1	1	VG810	2	1-1/2	1-1/4				
VG455	1-3/8	1	1-1/4	VG815	2	1-1/2	1-1/2				
VG460	1-3/8	1	1-1/2	VG820	2	1-1/2	2				
VG475	1-3/8	1-1/8	3/4	VG830	2	1-1/2	3				
VG485	1-3/8	1-1/8	1	VG840	2	1-3/4	1				
VG500	1-3/8	1-1/8	1-1/2	VG845	2	1-3/4	1-1/4				
VG530	1-1/2	1	1	VG850	2	1-3/4	1-1/2				
VG540	1-1/2	1	1-1/2	VG860	2	1-3/4	2				
VG590	1-1/2	1-1/4	3/4	VG930	2-3/8	2	3/4				
VG595	1-1/2	1-1/4	1	VG935	2-3/8	2	1				
VG600	1-1/2	1-1/4	1-1/4	VG945	2-3/8	2	1-1/4				
VG605	1-1/2	1-1/4	1-1/2	VG950	2-3/8	2	1-1/2				
VG615	1-1/2	1-1/4	2	VG960	2-3/8	2	2				
VG620	1-1/2	1-1/4	2-1/2								
VG625	1-1/2	1-1/4	3								

Narrow Rim Machinery Bushings



Inside Dia.	Outside Dia.	18 Gauge (Light) Part No.	14 Gauge (Medium) Part No.	10 Gauge (Heavy) Part No.
1/2	7/8	NR120780-18	NR120780-14	NR120780-10
9/16	1	NR916100-18	NR916100-14	N/A
5/8	1	NR580100-18	NR580100-14	NR580100-10
5/8	1-1/8	NR580118-18	NR580118-14	N/A
3/4	1-1/4	NR340114-18	NR340114-14	NR340114-10
7/8	1-3/8	NR780138-18	NR780138-14	NR780138-10
1	1-1/2	NR100112-18	NR100112-14	NR100112-10
1-1/8	1-3/4	NR118134-18	NR118134-14	NR118134-10
1-1/4	1-7/8	NR114178-18	NR114178-14	NR114178-10
1-3/8	2-1/8	NR138218-18	NR138218-14	NR138218-10
1-1/2	2-1/4	NR112214-18	NR112214-14	NR112214-10
1-5/8	2-3/8	NR158238-18	NR158238-14	NR158238-10
1-3/4	2-1/2	NR134212-18	NR134212-14	NR134212-10
1-7/8	2-7/8	N/A	NR178278-14	NR178278-10
2	3	NR200300-18	NR200300-14	NR200300-10
2-1/8	3-1/8	NR218318-18	NR218318-14	NR218318-10
2-1/4	3-1/4	NR214314-18	NR214314-14	NR214314-10
2-3/8	3-3/8	N/A	NR238338-14	NR238338-10
2-1/2	3-1/2	NR212312-18	NR212312-14	NR212312-10
3	4	N/A	N/A	NR300400-10

Wide Rim Machinery Bushings



Inside Dia.	Outside Dia.	18 Gauge (Light) Part No.	14 Gauge (Medium) Part No.	10 Gauge (Heavy) Part No.
5/8	1-1/4	WR580114-18	WR580114-14	WR580114-10
3/4	1-1/2	WR340112-18	WR580112-14	WR580112-10
7/8	1-3/4	WR780134-18	WR780134-14	WR780134-10
1	2	WR100200-18	WR100200-14	WR100200-10
1-1/8	2-1/8	WR118218-18	WR118218-14	WR118218-10
1-1/4	2-1/4	WR114214-18	WR114214-14	WR114214-10
1-3/8	2-1/2	WR138212-18	WR138212-14	WR138212-10
1-1/2	3	WR112300-18	WR112300-14	WR112300-10
1-5/8	3-1/8	WR158318-18	WR158318-14	WR158318-10
1-3/4	3-1/4	WR134314-18	WR134314-14	WR134314-10
1-7/8	3-3/8	WR178338-18	WR178338-14	WR178338-10
2	3-1/2	WR200312-18	WR200312-14	WR200312-10
2-1/8	3-5/8	WR218358-18	WR218358-14	WR218358-10
2-1/4	3-3/4	WR214334-18	WR214334-14	WR214334-10
2-1/2	3-7/8	WR212378-18	WR212378-14	WR212378-10
2-3/4	4	WR234400-18	WR234400-14	WR234400-10
3	4-1/4	WR300414-18	WR300414-14	WR300414-10

Hex Head Bolts

- Grade 5
- Zinc-Plated
- NC Threads
- Sold Per Piece



Length	Diameter								
	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
1/2"	HB1412	HB51612	HB3812	-	-	-	-	-	-
3/4"	HB1434	HB51634	HB3834	HB71634	HB1234	-	-	-	-
1"	HB141	HB5161	HB381	HB7161	HB121	HB581	HB341	-	-
1-1/4"	HB14114	HB516114	HB38114	HB716114	HB12114	HB58114	HB34114	-	-
1-1/2"	HB14112	HB516112	HB38112	HB716112	HB12112	HB58112	HB34112	HB78112	HB1112
1-3/4"	HB14134	HB516134	HB38134	HB716134	HB12134	HB58134	HB34134	HB78134	HB1134
2"	HB142	HB5162	HB382	HB7162	HB122	HB582	HB342	HB782	HB12
2-1/4"	HB14214	HB516214	HB38214	HB716214	HB12214	HB58214	HB34214	HB78214	HB1214
2-1/2"	HB14212	HB516212	HB38212	HB716212	HB12212	HB58212	HB34212	HB78212	HB1212
2-3/4"	HB14234	HB516234	HB38234	HB716234	HB12234	HB58234	HB34234	HB78234	HB1234
3"	HB143	HB5163	HB383	HB7163	HB123	HB583	HB343	HB783	HB13
3-1/2"	HB14312	HB516312	HB38312	HB716312	HB12312	HB58312	HB34312	HB78312	HB1312
4"	HB144	HB5164	HB384	HB7164	HB124	HB584	HB344	HB784	HB14
4-1/2"	HB14412	HB516412	HB38412	HB716412	HB12412	HB58412	HB34412	HB78412	HB1412
5"	HB145	HB5165	HB385	HB7165	HB125	HB585	HB345	HB785	HB15
5-1/2"	-	-	-	-	HB12512	HB58512	HB34512	HB78512	HB1512
6"	-	-	-	-	HB126	HB586	HB346	HB786	HB16
6-1/2"	-	-	-	-	HB12612	HB58612	HB34612	HB78612	HB1612
7"	-	-	-	-	HB127	HB587	HB347	HB787	HB17
7-1/2"	-	-	-	-	HB12712	HB58712	HB34712	HB78712	HB1712
8"	-	-	-	-	HB128	HB588	HB348	HB788	HB18
8-1/2"	-	-	-	-	-	-	HB34812	HB78812	HB1812
9"	-	-	-	-	-	-	HB349	HB789	HB19
9-1/2"	-	-	-	-	-	-	HB34912	HB78912	HB1912
10"	-	-	-	-	-	-	HB3410	HB7810	HB110

Hardware

Plow Bolts



- Grade 5
- Black Finish
- NC Threads
- Sold Per Piece

Length	Diameter				
	3/8"	7/16"	1/2"	5/8"	3/4"
1"	PB381	PB7161	PB121	PB581	-
1-1/4"	PB38114	PB716114	PB12114	PB58114	-
1-1/2"	PB38112	PB716112	PB12112	PB58112	-
1-3/4"	PB38134	PB716134	PB12134	PB58134	-
2"	PB382	PB7162	PB122	PB582	PB342
2-1/4"	PB38214	PB716214	PB12214	PB58214	PB34214
2-1/2"	PB38212	PB716212	PB12212	PB58212	PB34212
2-3/4"	PB38234	PB716234	PB12234	PB58234	PB34234
3"	PB383	PB7163	PB123	PB583	PB343
3-1/2"	PB38312	PB716312	PB12312	PB58312	PB34312

Phone: (800) 321-5247 Fax: (559) 237-2048

www.agwestparts.com

Carriage Bolts

- Grade 5
- Zinc-Plated
- NC Threads
- Sold Per Piece



Length	Diameter			
	3/8"	7/16"	1/2"	5/8"
3/4"	CB3834	CB71634	-	-
1"	CB381	CB7161	CB121	-
1-1/4"	CB38114	CB716114	CB12114	-
1-1/2"	CB38112	CB716112	CB12112	CB58112
1-3/4"	CB38134	CB716134	CB12134	CB58134
2"	CB382	CB7162	CB122	CB582
2-1/4"	CB38214	CB716214	CB12214	CB58214
2-1/2"	CB38212	CB716212	CB12212	CB58212
3"	CB383	CB7163	CB123	CB583
3-1/2"	CB38312	CB716312	CB12312	CB58312
4"	CB384	CB7164	CB124	CB584
4-1/2"	-	-	CB12412	CB58412
5"	-	-	CB125	CB585

Nuts & Washers




Size	Loc Washer	Flat Washer	Hex Nut	Casallated Nut
1/4"	LW14	FW14	N14	CN14
5/16"	LW516	FW516	N516	CN516
3/8"	LW38	FW38	N38	CN38
7/16"	LW716	FW716	N716	CN716
1/2"	LW12	FW12	N12	CN12
9/16"	LW916	FW916	N916	CN916
5/8"	LW58	FW58	N58	CN58
3/4"	LW34	FW34	N34	CN34
7/8"	LW78	FW78	N78	CN78
1"	LW1	FW1	N1	CN1
1-1/8"	LW118	FW118	N118	CN118
1-1/4"	LW114	FW114	N114	CN114
1-1/2"	LW112	FW112	N112	CN112
1-3/4"	LW134	FW134	N134	CN134
1-7/8"	LW178	FW178	N178	CN178
2"	LW2	FW2	N2	CN2

U-Bolts

Featuring:

- Plated U-Bolts
- Made From 1045 Steel
- 2" Threads



Part Number	Diameter	(A)	(B)	Weight (Lbs.)
UBT34000	3/8"	4"	5"	0.8
UBT34001	3/8"	4"	7"	1.0
UBT34002	3/8"	5"	8"	1.2
UBT34003	3/8"	7"	6"	1.3
UBT34004	3/8"	7"	8"	1.5
UBT30001	1/2"	4"	6"	0.7
UBT30002	1/2"	4"	8"	0.9
UBT30003	1/2"	4"	9"	1.2
UBT30004	1/2"	5"	9"	1.2
UBT30005	1/2"	6"	6"	1.0
UBT30006	1/2"	6"	10"	1.2
UBT30007	1/2"	7"	7"	0.9
UBT30008	1/2"	7"	9"	1.1
UBT31001	5/8"	4"	6"	1.2
UBT31002	5/8"	4"	8"	1.7
UBT31003	5/8"	4"	9"	1.6
UBT31004	5/8"	5"	9"	2.0
UBT31005	5/8"	6"	6"	1.3
UBT31006	5/8"	6"	10"	1.8
UBT31011	5/8"	7"	6"	1.5
UBT31007	5/8"	7"	7"	1.5
UBT31008	5/8"	7"	9"	2.2
UBT32001	3/4"	4"	6"	1.7
UBT32002	3/4"	4"	8"	2.5
UBT32003	3/4"	4"	9"	2.3
UBT32004	3/4"	5"	9"	2.8
UBT32005	3/4"	6"	6"	2.2
UBT32006	3/4"	6"	10"	2.8
UBT32007	3/4"	7"	7"	2.2
UBT32008	3/4"	7"	9"	2.3
UBT33001	7/8"	5"	9"	3.9
UBT33002	7/8"	6"	6"	3.1
UBT33003	7/8"	6"	10"	4.4
UBT33004	7/8"	7"	7"	3.6
UBT33005	7/8"	7"	9"	4.3

Grape Knives



Part Number	Description
GK-3	Grape Knife (12/Box)



Part Number	Description
GK-3C	Grape Knife Cerrated (12/Box)

Lettuce/Broccoli Knives



Part Number	Description
AW75	Lettuce Knife (12/Box)



Part Number	Description
AW77	Broccoli Knife (12/Box)

Grape Pans



Part Number	Description
GP-1	Grape Pan

Shovels



Part Number	Description
BLRP	Round Point Shovel
BLSP	Square Point Shovel

Paint



- Lead Free Enamel
- Resists rust
- Fast drying
- Fade resistant
- High hiding
- Excellent leveling

Allis Chalmers Persian Orange

951001	Gallon
961001	Quart
971001	12oz. Aerosol

Ford Dark Gray (9N, 2N)

951303	Gallon
961303	Quart
971303	12oz. Aerosol

Ferguson Gray

952001	Gallon
962001	Quart
972001	12oz. Aerosol

Allis Chalmers Corp. Orange

951004	Gallon
961004	Quart
971004	12oz. Aerosol

Ford Red (Orange) 2000 - 4000

951302	Gallon
961302	Quart
971302	12oz. Aerosol

Massey Ferguson Light Gray

952004	Gallon
962004	Quart
972004	12oz. Aerosol

Case Flambeau Red

951501	Gallon
961501	Quart
971501	12oz Aerosol

Ford Red (8N, NAA)

951301	Gallon
961301	Quart
971301	12oz. Aerosol

MF Metallic Flint Gray

952003	Gallon
962003	Quart
972003	12oz. Aerosol

Caterpillar Yellow

951101	Gallon
961101	Quart
971101	12oz Aerosol

International Harvester

951403	Gallon
961403	Quart
971403	12oz. Aerosol

Massey Ferguson Red

952002	Gallon
962002	Quart
972002	12oz. Aerosol

Ford Blue

951306	Gallon
961306	Quart
971306	12oz Aerosol

John Deere Green

951702	Gallon
961702	Quart
971702	12oz. Aerosol

New Holland Yellow

952301	Gallon
962301	Quart
972301	12oz. Aerosol

Ford Gray (8N, NAA, 600 - 900)

951304	Gallon
961304	Quart
971304	12oz Aerosol

John Deere Yellow

951703	Gallon
961703	Quart
971703	12oz. Aerosol

Oliver (Meadow Green)

952403	Gallon
962403	Quart
972403	12oz. Aerosol

Ford Light Gray (2000 - 4000)

951305	Gallon
961305	Quart
971305	12oz Aerosol

Kubota Orange

951901	Gallon
961901	Quart
971901	12oz. Aerosol

Tractor Umbrellas

- Tilts to any angle
- Folds to one side when not in use
- Assembly consists of cover, frame, & mount bracket
- Shafts constructed of 1-1/4" heavy duty steel tubing



56" Square Tractor Umbrella

Part Number	Color	Weight (Lbs.)	Replacement Cover
TU56B	Blue	17.00	TU56B-C
TU56R	Red	17.00	TU56R-C
TU56Y	Yellow	17.00	TU56Y-C

40" Buggy Style (3-Bow)




Part Number	Color	Weight (Lbs.)	Replacement Cover
BU40B	Blue	16.00	BU40B-C
BU40R	Red	16.00	BU40R-C
BU40Y	Yellow	16.00	BU40Y-C


48" Buggy Style (3-Bow)

Part Number	Color	Weight (Lbs.)	Replacement Cover
BU48B	Blue	17.50	BU48B-C
BU48R	Red	17.50	BU48R-C
BU48Y	Yellow	17.50	BU48Y-C


Seats




Part Number	Description	Color
VLD1590	16" Narrow Flip Style Dishpan Seat with Brackets	Black



Part Number	Description	Color
CS126-1V	19.50" Flip Style Dishpan Seat with Brackets	Black




Part Number	Description	Color
CS128-1V	High Back Dishpan with Two Mounting Patterns	Black




Part Number	Description	Color
CS133-1V	High Back Moulded Dishpan Seat	Black

Seats




A = 18.25"
B = 4"
C = 19.5"
D = 15.75"

Part Number	Description	Color
TMS444BL	Michigan Style Seat with Slide Track	Black
TMS444YL	Michigan Style Seat with Slide Track	Yellow




A = 15.5"
B = 3"
C = 18"
D = 14.5"

Part Number	Description	Color
LGS100BL	Lawn and Garden Seat with Slide Track	Black
LGS100YL	Lawn and Garden Seat with Slide Track	Yellow



A = 19"
B = 3"
C = 18.5"
D = 13"


Part Number	Description	Color
LMS2002	Lawn and Garden Seat	Black
LMS2002YL	Lawn and Garden Seat	Yellow




A = 17.5"
B = 3.75"
C = 20.5"
D = 18.5"

Part Number	Description	Color
VG11696	18" John Deere Gator Seat	Yellow

Seats




A = 21.75"
B = 9.5"




C = 21.25"
D = 20.5"

Part Number	Description	Color	Replacement Cushion Kit
W222BL	Wrap Around Universal Seat	Black	WKBL
W222BU	Wrap Around Universal Seat	Blue	WKBU
W222YL	Wrap Around Universal Seat	Yellow	WKYL




A = 22"
B = 11" (flip-up)




C = 22.75"
D = 20.25"

Part Number	Description	Color	Replacement Cushion Kit
WF222BL	Flip-Up, Wrap Around Universal Seat	Black	WKBL
WF222BU	Flip-Up, Wrap Around Universal Seat	Blue	WKBU
WF222YL	Flip-Up, Wrap Around Universal Seat	Yellow	WKYL




A = 18.5"
B = 8.5"




C = 20"
D = 21"

Part Number	Description	Color	Replacement Cushion Kit
T222BL	Trapezoid Back, Universal Seat	Black	TKBL
T222BU	Trapezoid Back, Universal Seat	Blue	TKBU
T222YL	Trapezoid Back, Universal Seat	Yellow	TKYL




A = 20"
B = 6.5"




C = 20"
D = 16.25"

Part Number	Description	Color	Replacement Cushion Kit
T122BL	Non-Suspension w/ Slide Track, Univ. Seat	Black	TKBL


Seats



Part Number	Description	Color
T500BL	Flip Up Arm Rests with Slide Track, Universal Seat	Black



Part Number	Description	Color
CS140-1V	Flip Up Arm Rests, Universal Seats	Black



Part Number	Description	Color
FLS122BL	Forklift Seat	Black

Seats & Cushions

1043315M91-1 Seat Cushion, Bolt On,
Wood Base, Black

1041995M91-9 Seat Cushion, Bolt On,
Wood Base, Gray

1043314M92-9 Back Cushion, Bolt On,
Plastic Base, Black

1032434M91-9 Back Cushion, Bolt On,
Plastic Base, Gray



Fits:

Allis-Chalmers: A SN 30001->

Massy Ferguson: 1080, 150, 165, 175, 180, 235,
245, 254, 65

C3NN400E-14 Deluxe Seat Pad, Blue & White



Fits:

Ford/New Holland: Fits Bucket Style Seats

251195DS-C14 Seat Cover, Blue & White

251195DS-K14 Seat Cover Kit w/ Foam, Blue
& White



Fits:

Ford/New Holland: NAA, 2N, 600, 601, 700, 701,
8N, 800 STD, 801, 9N, 900, 901

1690046M91-1 Canvas Base Seat Cushion,
Strap On, Black

513351M91-S9 Canvas Base Seat Cushion,
Strap On, Gray

1690014M91-1 Back Cushion, Plastic Base,
Black

513353M91-9 Back Cushion, Wood Base,
Gray



Fits:

Massey Ferguson: F40, TE20, TO20, TO30, TO35,
130, 135, 150, 185, 202, 203, 204, 205, 230, 235,
250, 283, 35, 357, 50, 65 UTL, 85, 88, 95, 20, 30,
40, Super 35

8N400 Steel Pan Seat, Non Flip Back



Fits:

Ford/New Holland: NAA, 2N, 8N, 9N, 600, 800, 2000

Seats